DNV

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
N143A9F7

Date of Inspection:
02-February-2026

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR	**Place of Inspection:** DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462209221 **DNV Order No.:** A1857569
Manufacturer OR Supplier: DUTEST QATAR W.L.L.	**Reference Standard:** BS EN 1492-1:2000+A1:2008 / CORP-PAI-STD-005 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
AA0253/0401	01	**FLAT WEBBING SLING** Type : Duplex polyester flat webbing sling with soft eyes on both ends Brand : Salvator Material. : Polyester E.W.L : 1.0 m Width : 30 mm Color : Violet FOS : 7:1 YOM : 06-2024 Initial Date of Use : 02-2025 Discard date : 16.02.2029 Conformity Certificate No.: L2024060401 Dated : 17.06.2024 Break Test Certificate No.: VQI/AAES/79/14008 Date : 13.02.2025 ***Identification of Measuring/Testing Tools:*** *Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026*	**NIL**	**1.0 t** (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
14.07.2025 A1763017-41	02.08.2026	Not Applicable	Not Applicable

Authorized Name: ***ROBIN JOHNY***

Authorized Signature:

DNV 1864 INSPECTION 42 - 108

Surveyor's Name: ***MANOJ MATHEW***

Surveyor's Signature:

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Copyright © DNV 2021. All rights reserved.
The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client

DNV

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
A1763017-41

Date of Inspection:
14-July-2025

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES DOHA STATE OF QATAR	**Place of Inspection:** DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462208717 **DNV Order No.:** A1763017
Manufacturer OR Supplier: RV INDUSTRIES	**Reference Standard:** BS EN 1492-1:2000+A1:2008 / QP-PAI-STD-OO5 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
AA0253/0401 **AA0076/0401**	**02**	**FLAT WEBBING SLING** Type : Duplex polyester flat webbing sling with soft eyes on both ends Brand : Salvator Material. : Polyester E.W.L : 1.0 m Width : 30 mm Color : Violet FOS : 7:1 YOM : 06-2024 Initial Date of Use : 16.02.2025 Discard date : 16.02.2029 Conformity Certificate No.: L2024060401 Dated : 17.06.2024 Break Test Certificate No.: VQI/AAES/79/14008 Date : 13.02.2025 ***Identification of Measuring/Testing Tools:*** *Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026*	**NIL**	**1.0 t** (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
16.02.2025 VQI/AAES/79/14124	14.01.2026	Not Applicable	Not Applicable

Authorized Name: ***NITHIN RAVINDRAN***

Authorized Signature:

DNV 1864 INSPECTION 42 - 108

Surveyor's Name: ***MANOJ MATHEW***

Surveyor's Signature:

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Copyright © DNV 2021. All rights reserved.
The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client

Velosi Certification LLC
Ahmad Bin Ali Business Center, 1st Floor
New Salata, C Ring Road
P.O. Box 3408, Doha, Qatar
T: +974 4435 2850 F: +974 4435 2819
E: info.qatar@applus.com
www.applus.qa

ilac-MRA IAS ACCREDITED AA 840 Applus Together beyond standards

CERTIFICATE

of Thorough Examination of Lifting Gear

L5-QAT-039b Rev. 0

Certificate No.: VQI/AAES/79/14124 **Date of Inspection:** 16.02.2025

Name & Address of the Owner: AL HABARI ENGINEERING DOHA – QATAR	**Place of Inspection:** ABU ADEL ENGINEERING & MECH SERVIES YARD, DOHA-QATAR
Maker or Supplier: RV INDUSTRIES	**Ref. Standard:** BS EN 1492-1:2000+A1:2008 / QP-PAI-STD-005 Rev.00

ID No.:	Qty.	Description	Proof Load Applied	S.W.L
AA 0253/0401 AA 0076/0401	02	**WEBBING SLING** TYPE : Duplex Flat Polyester Soft Eyes SIZE : 30 mm (W) x 1.0 m (L) COLOUR: VIOLET BRAND: SALVATOR YEAR OF MANUFACTURE: 06/2024 INITIAL USE : 16.02.2025 DISCARD DATE : 16.02.2029 SAFETY FACTOR 7:1 Break Test Cert No.: VQI/AAES/79/14008 Dated: 13.02.2025 COC No.: L2024060401, Dated: 17.06.2024	NOT APPLICABLE	1.0 t (STRAIGHT LIFT)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	16.08.2025	NOT APPLICABLE	NOT APPLICABLE

Authorized Name: EZHIL AMUTHAN **Surveyor's Name:** K. VENKATESAN

Authorized Signature: **Surveyor's Signature:**

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.

VELOSI CERTIFICATION LLC QATAR Applus 79

Velosi Certification LLC
Ahmad Bin Ali Business Center, 1st Floor
New Salata, C Ring Road
P.O. Box 3408, Doha, Qatar
T: +974 4435 2850 F: +974 4435 2819
E: info.qatar@applus.com
www.applus.qa

IAS ACCREDITED AA 840

Applus Together beyond standards

CERTIFICATE

of Actual Breaking Load Test

L5-QAT-039e Rev. 0

Certificate No.: VQI/AAES/79/14008 **Date of Inspection:** 13.02.2025

Name & Address of the Owner: A. A. ENGINEERING & MECH. SERVICES DOHA - QATAR	**Place of Inspection:** ABU ADEL ENGINEERING & MECH SERVIES YARD, DOHA-QATAR
Maker or Supplier: RV INDUSTRIES	**Ref. Standard:** BS EN 1492-1:2000+A1:2008 / QP-PAI-STD-005 Rev.00

ID No.:	Qty.	Description	Actual Breaking Load	Minimum Breaking Load
		WEBBING SLING		
AA 0145/0401 AA 0303/0401	02	TYPE : Duplex Flat Polyester Soft Eyes SIZE : 30 mm (W) x 1.0 m (L) COLOUR: VIOLET BRAND : SALVATOR YEAR OF MANUFACTURE : 06/2024 SWL: 1.0 t SAFETY FACTOR 7:1 TEST BED SERIAL No. : 292/113 CALIBRATED ON : 13.06.2024 CERTIFICATE REF. No.: VQI/AAES/23/03368 NOTE: TWO RANDOMLY SELECTED WEBBING SLING FROM A LOT OF 500 PIECES. WEBBING SLINGS I.D. No.: AA 0001/0401 To AA 0500/0401 COC No.: L2024060401, Dated: 17.06.2024	7.07 t 8.43 t	7.0 t 7.0 t

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	Not Applicable	NEW	NOT APPICABLE

Authorized Name: EZHIL AMUTHAN **Surveyor's Name:** K. VENKATESAN

Authorized Signature: **Surveyor's Signature:**

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations.. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.

VELOSI CERTIFICATION LLC QATAR Applus 79

RV INDUSTRIES
SAFETY EXPERTS

SALVATOR®
WHEN SAFETY IS PRIORITY

CERTIFICATE OF CONFORMITY

Certificate Number: **L2024060401**

Order No: 19776/24/JW

Invoice No: JL2404060

Delivered to: ABU ADEL TRADING AND CONTG. EST.

P.O. BOX 40541, DOHA, QATAR.

Description of Product: Flat Polyester Webbing Slings According to EN1492-1:2000+A1:2008
Type: Double Ply, Width: 30 mm, Length: 1 Meter, Safety Factor: 7:1, Colour: Violet
Date of Manufacturing: June 2024,
BRAND: SALVATOR, Manufacturer: RV INDUSTRIES

Batch No.	ID Number	Qty. (Pcs)	SWL (Kg)	Proof Load (Kg)	Safety Factor	Safe Working Load (In kg)		
						Straight Lift	Choked Lift	Basket Lift
0401	AA 0001 to AA 0500	500	1000	2000	7:1	1000	800	2000

Comments: The Safety factor is calculated and supported by sample destruction test.
We Certify that the slings listed above have been manufactured in accordance with the applicable sections of BS EN 1492-1; 2000 & and were found to be free flaws, damages or other defects.
PCs are based on visual observation, Proof Load applied on material batch sample.

Date: **17 June, 2024**
Date of Issuance

Signature Waseem Ahmad
Quality Assurance Manager

R.V. INDUSTRIES
Plot No-6 Chinhat Industrial Area,
Lucknow-226019 INDIA
आर०वी० इंडस्ट्रीज़
प्लॉट नं०6 चिनहट, इंडस्ट्रियल एरिया,
लखनऊ-226019

CAUTIONS

- DO NOT EXCEED WORKING LOAD LIMIT
- PREVENT SHOCK-LOADING
- WHERE SELECTING A SLING IT IS VERY IMPORTANT TO CONSIDER THE ANGLES AT WHICH THE SLING WILL BE USED
- SLINGS ARE SUBJECT TO CUTTING WHEN LIFTING ITEMS WITH SHARP EDGES. IN THIS CASE ALWAYS USE WEAR SLEEVES
- DO NOT USE A DAMAGED SLING
- NEVER MAKE KNOTS IN A SLING
- CHEMICAL ACTIVE ENVIRONMENTS CAN AFFECT THE STRENGTH.
- INSPECT SLINGS WEEKLY OR MORE FREQUENTLY DEPENDING ON SLING USE
- ALWAYS STORE SLINGS IN A COOL DRY AND DARK PLACE WHEN THEY ARE NOT IN USE FOR PROLONGED PERIODS.
- ALWAYS READ AND UNDERSTAND THE OPERATING INSTRUCTIONS BEFORE USE.
- STORE THE SLINGS IN A COOL, DRY PLACE
- DO NOT USE ABOVE 100 AND BELOW -40 DEGREES CENTIGRADE