DNV

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
N143A9FC

Date of Inspection:
02-February-2026

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR	**Place of Inspection:** DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462209221 **DNV Order No.:** A1857569
Manufacturer OR Supplier: HEROLIFT TRADING AND SERVICES W.L.L	**Reference Standard:** BS EN 1492-2:2000+A1:2008 / CORP-PAI-STD-005 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
2402020002	01	**ENDLESS ROUND SLING** Type : Endless Polyester Round Sling Circumference : 4.0 m E.W.L. : 2.0 m Colour : Green Y.O.M : 11-2024 Factor of Safety : 7:1 Date of Initial Use : 05.02.2025 Discard Date : 05.02.2029 Conformity Certificate No.: HL24 RS240138 Dated : 18.11.2024 Break Test Certificate No.: BVI.DOA.24.IVS.931.80.RS.2402020222 Dated : 20.11.2024 **Identification of Measuring/Testing Tools:** *Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026*	**NIL**	**2.0 t** (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
14.07.2025 A1763017-42	02.08.2026	Not Applicable	Not Applicable

Authorized Name: ***ROBIN JOHNY***

Authorized Signature:

DNV 1864 INSPECTION 42 - 168

Surveyor's Name: ***MANOJ MATHEW***

Surveyor's Signature:

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Copyright © DNV 2021. All rights reserved.
The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client

DNV

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
A1763017-42

Date of Inspection:
14-July-2025

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES DOHA STATE OF QATAR	**Place of Inspection:** DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462208717 **DNV Order No.:** A1763017
Manufacturer OR Supplier: HEROLIFT TRADING AND SERVICES W.L.L	**Reference Standard:** BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-OO5 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
2402020001 **2402020002** **2402020003**	**03**	**ENDLESS ROUND SLING** Type : Endless Polyester Round Sling Circumference : 4.0 m E.W.L. : 2.0 m Colour : Green Y.O.M : 11-2024 Factor of Safety : 7:1 Date of Initial Use : 05.02.2025 Discard Date : 05.02.2029 Conformity Certificate No.: HL24 RS240138 Dated : 18.11.2024 Break Test Certificate No.: BVI.DOA.24.IVS.931.80.RS.2402020222 Dated : 20.11.2024 **Identification of Measuring/Testing Tools:** *Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026*	**NIL**	**2.0 t** (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
05.02.2025 VQI/AAES/79/13644	14.01.2026	Not Applicable	Not Applicable

Authorized Name: ***NITHIN RAVINDRAN***

Authorized Signature:

DNV 1864 INSPECTION 42 - 108

Surveyor's Name: ***MANOJ MATHEW***

Surveyor's Signature:

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Copyright © DNV 2021. All rights reserved.
The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client

Velosi Certification LLC
Ahmad Bin Ali Business Center, 1st Floor
New Salata, C Ring Road
P.O. Box 3408, Doha, Qatar
T: +974 4435 2850 F: +974 4435 2819
E: info.qatar@applus.com
www.applus.qa

ilac-MRA IAS ACCREDITED Inspection Agency AA 840 Applus Together beyond standards

CERTIFICATE

of Thorough Examination of Lifting Gear

L5-QAT-039d Rev. 0

Certificate No.: VQI/AAES/79/13644 **Date of Inspection:** 05.02.2025

Name & Address of the Owner: AL HABARI ENGINEERING DOHA - QATAR	**Place of Inspection:** ABU ADEL ENGINEERING & MECH SERVIES YARD, DOHA-QATAR
Maker or Supplier: HEROLIFT TRADING AND SERVICES W.L.L	**Ref. Standard:** BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005 Rev.00

ID No.:	Qty.	Description	Proof Load Applied	S.W.L
		ROUND SLING		
2402020001 2402020002 2402020003 2402020004	04	TYPE : POLYESTER ENDLESS ROUND SLING EFFECTIVE LENGTH : 2.0 m CIRCUMFERENCE: 4.0 m COLOUR: GREEN YEAR OF MANUFACTURE : 11/2024 INITIAL USE : 05.02.2025 DISCARD DATE : 05.02.2029 SAFETY FACTOR 7:1 Break Test Cert No.: BVI.DOA.24.IVS.931.80.RS.2402020222, Dated: 20.11.2024 COC No.: HL24 RS240138, Dated: 18.11.2024	NOT APPLICABLE	**2.0 t (STRAIGHT LIFT)**

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	05.08.2025	NOT APPLICABLE	NOT APPLICABLE

Authorized Name: EZHIL AMUTHAN **Surveyor's Name:** K. VENKATESAN

Authorized Signature: **Surveyor's Signature:**

VELOSI CERTIFICATION LLC QATAR Applus 79

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.

BUREAU VERITAS

CERTIFICATE

Of Break Test of Lifting Gear

Certificate No.: **BVI.DOA.24.IVS.931.80.RS. 2402020222** Date of Inspection: **20th November 2024**

Name & Address of the Owner: **HERO LIFT TRADING AND SERVICES WLL** **DOHA, STATE OF QATAR**	Place of Inspection: **FRANKLIN PFFSHORE** **INDUSTRIAL AREA, DOHA-QATAR**
Supplier: **HERO LIFT TRADING AND SERVICES WLL**	Standard: **BS EN 1492-2:2000+A1:2008 /** **QP-PAI-STD-005 REV 00**

ID No.:	Qty.	Description	Actual Breaking Load
2402020222	**01**	**SAMPLE OF ROUND SLING** A Sample Round sling was taken from the batch mentioned below and destruction test was carried out on a calibrated tensile test bed. Make : HERO LIFT TRADING AND SERVICES WLL Material : Polyester Batch No. : HL2439/0202 E.W. L : 2 m Capacity : 2 t Minimum Breaking Load : 14 t Actual Breaking Load : 14.4 t Range No. : 2402020001 – 2402020300 Batch Qty : 300 pcs Test Bed SL.No : 02953/02954 Calibrated On : 30-09-2024 Test bed calibration cert No. : **QAT/C/51286/24/TT** Test bed calibration certificate reviewed. (Remaining quantity of the batch has 299 pcs) Conformity certificate No.: **HL24 RS240138**, Date: 18-11-2024	**14.4 t**

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	**NOT APPLICABLE**	**NOT APPLICABLE**	**NOT APPLICABLE**

Authorized Name : **P. Subramanian** Surveyor's Name: **Manish M Philip**

Authorized Signature : Surveyor's Signature:

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined & tested the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities & insurance is as per Bureau Veritas International Doha L.L.C General Conditions of Services.

BUREAU VERITAS INTL. DOHA (W.L.L) SURVEYOR AT DOHA 7 QATAR 1828

BUREAU VERITAS INTERNATIONAL DOHA W.L.L
qatar@bureauveritas.com : البريد الإلكتروني +٩٧٤ ٤٤٤٣ ٧١٩٠ : فاكس – +٩٧٤ ٤٠٣٢ ٩٧٢٩ : تليفون قطر – الدوحة – ٢٢١٥٧ : ص.ب – صندوق بريد
Postal Address – P.O. Box : 22157 – Doha – Qatar – Tel.: +974 4032 9729 – Fax: +974 4443 7190 – E-mail: qatar@bureauveritas.com – Web site: www.bureauveritas.com

CERTIFICATE OF CONFORMITY

AND MANUFACTURER'S REPORT OF EXAMINATION
ACCORDING TO BS EN 1492-2:2000+A1:2008 & ASME B30.9

Report Reference No.: HL24 RS240138 **Date: 18th November 2024**

Customers Name and Address:	**Manufacturer's Name:**
M/s. HEROLIFT TRADING AND SERVICES W.L.L BUILDING 7, STREET 2041, ZONE 91, P.O. BOX: 40509, DOHA-QATAR	M/s. HEROLIFT TRADING AND SERVICES W.L.L BUILDING 7, STREET 2041, ZONE 91, P.O. BOX: 40509, DOHA-QATAR

Product Reference:	**Order Reference:**	**Customer Reference:**
HL2439/0202	HLQTR/WO 0444/24	

POLYESTER ROUND ENDLESS SLING

Distinguishing Number or Mark	Quantity	Product Description	Safe Working Load in Tonne
2402020001 TO 2402020300	300	Type : Tubular Polyester Round Endless sling Circumference : 4.0 m EWL : 2.0 m Colour : Green Date of Mfg. : 11/2024 SWL : 2.0 Tonne MBL : 14.0 t Safety Factor : 7:1	**2.0 t** (Straight Lift) **4.0 t** (Basket Hitch) **1.6 t** (Choke Hitch)

Quality Manager
We certify that the slings listed above have been produced in accordance with the requirements of the above-mentioned standard.

DIRECTIONS FOR USE
Use only identified slings with a visible Safe Working Load (SWL).
Do not use damaged slings.
Use only a slip knot for a choker lift.
Do not use the sling on sharp-edged and rough surfaces without an additional protective sleeve.
Do not forcibly pull out a sling that is jammed under a load.
Take into account the lifting angles.
Do not use slings in temperatures above 100 degrees Celsius or below -40 degrees Celsius.
Before each use, the sling should be inspected for defects and to ensure that the identification and specification are correct.
A sling that is unidentified or defective should never be used and should be referred to a competent person for examination.
During the period of use, frequent checks should be made for defects or damage, including damage concealed by soiling, which might affect the continued safe use of the sling.
These checks should also extend to any fittings and lifting accessories used in association with the sling.
If any doubt exists as to the fitness for use, or if any of the required markings have been lost or become illegible, the sling should be removed from service for examination by a competent person.
Upon completion of the lifting operation, the sling should be returned to proper storage.
When not in use, slings should be stored in clean, dry, and well-ventilated conditions at ambient temperature on a rack, away from any heat sources, contact with chemicals, fumes, corrodible surfaces, direct sunlight, or other sources of ultraviolet radiation.
Avoid shock loading.

HL/COC/RS/23/Rev.0

Signature :

هيرو ليفت للتجارة والخدمات ذ.م.م
HeroLift
C.R.No:178754 Doha-Qatar
HeroLift Trading & Services W.L.L