DNV

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
N143A9FB

Date of Inspection:
02-February-2026

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR	**Place of Inspection:** DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462209221 **DNV Order No.:** A1857569
Manufacturer OR Supplier: RV INBDUSTRIES	**Reference Standard:** BS EN 1492-2:2000+A1:2008 / CORP-PAI-STD-005 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
2402030168 **2402030166** **2402030169**	**03**	**ENDLESS ROUND SLING** Type : Endless Polyester Round Sling Circumference : 6.0 m E.W.L. : 3.0 m Colour : Green Y.O.M : 03-2024 Factor of Safety : 7:1 Date of Initial Use : 05.02.2025 Discard Date : 05.02.2029 Conformity Certificate No.: HL24 RS240040 Dated : 06.03.2024 Break Test Certificate No.: VQI/AAES/2312032429 Dated : 12.03.2024 **Identification of Measuring/Testing Tools:** *Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026*	**NIL**	**2.0 t** (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
14.07.2025 A1763017-43	02.08.2026	Not Applicable	Not Applicable

Authorized Name: ***ROBIN JOHNY***

Authorized Signature:

DNV 1864 INSPECTION 42 - 138

Surveyor's Name: ***MANOJ MATHEW***

Surveyor's Signature:

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Copyright © DNV 2021. All rights reserved.
The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client

DNV

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
A1763017-43

Date of Inspection:
14-July-2025

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES DOHA STATE OF QATAR	**Place of Inspection:** DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462208717 **DNV Order No.:** A1763017
Manufacturer OR Supplier: HEROLIFT TRADING AND SERVICES W.L.L	**Reference Standard:** BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-OO5 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
2402030167 **2402030168** **2402030166** **2402030169**	**04**	**ENDLESS ROUND SLING** Type : Endless Polyester Round Sling Circumference : 6.0 m E.W.L. : 3.0 m Colour : Green Y.O.M : 03-2024 Factor of Safety : 7:1 Date of Initial Use : 05.02.2025 Discard Date : 05.02.2029 Conformity Certificate No.: HL24 RS240040 Dated : 06.03.2024 Break Test Certificate No.: VQI/AAES/2312032429 Dated : 12.03.2024 **Identification of Measuring/Testing Tools:** *Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026*	**NIL**	**2.0 t** (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
05.02.2025 VQI/AAES/79/13643	14.01.2026	Not Applicable	Not Applicable

Authorized Name: ***NITHIN RAVINDRAN***

Authorized Signature:

DNV 1864 INSPECTION 42 - 108

Surveyor's Name: ***MANOJ MATHEW***

Surveyor's Signature:

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Copyright © DNV 2021. All rights reserved.
The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client

Velosi Certification LLC
Ahmad Bin Ali Business Center, 1st Floor
New Salata, C Ring Road
P.O. Box 3408, Doha, Qatar
T: +974 4435 2850 F: +974 4435 2819
E: info.qatar@applus.com
www.applus.qa

ilac-MRA IAS ACCREDITED Inspection Agency AA 840 Applus Together beyond standards

CERTIFICATE

of Thorough Examination of Lifting Gear

L5-QAT-039d Rev. 0

Certificate No.: VQI/AAES/79/13643 **Date of Inspection:** 05.02.2025

Name & Address of the Owner: AL HABARI ENGINEERING DOHA - QATAR	**Place of Inspection:** ABU ADEL ENGINEERING & MECH SERVIES YARD, DOHA-QATAR
Maker or Supplier: HEROLIFT TRADING AND SERVICES W.L.L	**Ref. Standard:** BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005 Rev.00

ID No.:	Qty.	Description	Proof Load Applied	S.W.L
2402030167 2402030168 2402030166 2402030169	04	**ROUND SLING** TYPE : POLYESTER ENDLESS ROUND SLING EFFECTIVE LENGTH : 3.0 m CIRCUMFERENCE: 6.0 m COLOUR: GREEN YEAR OF MANUFACTURE : 03/2024 INITIAL USE : 05.02.2025 DISCARD DATE : 05.02.2029 SAFETY FACTOR 7:1 Break Test Cert No.: VQI/AAES/2312032429, Dated: 12.03.2024 COC No.: HL24 RS240040, Dated: 06.03.2024	NOT APPLICABLE	**2.0 t (STRAIGHT LIFT)**

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	05.08.2025	NOT APPLICABLE	NOT APPLICABLE

Authorized Name: EZHIL AMUTHAN **Surveyor's Name:** K. VENKATESAN

Authorized Signature: **Surveyor's Signature:**

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.

VELOSI CERTIFICATION LLC QATAR Applus 79

Velosi Certification LLC
Ahmad Bin Ali Business Center, 1st Floor
New Salata, C Ring Road
P.O. Box 3408, Doha, Qatar
T: +974 4435 2850 F: +974 4435 2819
E. info.qatar@applus.com
www.applus.qa

AA 840

CERTIFICATE

of Actual Breaking Load Test

L5-QAT-35c Rev. 0

Certificate No.: VQI/AAES/2312032429 **Date of Inspection:** 12.03.2024

Name & Address of the Owner: **HEROLIFT TRADING AND SERVICES W.L.L** **DOHA - QATAR**	**Place of Inspection:** **A. A. ENGINEERING & MECH. SERVICES** **P.O.BOX 40541, DOHA - QATAR**
Maker or Supplier: **HEROLIFT TRADING AND SERVICES W.L.L**	**Ref. Standard:** **BS EN 1492-2:2000+A1:2008/** **QP-PAI-STD-005 REV. 00**

ID No.:	Qty.	Description	Actual Breaking Load	Minimum Breaking Load
2402030026	**01**	**ROUND SLING** TYPE : Tubular Polyester Endless Round Slings EWL : 3.0 m CIRCUMFERENCE : 6.0 m COLOUR : GREEN YEAR OF MANUFACTURE : 03/2024 **SWL: 2.0 t** TEST BED SERIAL : 292/113 CALIBRATED ON : 22.06.2023 CERTIFICATE REF. : VQI/AAES/2322062367 **Factor of Safety: 7:1** **NOTE: ONE RANDOMLY SELECTED ROUND SLING FROM A LOT OF 300 PIECES.** **ROUND SLINGS I.D. No.: 2402030001 TO 2402030300** **COC No.: HL24 RS240040, Dated: 06.03.2024**	15.14 t	**14.0 t**

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	**NOT APPLICABLE**	**NEW**	**NOT APPLICABLE**

Authorized Name: **EZHIL AMUTHAN** Surveyor's Name: **E. SRINIVASAN**

Authorized Signature: Surveyor's Signature:

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined and tested the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.

هيروليفت للتجارة والخدمات ذ.م.م

HEROLIFT TRADING AND SERVICES W.L.L

CERTIFICATE OF CONFORMITY

AND MANUFACTURER'S REPORT OF EXAMINATION
ACCORDING TO BS EN 1492-2:2000+A1:2008 & ASME B30.9

Report Reference No.: HL24 RS240040 **Date: 6th March 2024**

Customers Name and Address:	**Manufacturer's Name:**
M/s. HEROLIFT TRADING AND SERVICES W.L.L BUILDING 7, STREET 2041, ZONE 91, P.O. BOX: 40509, DOHA, QATAR	M/s. HEROLIFT TRADING AND SERVICES W.L.L BUILDING 7, STREET 2041, ZONE 91, P.O. BOX: 40509, DOHA, QATAR

Product Reference:	**Order Reference:**	**Customer Reference:**
HL23195/2023	WO 0071/24	-

POLYESTER ROUND ENDLESS SLING

Break test Cert. No.:		**Date of Test:**

Distinguishing Number or Mark	Quantity	Product Description	Safe Working Load in Tonne
2402030001 TO 2402030300	300	Type : Tubular Polyester Round Endless sling Circumference : 6.0 m EWL : 3.0 m Colour : Green Date of Mfg. : 03/2024 SWL : 2.0 Tonne MBL : 14.0 t Safety Factor : 7:1	**2.0 t** (Straight Lift) **4.0 t** (Basket Hitch) **1.6 t** (Choke Hitch)

Quality Manager

We certify that the slings listed above have been produced in accordance with the requirements of the above-mentioned standard.

DIRECTIONS FOR USE

Use only identified slings with a visible Safe Working Load (SWL).
Do not use damaged slings.
Use only a slip knot for a choker lift.
Do not use the sling on sharp-edged and rough surfaces without an additional protective sleeve.
Do not forcibly pull out a sling that is jammed under a load.
Take into account the lifting angles.
Do not use slings in temperatures above 100 degrees Celsius or below -40 degrees Celsius.
Before each use, the sling should be inspected for defects and to ensure that the identification and specification are correct.
A sling that is unidentified or defective should never be used and should be referred to a competent person for examination.
During the period of use, frequent checks should be made for defects or damage, including damage concealed by soiling, which might affect the continued safe use of the sling.
These checks should also extend to any fittings and lifting accessories used in association with the sling.
If any doubt exists as to the fitness for use, or if any of the required markings have been lost or become illegible, the sling should be removed from service for examination by a competent person.
Upon completion of the lifting operation, the sling should be returned to proper storage.
When not in use, slings should be stored in clean, dry, and well-ventilated conditions at ambient temperature on a rack, away from any heat sources, contact with chemicals, fumes, corrodible surfaces, direct sunlight, or other sources of ultraviolet radiation.
Avoid shock loading.

HL/COC/RS/23/Rev.0

Signature :

هيروليفت للتجارة والخدمات ذ.م.م HeroLift C.R.No.178754 Doha-Qatar HeroLift Trading & Services W.L.L