DNV

# CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

**Certificate No:**
N143A9FA

**Date of Inspection:**
02-February-2026

| | |
|---|---|
| **Name and Address of the Owner:**<br>M/s. SULZER ROTATING EQUIPMENT SERVICES<br>P.O. BOX 12975 DOHA STATE OF QATAR | **Place of Inspection:**<br>DUTEST YARD, INDUSTRIAL AREA<br>DOHA, QATAR W.O# 17462209221<br>**DNV Order No.:** A1857569 |
| **Manufacturer OR Supplier:**<br>RV INBDUSTRIES | **Reference Standard:**<br>BS EN 1492-2:2000+A1:2008 / CORP-PAI-STD-005 REV 00 |

| ID No. | Qty. | Equipment Description | Test Load Applied (Tonne) | SWL (Tonne) |
|---|---|---|---|---|
| **AA198/0541**<br>**AA118/0541**<br>**AA040/0541**<br>**AA044/0541** | **04** | **ENDLESS ROUND SLING**<br><br>Type : Endless Polyester Round Sling<br>Brand : Salvator<br>Circumference : 12.0 m<br>E.W.L. : 6.0 m<br>Colour : Yellow<br>Y.O.M : 08-2023<br>Factor of Safety : 7:1<br>Date of Initial Use : 20.02.2025<br>Discard Date : 20.02.2029<br><br>Conformity Certificate No.: L2023080541<br>Dated : 05.08.2023<br>Break Test Certificate No.: VQI/AAES/7925112346<br>Dated : 25.11.2023<br><br>**Identification of Measuring/Testing Tools:**<br>*Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026* | **NIL** | **3.0 t**<br>(Straight lift) |

| Date of Last Examination | Date of Next Examination | Date of Last Proof Load Test | Date of Next Proof Load Test |
|---|---|---|---|
| 14.07.2025<br>A1763017-44 | 02.08.2026 | Not Applicable | Not Applicable |

**Authorized Name:** ***ROBIN JOHNY***

**Authorized Signature:**

DNV 1864 PROPERTY AND THE ENVIRONMENT INSPECTION 42 - 168

**Surveyor's Name:** ***MANOJ MATHEW***

**Surveyor's Signature:**

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com


Copyright © DNV 2021. All rights reserved.
**The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client**

DNV

# CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

**Certificate No:**
A1763017-44

**Date of Inspection:**
14-July-2025

| | |
|---|---|
| **Name and Address of the Owner:**<br>M/s. SULZER ROTATING EQUIPMENT SERVICES<br>DOHA STATE OF QATAR | **Place of Inspection:**<br>DUTEST YARD, INDUSTRIAL AREA<br>DOHA, QATAR W.O# 17462208717<br>**DNV Order No.:** A1763017 |
| **Manufacturer OR Supplier:**<br>RV INBDUSTRIES | **Reference Standard:**<br>BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-OO5 REV 00 |

| ID No. | Qty. | Equipment Description | Test Load Applied (Tonne) | SWL (Tonne) |
|---|---|---|---|---|
| **AA198/0541**<br>**AA118/0541**<br>**AA040/0541**<br>**AA044/0541** | **04** | **ENDLESS ROUND SLING**<br><br>Type : Endless Polyester Round Sling<br>Brand : Salvator<br>Circumference : 12.0 m<br>E.W.L. : 6.0 m<br>Colour : Yellow<br>Y.O.M : 08-2023<br>Factor of Safety : 7:1<br>Date of Initial Use : 20.02.2025<br>Discard Date : 20.02.2029<br><br>Conformity Certificate No.: L2023080541<br>Dated : 05.08.2023<br>Break Test Certificate No.: VQI/AAES/7925112346<br>Dated : 25.11.2023<br>**Identification of Measuring/Testing Tools:**<br>*Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026* | **NIL** | **3.0 t**<br>(Straight lift) |

| Date of Last Examination | Date of Next Examination | Date of Last Proof Load Test | Date of Next Proof Load Test |
|---|---|---|---|
| 20.02.2025<br>VQI/AAES/79/14443 | 14.01.2026 | Not Applicable | Not Applicable |

**Authorized Name:** ***NITHIN RAVINDRAN***

**Surveyor's Name:** ***MANOJ MATHEW***

**Authorized Signature:**

**Surveyor's Signature:**

DNV 1864 INSPECTION 42 - 108

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com


Copyright © DNV 2021. All rights reserved.
**The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client**

Velosi Certification LLC
Ahmad Bin Ali Business Center, 1st Floor
New Salata, C Ring Road
P.O. Box 3408, Doha, Qatar
T: +974 4435 2850 F: +974 4435 2819
E: info.qatar@applus.com
www.applus.qa

ilac-MRA IAS ACCREDITED Inspection Agency AA 840 Applus Together beyond standards

# CERTIFICATE

## of Thorough Examination of Lifting Gear

**L5-QAT-039d Rev. 0**

**Certificate No.:** VQI/AAES/79/14443 **Date of Inspection:** 20.02.2025

| | |
|---|---|
| **Name & Address of the Owner:** AL HABARI ENGINEERING DOHA - QATAR | **Place of Inspection:** ABU ADEL ENGINEERING & MECH SERVIES YARD, DOHA-QATAR |
| **Maker or Supplier:** RV INDUSTRIES | **Ref. Standard:** BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005 Rev.00 |

| ID No.: | Qty. | Description | Proof Load Applied | S.W.L |
|---|---|---|---|---|
| AA 198/0541<br>AA 118/0541<br>AA 040/0541<br>AA 044/0541 | 04 | **ROUND SLING**<br><br>TYPE : POLYESTER ENDLESS ROUND SLING<br>EFFECTIVE LENGTH : 6.0 m<br>CIRCUMFERENCE: 12.0 m<br>COLOUR: YELLOW<br>BRAND: SALVATOR<br>YEAR OF MANUFACTURE : 08/2023<br><br>INITIAL USE : 20.02.2025<br>DISCARD DATE : 20.02.2029<br><br>SAFETY FACTOR 7:1<br><br>Break Test Cert No.: VQI/AAES/7925112346, Dated: 25.11.2023<br><br>COC No.: L2023080541, Dated: 05.08.2023 | NOT APPLICABLE | 3.0 t (STRAIGHT LIFT) |

| Date of Last Examination | Date of Next Examination | Date of Last Proof Load Test | Date of Next Proof Load Test |
|---|---|---|---|
| NEW | 20.08.2025 | NOT APPLICABLE | NOT APPLICABLE |

**Authorized Name:** EZHIL AMUTHAN **Surveyor's Name:** K. VENKATESAN

**Authorized Signature:** **Surveyor's Signature:**

VELOSI CERTIFICATION LLC QATAR Applus 79

**THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.

Velosi Certification LLC
Ahmad Bin Ali Business Center, 1st Floor
New Salata, C Ring Road
P.O. Box 3408, Doha, Qatar
T. +974 4435 2850 F: +974 4435 2819
E: info.qatar@applus.com
www.applus.qa

# CERTIFICATE
## of Actual Breaking Load Test
**L5-QAT-35c Rev. 0**

**Certificate No.:** VQI/AAES/7925112346 **Date of Inspection:** 25.11.2023

| | |
|---|---|
| **Name & Address of the Owner:**<br>A. A. ENGINEERING & MECH. SERVICES<br>DOHA - QATAR | **Place of Inspection:**<br>A. A. ENGINEERING & MECH. SERVICES<br>P.O.BOX 40541, DOHA - QATAR |
| **Maker or Supplier:**<br>SALVATOR | **Ref. Standard:**<br>BS EN 1492-2 / QP-PAI-STD-005 REV. 00 |

| ID No.: | Qty. | Description | Actual Breaking Load | Minimum Breaking Load |
|---|---|---|---|---|
| AA 122/0541 | 01 | **ROUND SLING**<br>TYPE : Polyester Endless Round Slings<br>EWL : 6.0 m<br>CIRCUMFERENCE : 12.0 m<br>COLOUR : YELLOW<br>YEAR OF MANUFACTURE : 08/2023<br>MANUFACTURER : RV INDUSTRIES<br>**SWL: 3.0 t**<br>TEST BED SERIAL : 292/113<br>CALIBRATED ON : 22.06.2023<br>CERTIFICATE REF. : VQI/AAES/2322062367<br>**Factor of Safety: 7:1**<br>**NOTE: ONE RANDOMLY SELECTED ROUND SLING FROM A LOT OF 200 PIECES.**<br>**ROUND SLINGS I.D. No.: AA 001/0541 TO AA 200/0541**<br>**COC No.: L2023080541, Dated: 05.08.2023** | 21.71 t | **21.0 t** |

| Date of Last Examination | Date of Next Examination | Date of Last Proof Load Test | Date of Next Proof Load Test |
|---|---|---|---|
| NEW | NOT APPLICABLE | NEW | NOT APPLICABLE |

Authorized Name: SIVAKUMAR ADONI Surveyor's Name: K. VENKATESAN

Authorized Signature: S. Sivakumar Surveyor's Signature: K. Venkatesan

**THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined and tested the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.

VELOSI CERTIFICATION LLC QATAR Applus 79

RV INDUSTRIES
SAFETY EXPERTS

SALVATOR®
WHEN SAFETY IS PRIORITY

# CERTIFICATE OF CONFORMITY

Certificate Number: **L2023080541**

Order No: 19386/23/JW

Invoice No: JL2304083

Delivered to: ABU ADEL TRADING AND CONTG. EST.

P.O. BOX 40541, DOHA, QATAR.

**Description of Product:** Polyester Endless Round Slings According to EN1492-2:2000+A1:2008, Type: Double Ply, Length: 6 Meter, Circumference: 12 Meter, Safety Factor: 7:1, Color: Yellow

Date of Manufacturing: August 2023

BRAND: SALVATOR, Manufacturer: RV INDUSTRIES

| Batch No. | ID Number | Qty. (Pcs) | SWL (Kg) | Proof Load (Kg) | Safety Factor | Safe Working Load (In kg) | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | | Straight Lift | Choked Lift | Basket Lift |
| 0541 | AA 001 to AA 200 | 200 | 3000 | 6000 | 7:1 | 3000 | 2400 | 6000 |

Comments: The Safety factor is calculated and supported by sample destruction test.

We Certify that the slings listed above have been manufactured in accordance with the applicable sections of BS EN 1492-2; 2000 & and were found to be free flaws, damages or other defects.

PCs are based on visual observation, Proof Load applied on material batch sample.

Date: **05 August 2023**
Date of Issuance

Signature Waseem Ahmad
Quality Assurance Manager

R.V. INDUSTRIES
Plot No-6 Chinhat Industrial Area,
Lucknow-226019 INDIA
आर०वी० इंडस्ट्रीज़
प्लॉट नं०6 चिनहट, इंडस्ट्रियल एरिया,
लखनऊ-226019

**CAUTIONS**

- DO NOT EXCEED WORKING LOAD LIMIT
- PREVENT SHOCK-LOADING
- WHERE SELECTING A SLING IT IS VERY IMPORTANT TO CONSIDER THE ANGLES AT WHICH THE SLING WILL BE USED
- SLINGS ARE SUBJECT TO CUTTING WHEN LIFTING ITEMS WITH SHARP EDGES. IN THIS CASE ALWAYS USE WEAR SLEEVES
- DO NOT USE A DAMAGED SLING
- NEVER MAKE KNOTS IN A SLING
- CHEMICAL ACTIVE ENVIRONMENTS CAN AFFECT THE STRENGTH.
- INSPECT SLINGS WEEKLY OR MORE FREQUENTLY DEPENDING ON SLING USE
- ALWAYS STORE SLINGS IN A COOL DRY AND DARK PLACE WHEN THEY ARE NOT IN USE FOR PROLONGED PERIODS.
- ALWAYS READ AND UNDERSTAND THE OPERATING INSTRUCTIONS BEFORE USE.
- STORE THE SLINGS IN A COOL, DRY PLACE
- DO NOT USE ABOVE 100 AND BELOW -40 DEGREES CENTIGRADE