NEW SESSION PROMPT — Copy everything below into the new Claude Code session

---

META INSTRUCTIONS TO CLAUDE

You are being called into an in-progress project with significant prior work. **READ THIS ENTIRE PROMPT BEFORE WRITING ANY CODE.** Then read the repository files listed below. Then execute the work plan.

Do not start writing code until you have:

1. Read this prompt end-to-end
2. Read the 8 critical reference files listed in section 4
3. Confirmed your understanding by producing a 1-page audit summary

User language: The user's native language is Turkish. Respond in Turkish. Technical terms can stay in English. Be direct, no flattery, no long preambles.

User personality: Emre is a solo freelance web developer in Istanbul. He works from the Armut platform. He is impatient with abstract work that produces no visible output. He wants **real, working, distinct-looking websites** — not YAML metadata. He has lost patience with the previous session because it produced a catalog system where all 60 preset pages look identical (same skeleton + different palette + different font). He does not want this to repeat.

---

1 · PROJECT CONTEXT

What this project is

A system that converts Armut job listings into production-ready Next.js websites in 30 minutes. User gives a brief like "Ankara jewelry shop, 25K TL budget, 3D product viewer" → system outputs a working Next.js dev server with a distinct, sector-appropriate design.

Active client (critical deadline)

Fatih Bey Mücevher (Ankara) — jewelry e-commerce site. Contract: 17.500 TL, half paid. **Delivery: 8 May 2026.** This session must produce a real `mucevher-editorial-luxury` or `mucevher-immersive-3d` preset that can be handed to this client.

Secondary business pipeline

- **KADIKOY SATIŞ** — 10 cold-outreach prospects in Kadıköy, total 95.500 TL potential. Need fast-turnaround templates (budget tier).
- **StandartTIMWeb, ContentFlow AI, Vitanatur** — other active projects.

Previous session output

11 commits, 727 files, ~65,000 lines, ~2.8M Opus tokens, ~14 hours. Git repo: `https://github.com/arasemre0131/design-claude` (public). Working tree is clean.

What works:

- Catalog YAML structure (356 files) defining atoms, sectors, styles, recipes, presets
- Preview-app Next.js 16 compiles and renders (`http://localhost:4200/gallery`)
- 4 scaffold CLIs (`scaffold.js` , `scaffold-wp.js` , `scaffold-shopify.js` , `scaffold-enterprise.js`)

- `/project-start` slash command + hook integration
- 64 React components (buttons, cards, hero scaffolds, 3D shells)
- 3 test scaffold projects passed file-level verification

What is broken (critical):

- All 60 preset pages look nearly identical. Only palette and font differ.
- No real sector content (no product lists, no service pages, no nav items, no footer links — all placeholder)
- No tier differentiation (Premium 25-80K TL and Budget 7.5-15K TL preset pages are visually indistinguishable)
- No signature motion/effect implementations per style (brutalist has no hazard stripe, immersive-3d has no 3D canvas rendering)
- Scraped agency HTMLs (fraxbit, wearebrand, mdx.so — 1.6MB of real, working, award-winning designs) were cataloged as metadata but never ported to Next.js

Why the previous session failed

The previous Claude session spent tokens on metadata and abstraction layers:

- Defined atom IDs (HR11 = "Brochure Cover Hero") in YAML
- Wrote generic React components (HeroBrochure.tsx) that accept props
- Mapped atoms to components via atom-resolver.ts
- But **never produced per-preset page content** — every preset renders the same empty HeroBrochure skeleton

The user called this "saçmalık" (nonsense). Correctly so. **Do not repeat this pattern.**

---

2 · USER'S ORIGINAL INTENT

Quoting Emre's own words from the prior session:

> *"Şu şöyle olur, uyumlu teknolojileri bul, uyumlu tasarımları bul, beraber çalış iyi şeyleri bul, onlardan karma combo yapıştır bizim amacımız buydu zaten. Her sektörde zaten bunun için combo, teknoloji combo'ları oluşturacaktı."*

Translation: "Find compatible technologies. Find compatible designs. Take the best parts. Make combo-paste from them. Every sector should get its own combo of technology."

The user wanted combinatorial design: Take real, working reference designs (fraxbit + wearebrand + mdx.so + 14 existing sector templates) and combine them with sector-specific content to produce visually distinct, production-ready preset pages. The previous session produced the framework for this but did not do the actual combination work.

---

3 · YOUR MISSION

Produce **real, visually distinct, content-rich Next.js pages** for each of the 60 preset IDs. Priority:

Priority 1 — Fatih Bey preset (this must work first)

File: `catalog/presets/mucevher-editorial-luxury.yaml`

Produce a production-grade jewelry e-commerce page that Fatih Bey can receive on 8 May. Must include:

- Hero with real jewelry sample content (collection name, season, tagline, CTA)
- 3D product viewer using drei MeshTransmissionMaterial (diamond refraction simulation)
- Masonry product gallery (at least 12 placeholder products with real-seeming names and prices)

- Variable font scroll animation (Fraunces opsz 9→144)
- Blur-36px text reveal on headings (adapt wearebrand pattern, MIT-safe rewrite)
- Tobacco + Pearl palette (PL22), NOT PL1 dark+gold
- Category navigation: Alyans, Yüzük, Küpe, Kolye, Bileklik, Pırlanta
- Product detail drawer with spec sheet, favorite toggle, WhatsApp contact
- Footer with KVKK banner, atelier info, certifications

Base references to port from:

- `research-assets/wearebrand_brand.html` (atmosphere + mask-y reveal pattern)
- `templates/14-ultra/index.html` (14 signature techniques, real working code)
- `templates/02-mucevher/index.html` (jewelry content structure)
- `mockups/a-warm-dark/index.html` (warm palette + Fraunces type system)

Priority 2 — KADIKOY templates (3 Budget-tier presets)

Budget-tier presets for cold-sales to Kadıköy small businesses:

- `catalog/presets/kuafor-minimal-swiss.yaml` (hair salon / barber)
- `catalog/presets/restoran-editorial-print.yaml` (restaurant)
- `catalog/presets/klinik-minimal-swiss.yaml` (clinic)

Each must include: hero + services + team + booking form + WhatsApp widget + Google Maps embed + KVKK. Fast to customize (5-7 day delivery).

Priority 3 — Flagship tier demonstrators (4 presets)

Show Armut prospects what each tier looks like:

- `insaat-industrial-workwear` (Mid tier CRM) — hazard stripe + Ankara project map + barometer KPI
- `eticaret-immersive-3d` (Premium tier) — Three.js product viewer + AR button + custom cursor
- `gayrimenkul-editorial-luxury` (Mid-Premium) — property showcase + virtual tour placeholder
- `otel-maximalist-atmospheric` (Premium) — atmospheric drift bg + room gallery + booking flow

Priority 4 — Remaining 52 presets

After Priority 1-3 pass user approval, generate remaining 52 presets as variants of the validated flagship presets.

---

4 · REQUIRED READING (do this first, in order)

Read these 8 files before writing any code. Confirm understanding in a 1-page audit summary.

1. `WORKFLOW.md` — previous session final state, file inventory, gap analysis
2. `ULTRAPLAN.md` — 24-section comprehensive plan (2,226 lines) from previous session
3. `catalog/MATRIX.md` — 10×10 sector × style compatibility grid
4. `catalog/compatibility.yaml` — forbidden ID list + anti-cliché rules
5. `templates/SCRAPED-STACKS-2026.md` — 13 agency tech analysis + 15 signature patterns + CDN catalog
6. `templates/2026-ADVANCED-TECHNIQUES.md` — detailed code for fraxbit/mdx/wearebrand + 10 Codrops-tier patterns
7. `templates/14-ultra/index.html` (660 lines) — 14 signature techniques implemented, real working code
8. `catalog/presets/mucevher-editorial-luxury.yaml` — read this preset YAML, then read the atoms it references in `catalog/atoms/`

After reading, write a Turkish audit summary (1 page max, no code yet):

- What the system does today
- What the critical gap is
- Which 3 preset files you will produce first
- Which reference HTMLs you will port from
- Estimated token and time budget

Wait for user approval before starting production.

---

5 · AVAILABLE RESOURCES

Scraped real working HTMLs (reuse these)

```
research-assets/
├── _fraxbit_home.html          (268KB — Awwwards HM, WordPress + GSAP 3.12 + Lenis 0.2.28)
├── wearebrand_home.html        (121KB — Awwwards SOTD, Barba + Lenis 1.2.3 + custom
animations)
├── wearebrand_brand.html       (57KB — /brand premium landing, porthole + mask-y reveal)
├── theoberry_home.html         (163KB — Framer portfolio)
├── _research/mdx_home.html     (MDX.so — Vimeo bg "3D" + clip-path reveal)
├── _research/marcelo_*.html    (Marcelo Design X)
└── wab/
    ├── wearebrand-animations.js (30KB — 6 MIT-safe extractable patterns)
    ├── wearebrand-custom.css
    └── lenis.css
```

Sector templates (port to Next.js routes)

```
templates/
├── 01-insaat/index.html         (construction, concrete + ozalit blueprint, 258 lines)
├── 02-mucevher/index.html       (jewelry, tobacco+pearl + plum+champagne, 257 lines)
├── 03-kuafor/index.html         (salon, salt+peach + slate+olive, 330 lines)
├── 04-restoran/index.html       (restaurant, salmon+burgundy + olive+tomato, 304 lines)
├── 05-klinik/index.html         (clinic, glacier+sage + cream+forest, 335 lines)
├── 06-eticaret/index.html       (e-commerce, slate+acid + kraft+burst, 360 lines)
├── 07-spa/index.html            (spa, clay+mist + pearl+seafoam, 252 lines)
├── 08-fotograf/index.html       (photography, off-black + cream+black, 332 lines)
├── 09-gayrimenkul/index.html    (real estate, sand+ocean + mist+sunset, 293 lines)
├── 10-otel/index.html           (hotel, terracotta+sky + cool marble, 322 lines)
├── 11-kinetic/index.html        (kinetic agency, Fraunces opsz scroll, 435 lines — REAL
GSAP/Lenis implementation)
├── 12-immersive-3d/index.html   (3D, Three.js crystal + scroll camera + 800 particles, 476
lines)
├── 13-maximalist/index.html     (maximalist, atmospheric drift + porthole, 472 lines)
└── 14-ultra/index.html          (660 lines — 14 signature techniques, production-quality)
```

Mockups (3 high-quality designs, reuse)

```
mockups/
├── a-warm-dark/index.html             (Fraunces + Hanken Grotesk + espresso + coral, score
5/5)
```

```
├── b-off-white-editorial/index.html    (Instrument Serif + IBM Plex + newsprint + editorial
red)
└── c-concrete-industrial/index.html    (Archivo Black + Stardos Stencil + concrete + hazard)
```

v2 CRM variants (for insaat-crm presets)

```
v2-blueprint/index.html       (ozalit + Syne + GSAP reveal, 635 lines)
v2-neobrutalist/index.html    (white + cobalt/yellow + Archivo Black + 3px border, 622 lines)
v2-kinetic-data/index.html    (dark + lime/cyan + Bricolage + D3 force network, 786 lines)
v2-immersive-3d/index.html    (Three.js procedural tower + scroll camera, 967 lines)
```

Existing scaffold + preview-app

```
preview-app/                 (Next.js 16, running at localhost:4200)
scaffold/nextjs-16-base/     (base template, replace generic components)
scaffold.js                  (CLI, works but produces generic output)
catalog/                     (356 YAML, reference but don't expand)
```

Research documents (sector-specific content sources)

```
C:/Users/EAS/Desktop/armut/Mobilyacı/3d-demo/research/  (241 files)
├── jewelry-watch-3d-showcase.md                    (jewelry 3D)
├── furniture-3d-web-experience-research.md         (furniture)
├── drei-MeshTransmissionMaterial-research.md       (glass/crystal material)
├── ecommerce-supabase-payment-turkey-2026.md       (iyzico + PayTR)
├── accessibility-wcag-aria-2026.md                 (147KB — WCAG 2.2)
├── landing-page-conversion-patterns-2026.md        (108KB)
├── animation-gsap-framer-lenis-masterclass-2026.md
└── ... (240 more)

C:/Users/EAS/Desktop/armut/Mobilyacı/  (23 files — root research)
C:/Users/EAS/Desktop/armut/  (16 root MD files)
```

Global catalogs

```
C:/Users/EAS/Desktop/armut/FRONTEND-TECHSTACK.md   (82 research index, 526 lines)
C:/Users/EAS/Desktop/armut/3D-TECHSTACK.md          (98 research index, 231 lines)
C:/Users/EAS/Desktop/armut/DESIGN-PATHWAYS.md       (120+ pattern catalog, 381 lines)
C:/Users/EAS/Desktop/armut/SITE-GELISTIRME-PIPELINE.md (8-stage pipeline, 594 lines)
C:/Users/EAS/.claude/CLAUDE.md                      (global rules)
```

---

6 · EXECUTION STRATEGY

Wave 1 — Audit + Base Mapping (single agent, 30 minutes)

Dispatch one general-purpose agent to produce `BASE-MAP.yaml`:

- For each of 60 preset IDs
- Identify the "base HTML" to port from (from templates/, mockups/, research-assets/, or v2-*/)

- Identify the signature techniques to inject (from templates/14-ultra/ or motion-ajans atoms)
- Identify the sector content source (which research docs contain product/service lists)
- Output: `catalog/BASE-MAP.yaml`

Wave 2 — Priority 1: Fatih Bey preset (3 parallel agents, ~2 hours)

Three agents work in parallel on `mucevher-editorial-luxury`:

- Agent 1: Full page layout in `preview-app/src/presets/mucevher-editorial-luxury/page.tsx` — port `wearebrand_brand.html` atmosphere + mask-y reveal
- Agent 2: 3D product viewer component using drei MeshTransmissionMaterial with real diamond geometry + scroll camera
- Agent 3: Sector content file `content.ts` with 12 product placeholders, 6 categories, 3 team members, KVKK + iyzico checkout structure

Verify: `http://localhost:4200/preview/mucevher-editorial-luxury` shows a complete, distinct jewelry site.

Wave 3 — Priority 2: KADIKOY Budget presets (3 parallel agents, ~3 hours)

Three agents, one per preset:

- `kuafor-minimal-swiss` — services list, team cards, booking form, WhatsApp
- `restoran-editorial-print` — menu (drop cap + 3-col CSS columns), reservation form
- `klinik-minimal-swiss` — services, doctors, Q&A hero, appointment request

Verify each preset URL shows distinct design from Fatih Bey preset.

Wave 4 — Priority 3: Flagship tier demonstrators (4 parallel agents, ~3 hours)

- `insaat-industrial-workwear` — hazard stripe + Ankara SVG map + barometer
- `eticaret-immersive-3d` — Three.js product viewer + AR button + custom cursor
- `gayrimenkul-editorial-luxury` — property showcase (port from templates/09-gayrimenkul)
- `otel-maximalist-atmospheric` — atmospheric drift (port from templates/13-maximalist)

Wave 5 — User checkpoint

User reviews 11 presets (1 + 3 + 4 = 8 + 3 overlap). If approved, Wave 6. If not, iterate.

Wave 6 — Remaining 52 presets (10-15 parallel agents, ~6 hours)

Each agent generates 3-5 preset variants based on Wave 2-4 validated presets. Faster per preset since templates are established.

Wave 7 — Polish + Lighthouse + commit + push

---

7 · QUALITY CRITERIA (how user will judge success)

A preset is "done" when all of these are true:

1. **Visual distinctiveness** — Opening two preset pages side-by-side in the browser reveals obvious differences: different hero shape, different layout grid, different animation, different content tone. Not just color + font swap.

2. **Real content** — Hero has a real headline (not "Koleksiyon 2026" placeholder). Product/service listings show at least 6-12 items with names, prices, images (placeholder images OK if from public CDN). Navigation has

real sector-appropriate items.

3. **Tier visibility** — Premium preset shows features Budget preset does not. For example: Premium has 3D viewer, AR button, custom cursor, scroll camera; Budget has WhatsApp widget, simple form, static hero.
4. **Signature techniques work** — If preset YAML says `motion_ajans: [wearebrand-blur-36px-reveal]`, the actual blur-reveal animation plays on the page. Not just a YAML declaration.
5. **No crashes** — `pnpm dev` renders the preview page 200 OK. No runtime TypeErrors from undefined props.
6. **Mobile responsive** — Viewport 375, 768, 1280 all render correctly. No horizontal scroll. Touch targets ≥ 44px.
7. **Turkish character test passes** — All Turkish characters (ı, İ, ğ, Ş, ç, Ö, Ü) render without glyph fallback.
8. **Performance** — Lighthouse mobile ≥ 85 (Performance + Accessibility + Best Practices + SEO).
9. **Anti-cliché passed** — `scripts/validate-combo.js` confirms no forbidden IDs (TY1, TY2, TY4, TY8, PL1, K1, HR2, H8, HR7, P1, T6, CH1, CH2).
10. **Sector-appropriate** — Jewelry preset shows jewelry. Restaurant preset shows food and menu. Clinic preset shows calm, trustworthy design without aggressive motion.

---

8 · TECHNICAL GUARDRAILS

Do

- Read scraped HTMLs with `cat` or Read tool, port the actual DOM structure to React JSX
- Reuse `templates/14-ultra/index.html` animations via copy-adapt (inline GSAP + Lenis)
- Put preset-specific code in `preview-app/src/presets/{preset-id}/` folder
- Create one unique `content.ts` file per preset with real sample data
- Use `scripts/validate-combo.js` to check every new preset
- Commit after each Wave
- Push to GitHub after each commit
- Keep `LOG.md` updated as you go

Do not

- Expand catalog/ YAMLs. The catalog is already 356 files. You are not adding to the catalog. You are rendering it.
- Generate more generic placeholder components. The user does not want another layer of abstraction.
- Use `HeroBrochure` as default for all presets. Each preset gets its own hero variant.
- Skip reading scraped HTMLs. They are the source of truth for the "look" that makes each preset distinct.
- Use `console.log` or `any` in TypeScript.
- Copy wearebrand-animations.js verbatim. Use MIT-safe rewrites (the pattern, not the code). Previous session fixed this once for cubic-out easing; maintain that.

Stack versions (lock)

- Next.js 16 (App Router, Turbopack, React Compiler via `babel-plugin-react-compiler`)
- React 19
- Tailwind v4 (`@theme` directive, CSS-first config)
- GSAP 3.13 (ScrollTrigger, SplitText, ScrambleText — all free since Webflow 2024)
- Lenis 1.3.4 (smooth scroll)

- Framer Motion v12
- Three.js r183 + R3F v9 + drei v10 + postprocessing v3
- shadcn/ui + cmdk + Vaul + Sonner + Radix UI
- TypeScript 5.9 strict

Port pattern (when converting HTML to Next.js)

```
// templates/14-ultra/index.html has:
//   <section class="hero-porthole">
//     <div class="hero-bg" />
//     <h1 class="scramble">...</h1>
//   </section>
// Port to:

'use client';

import { useEffect, useRef } from 'react';
import gsap from 'gsap';
import { ScrollTrigger } from 'gsap/ScrollTrigger';

export function HeroPortholeDive({ title, subtitle, bgImage }: Props) {
  const heroRef = useRef<HTMLElement>(null);
  useEffect(() => {
    const tl = gsap.timeline({
      scrollTrigger: {
        trigger: heroRef.current,
        start: 'top top',
        end: '+=2000',
        pin: true,
        scrub: 1,
      }
    });
    tl.fromTo('.hero-bg', { scale: 1 }, { scale: 6.5 });
    // ... port the rest of the animation 1:1
    return () => ScrollTrigger.getAll().forEach((t) => t.kill());
  }, []);

  return (
    <section ref={heroRef} className="hero-porthole relative h-screen overflow-hidden">
      <div className="hero-bg absolute inset-0 ..." style={{ backgroundImage:
`url(${bgImage})` }} />
      <h1 className="scramble">{title}</h1>
    </section>
  );
}
```

Do this for every signature technique in every preset that references it.

---

9 · DELIVERABLE CHECKLIST

When you are done, the following should be true:

- [ ] `preview-app/src/presets/mucevher-editorial-luxury/page.tsx` exists with full working page
- [ ] `preview-app/src/presets/mucevher-editorial-luxury/content.ts` has 12+ product entries
- [ ] `http://localhost:4200/preview/mucevher-editorial-luxury` renders a complete jewelry site
- [ ] A viewer from outside the project can open the URL and say "this is a jewelry site" in under 5 seconds without looking at code
- [ ] Lighthouse mobile score ≥ 85 on this page
- [ ] Same criteria met for `kuafor-minimal-swiss`, `restoran-editorial-print`, `klinik-minimal-swiss`
- [ ] Same criteria met for 4 flagship tier presets
- [ ] 8 preset pages are visibly distinct from each other when viewed side-by-side
- [ ] Commit + push to GitHub main
- [ ] `LOG.md` updated with Wave 1-4 results
- [ ] User approval checkpoint reached before Wave 6

---

10 · ENTRY COMMAND

After reading this prompt and the 8 required files, respond with ONLY:

```
AUDIT HAZIR. [Your 1-page Turkish audit summary]

WAVE 1 BAŞLAT? (Evet/Hayır)
```

Do not write code yet. Do not start agents yet. Wait for user's "Evet".

END OF PROMPT

User will paste this entire document (from "## META INSTRUCTIONS" to "END OF PROMPT") into a fresh Claude Code session. Repository state at handoff: 11 commits, clean working tree, GitHub in sync, dev servers on 4100 (test-mucevher-v2) and 4200 (preview-app) may still be running.