ERGA Assembly Report

v26.11.10

Tags: ERGA-Community

TxID	7815
ToLID	**sPriGla4**
Species	Prionace glauca
Class	Chondrichthyes
Order	Carcharhiniformes

Genome Traits	Expected	Observed
Haploid size (bp)	4,205,400,000	3,353,127,091
Haploid Number	43 (source: direct)	39
Ploidy	2 (source: ancestor)	2
Sample Sex	XY	XX

EBP metrics summary and curation notes

Obtained EBP quality metric for hap1: 6.8.Q64
Obtained EBP quality metric for hap2: 6.8.Q64 (estimated 6.C.Q64)

The following were automatically flagged as likely below EBP recommended standards, different from expected, or by additional checks:

. Observed Haploid size (bp) has >20% difference with Expected
. Observed Haploid Number is different from Expected
. Observed sex is different from Sample sex
. Not 90% of assembly in chromosomes for hap1 (scaffold L90 = 94, expected <= 39)
. HiFi coverage is below the EBP recommendation of >15x per haplotype

Curator notes

. Comments: "Lot's of haps removed"


Hi-C contact map temp link: hap1: [LINK], hap2: [LINK]

Quality metrics table


Metrics	hap1	hap2
Total bp	3,353,127,091	3,175,994,182
GC %	44.73	44.39
Gaps/Gbp	600.63	588.48
Total gap bp	402,800	373,800
Scaffolds	3,345	2,183
Scaffold N50	100,735,960	105,986,868
Scaffold L50	12	11
Scaffold L90	94	36
Contigs	5,359	4,052
Contig N50	3,985,967	4,501,206
Contig L50	213	176
Contig L90	1,242	996
QV	64.08	64.65
Kmer compl.	87.07	86.19
Kmer dupl.	1.21%	0.96%
BUSCO sing.	91.0%	90.9%
BUSCO dupl.	2.3%	2.2%
BUSCO frag.	3.3%	2.7%
BUSCO miss.	3.4%	4.2%

K-mer tool: Merqury; Combined (hap1+hap2): QV 64.35, k-mer completeness 99.60%
BUSCO: 6.0.0 (euk_genome_met, metaeuk) / Lineage: vertebrata_odb10 (genomes:67, BUSCOs:3354)


K-mer spectra




Distribution of k-mer counts coloured by their presence in reads/assemblies



Distribution of k-mer counts per copy numbers found in hap1




Distribution of k-mer counts per copy numbers found in hap2




Distribution of k-mer counts per copy numbers found in all assemblies (combined)

Contamination screening

FCS-GX flagged sequences hap1: 2
FCS-GX flagged sequences hap2: 0



hap1. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.



hap2. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.


Alignments info

NA

Data profile

HiFi: 55.80 Gbp (16.6x)
Hi-C: NA

GenomeScope



Smudgeplot

NA

Pipelines

I used hifiasm and yahs

Submitter: John Doe
Affiliation: IZW

Report ID: a069c1d1

Date and time: 2026-11-12 16:40:53 CET