ERGA Assembly Report

v26.10.21

Tags: ERGA-Community

TxID	1400418
ToLID	**icRosAlpi1**
Species	Rosalia alpina
Class	Insecta
Order	Coleoptera

Genome Traits	Expected	Observed
Haploid size (bp)	860,640,000	756,474,933
Haploid Number	10 (source: ancestor)	20
Ploidy	2 (source: ancestor)	2
Sample Sex	NA	NA

EBP metrics summary and curation notes

Obtained EBP quality metric for hap1: 6.7.Q58 (estimated 6.C.Q58)
Obtained EBP quality metric for hap2: 6.7.Q58 (estimated 6.C.Q58)

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

. Observed Haploid Number is different from Expected
. Kmer completeness value is less than 90 for hap1
. Kmer completeness value is less than 90 for hap2

Curator notes

. Curation notes: "Severao contaminants where remmoved"


Hi-C contact map temp link: hap1: [LINK], hap2: NA

Quality metrics table


Metrics	hap1	hap2
Total bp	756,474,933	749,673,921
GC %	33.26	33.26
Gaps/Gbp	672.86	630.94
Total gap bp	50,900	47,300
Scaffolds	509	280
Scaffold N50	41,345,188	40,954,840
Scaffold L50	8	8
Scaffold L90	17	17
Contigs	1,018	753
Contig N50	2,448,781	2,878,557
Contig L50	85	82
Contig L90	316	278
QV	58.27	58.72
Kmer compl.	81.37	81.24
BUSCO sing.	98.33%	98.20%
BUSCO dupl.	0.64%	0.45%
BUSCO frag.	0.61%	0.58%
BUSCO miss.	0.42%	0.77%

K-mer tool: Merqury
compleasm: NA / Lineage: insecta_odb12


K-mer spectra




Distribution of k-mer counts coloured by their presence in reads/assemblies



Distribution of k-mer counts per copy numbers found in hap1




Distribution of k-mer counts per copy numbers found in hap2




Distribution of k-mer counts per copy numbers found in all assemblies (combined)

Contamination screening

FCS-GX flagged sequences hap1: 0
FCS-GX flagged sequences hap2: 0



hap1. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.



hap2. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.


Alignments info

NA

Data profile

HiFi: 30x
Hi-C: 40x

GenomeScope



Smudgeplot

NA

Pipelines

Contigging done with hifiasm v0.25.0 (l2), followed by scaffolding with yahs v1.2.2. Manual curation using pretext

Submitter: Diego De Panis
Affiliation: IZW

Report ID: 4f9dae64

Date and time: 2026-11-05 16:29:21 CET