

XRP262

Protocol Architecture, Contract Registry & On-Chain Control Dossier

LEDGER NETWORK	DOCUMENT STANDARD	PUBLICATION VERSION	VERIFICATION SCOPE
Stellar Mainnet	On-Chain Control Dossier	v1.0 (September 2026)	Live State & Registries

1.0 Executive Overview & Architectural Intent

SYSTEM ARCHITECTURE

XRP262 is an institutional-grade, Stellar-native token infrastructure protocol. Rather than operating as an unconstrained classical token, XRP262 couples a Stellar Classic native asset issuance with a Soroban Stellar Asset Contract (SAC) and a dedicated programmable controller (**LEXORA**).

This document provides verifiable, deterministic technical evidence detailing contract addresses, operational roles, governance boundaries, genesis issuance, programmatic burns, and exact on-chain cryptographic state. It is engineered for protocol engineers, institutional infrastructure providers, and systems auditors.

1.1 Formal Source-of-Truth Hierarchy

HIERARCHY TIER	CLASSIFICATION RULE	PROTOCOL EVIDENTIARY STANDARD
Tier 1: On-Chain State	Stellar Classic Ledgers & Soroban Instance Storage	Cryptographically signed ledger entries, contract storage slots, and tx hashes.
Tier 2: Source Repositories	Rust Smart Contracts & Deployment Specs	Public GitHub source code (lexora-account) establishing function signatures.
Tier 3: Specification	Deterministic Control Models	Architectural hierarchy, ownership cascades, and invariant equations.
Tier 4: Verification Req.	Unattested / Prospective Capabilities	Any property lacking explicit ledger proofs is flagged as "Verification Required".

Notice of Strict Technical Neutrality: This dossier documents verified on-chain architecture, supply ledgers, and contract bindings. It contains zero speculative claims, financial projections, or marketing hyperbole. On-chain verifiability is documented as engineering fact, not as a commercial endorsement.

2.0 Verified Mainnet Protocol Identifiers

Canonical cryptographic identifiers registered on the Stellar Public Global Network

The XRP262 protocol infrastructure relies on five primary operational identities. Each identity fulfills an immutable or programmably constrained role across Stellar Classic and Soroban execution environments.

2.1 Cryptographic Identifier Directory

COMPONENT IDENTITY	ARCHITECTURE TYPE	PUBLIC MAINNET KEY / IDENTIFIER
LEXORA Controller	Soroban Contract	CAJL2J06EILWBTHDRMIQVJA6MTZIUWHOD6WNVJDN7FWTYD6H3NFXH542
XRP262 Issuer	Stellar Account	GCGVZEE7RD2BFF2EIQUT37DYJUR7WDCQ2KWA5LUWYATRFLKEYH MJ3XRP
XRP262 SAC	Asset Contract	CC7L34EWYCTDCA3L7CRRULWX577UJWET32KNJFD2WTEQ4KD7IAUKHIS6
Lexora Owner	Stellar Account	GCGJIJ4YYQR7R0EVXW4QNPN3E2C7AJMTQA7KVA2BMX7JGWFJAYTSFDFU
Distribution Account	Public Treasury	GBCPYP3TS60AV37SXGKKY3YBY3QXMNWN2WZSDJ3RG2KZQAN5JWZDCY6Q

2.2 Network Topology & Environmental Parameters

NETWORK PARAMETER	CONFIGURED PRODUCTION VALUE
Target Ledger	Stellar Public Network (Mainnet)
Network Passphrase	Public Global Stellar Network ; September 2015
Soroban RPC Node	https://mainnet.sorobanrpc.com
Horizon REST API	https://horizon.stellar.org
Asset Architecture	Dual-layer (Stellar Classic AlphaNum12 paired to Soroban SAC)
Security Invariant	Distribution account is public treasury; zero credentials recorded

Cryptographic Layer Separation: The Stellar Classic Asset Issuer (GCGV . . . 3XRP) operates within the consensus layer of Stellar Core. The Stellar Asset Contract (CC7L . . . HIS6) is the deterministic Soroban bridge. The LEXORA Controller (CAJL . . . H542) operates as the programmable logic controller.

3.0 Supply Policy, Units & Mathematical Invariants

Deterministic supply accounting rules and base stroop unit allocations

3.1 Fundamental Supply Accounting Ledger

ASSET METRIC	NOMINAL TOKEN UNITS	ON-CHAIN BASE UNITS (10 ⁻⁷ STROOPS)
Configured Maximum Supply	900,000,000,000 XRP262	9,000,000,000,000,000,000
Total Genesis Minted	900,000,000,000 XRP262	9,000,000,000,000,000,000
Total Programmatic Burned	426,026,808 XRP262	4,260,268,080,000,000
Current Circulating Supply	899,573,973,192 XRP262	8,995,739,731,920,000,000
Standard Display Decimals	7 Decimals	1 XRP262 = 10,000,000 Stroops

CORE SUPPLY CONSERVATION INVARIANT

$S_{\text{circulating}} = S_{\text{minted}} - S_{\text{burned}}$

899,573,973,192 XRP262 = 900,000,000,000 - 426,026,808

3.2 Categorical Supply Definitions

Maximum Configured Supply: The programmatic ceiling parameterized within LEXORA contract storage (max_supply). Any mint invocation attempting to expand supply beyond this parameter is rejected by contract assertion.

Total Minted Supply: The cumulative aggregate of tokens originated through the Stellar Classic issuer account or Soroban SAC authorization since protocol genesis.

Total Programmatically Burned Supply: Tokens routed to the LEXORA controller contract and processed via irrevocable SAC burn mechanisms, permanently reducing the circulating pool.

4.0 Genesis Execution Record & Transaction Sequence

Chronological provenance of genesis minting, registration, routing, and burn execution

01 Genesis Asset Minting (900,000,000,000 XRP262)

Issuer account creates genesis supply and transfers to the designated Distribution Account.

Tx: 7afe1d6f7be92cb0b7859b71c71e3eae4ad68fa523362c915217a425782be67f

02 Distribution Account Trustline Establishment

Distribution account establishes trustline with exact configured cap: 900,000,000,000 XRP262.

Tx: 5afb277f2951a7a9f76b7f117ee04fb149db6144272ff5f4d91fd880ea70fec1

03 LEXORA Token Registry Activation

Soroban invocation transitions XRP262 registry state to **ACTIVE** and sets `token_allowed = true`.

Tx: c26e354ac5fe32565aeacd42cfe0dfcdad5e40bbb8f58c47a67ef08520859a90

04 Distribution → LEXORA Burn Allocation Transfer

Transfer of 426,026,808 XRP262 from distribution account to LEXORA Controller address.

Tx: 2f89fbfd0ced1d7392950a1a6bcbfb2f22ea61b0c9d77898447598b3e511cbc5

05 Permanent Programmatic Burn Execution

LEXORA controller invokes SAC burn: 426,026,808 XRP262 destroyed. Controller balance resets to 0.

Tx: 4ed32c2fe4b14466c8ce92db3f94e695071e26db4ef49f7f8979b043cd65f434

4.1 Incident Disclosure: Aborted Initial Transfer Tx

FEE_INSUFFICIENT

An initial transaction attempt (0b3ec693d59fb025fe1af5ac950bfca4d216a93162c1194686730a7f7417e596) aborted prior to execution due to fee reserve shortfall. Consistent with protocol integrity standards, this failed transaction is explicitly cataloged as non-operative.

5.0 Protocol-Controlled Mainnet Verification

Deterministic state evaluation from live Stellar Soroban contract storage slots


The following data reflects on-chain state queries evaluated directly against the Stellar Mainnet RPC endpoint. All assertions validate system stability and strict invariant adherence.

5.1 Live Policy Instance Storage Parameters		
Storage Parameter Slot	On-chain Raw Value	Interpreted Protocol State
configured_sac	CC7L...HIS6	Bound to verified XRP262 SAC
max_supply	9000000000000000000	900,000,000,000.0000000 XRP262
minted	9000000000000000000	900,000,000,000.0000000 XRP262
burned	42602680800000000	426,026,808.0000000 XRP262
minting_enabled	true	Authorized (constrained by max_supply)
clawback_enabled	false	Clawback capabilities disabled
paused	false	Controller operational (unpaused)

5.2 Deterministic Verification Matrix		
		ALL PASS
Assertion Test	Target Ledger Reference	Result Status
SAC Contract Binding Match	CC7L34EWC...4KD7IAUKHIS6	PASS
900B Hardcap Invariant	max_supply == minted	PASS
Burn Conservation Enforcement	burned == 426,026,808 XRP262	PASS
Circulating Balance Exactness	899,573,973,192 XRP262	PASS
Registry Token Allowance	is_token_allowed == true	PASS
SAC Administrator Authority	Admin == LEXORA (CAJL...H542)	PASS
LEXORA Transient Balance Zeroed	Balance == 0.0000000 XRP262	PASS

6.0 System Architecture & Cross-Layer Topology

Multi-layer integration spanning Stellar Consensus Core and Soroban WASM runtime



6.1 Inter-Layer Architectural Differentiation

- 1. Stellar Classic Asset:** Represents the native balance layer established by issuer GCGV . . . 3XRP. It permits high-throughput Stellar ledger transfers, path payments, and decentralized exchange (SDEX) liquidity.
- 2. Stellar Asset Contract (SAC):** The deterministic bridge instantiated via Soroban Core. It provides standard token interface methods (balance, transfer, burn, clawback) to smart contracts.
- 3. LEXORA Controller:** The programmatic authority registered as the SAC Administrator. It enforces hardcap constraints, checks registry whitelist status, and accounts for burns before dispatching SAC invocations.

7.0 LEXORA Controller Implementation

Soroban Rust contract interfaces, state variables, and execution rules

The LEXORA controller smart contract (CAJL...H542) provides programmatic governance over asset registry records and token issuance policies. Its implementation is formally cataloged below.

7.1 Verified Controller Data Structures

TYPE / METHOD	STORAGE SCHEMA / FIELDS	BEHAVIORAL INVARIANT
TokenStatus	Active Disabled	Enumerated token state tracked within the global registry.
is_token_allowed()	Address -> bool	Returns true if and only if target token is Active in registry.
SupplyPolicy	max_supply: i128 minted: i128 burned: i128	Enforces strictly non-decreasing counters for cumulative mint and burn operations.
ExecutionFlags	minting_enabled: bool clawback_enabled: bool paused: bool	Global gates governing administrative token interactions.

7.2 Architectural Boundaries & Non-Assumptions

Boundary 1: Registry vs. Direct Mint Invocations: Disabling a token in the registry (`TokenStatus::Disabled`) causes `is_token_allowed()` to return `false`. Systems relying on the registry check will halt interactions. However, developers must note that supply policy checks and registry checks are distinct code routines within the contract.

Boundary 2: Hardcap Enforcement: The condition `minted + amount <= max_supply` is mathematically constrained by the contract. Because current minted units equal 9,000,000,000,000,000 (900B tokens), any subsequent mint call will fail with supply exhaustion unless max supply is reconfigured by owner authority.

Implementation Precision: Technical specifications reflect the verbatim repository implementation (arashKazerouni/lexora-account). Zero speculative methods or unverified administrative automations are assumed.

8.0 Contract Control Model & Authority Cascade

Administrative ownership structure, role limits, and authorization hierarchies

8.1 Linear Ownership & Authority Cascade

- L1 Contract Owner (GCGJIJ4YYQ . . . AYTSDFU)**

Holds primary cryptographic authority over the LEXORA Controller contract. Authorized to update supply policies, pause execution, and manage token registrations.
- L2 LEXORA Controller (CAJL2J06EI . . . 3NFXH542)**

Autonomous programmatic runtime contract. Enforces immutable invariants, maintains instance storage counters, and signs administrative calls to the SAC.
- L3 XRP262 Stellar Asset Contract SAC (CC7L34EWC . . . IAUKHIS6)**

Soroban native asset representation. Configured on-chain with LEXORA Controller as its designated administrative address.
- L4 Classic Stellar Asset Issuer (GCGVZEE7RD . . . EYHMJ3XRP)**

Stellar Classic consensus-level account. Genesis origin of the AlphaNum12 XRP262 token code.

8.2 Institutional Boundary Invariants

BOUNDARY LAYER	ATTESTED INVARIANT PRINCIPLE
Treasury Independence	The Distribution Account (GBCP . . . DCY6Q) is architecturally decoupled from controller keys and acts as an independent operational custody treasury.
Issuer Autonomy	The LEXORA controller controls the SAC administration role; it does not directly sign Classic ledger transactions for the root issuer account.
Administrative Traceability	All state changes (policy amendments, registry updates) require cryptographically signed transactions originating from the authenticated Owner address.

9.0 Institutional Contract Registry

Comprehensive directory of verified network roles, address types, and cryptographic artifacts

9.1 Primary Mainnet Ledger Identities

ENTITY	TYPE	CANONICAL ADDRESS	ROLE	STATUS
XRP262 Issuer	Stellar Account	GCGVZEE7RD2BFF2EIQUT37DYJUR7WDCQ2KWA5LUWYATRFLKEYYHMJ3XRP	Asset Issuance	VERIFIED
XRP262 SAC	Soroban Contract	CC7L34EWYCTDCA3L7CRRULWX577UJWET32KNJFD2WTEQ4KD7IAUKHIS6	Asset Interface	VERIFIED
LEXORA Controller	Soroban Contract	CAJL2J06EILWBTHDRMIQVJA6MTZIUWHOD6WNVJDN7FWTYD6H3NFXH542	Policy Controller	VERIFIED
LEXORA Owner	Stellar Account	GCGJIIJ4YYQR7R0EVXW4QNPN3E2C7AJMTQA7KVA2BMX7JGWFJAYTSDFDU	Contract Admin	VERIFIED
Distribution Treasury	Stellar Account	GBCPYP3TS60AV37SXGKKY3YBY3QXMNWN2WZSDJ3RG2KZQAN5JWZDCY6Q	Public Custody	VERIFIED

9.2 Transactional Provenance Directory

MILESTONE	TRANSACTION HASH	EXECUTION
Genesis Mint (900B)	7afe1d6f7be92cb0b7859b71c71e3eae4ad68fa523362c915217a425782be67f	CONFIRMED
Trustline Bound	5afb277f2951a7a9f76b7f117ee04fb149db6144272ff5f4d91fd880ea70fec1	CONFIRMED
Registry Activation	c26e354ac5fe32565aeacd42cfe0dfcdad5e40bbb8f58c47a67ef08520859a90	CONFIRMED
Burn Allocation Tx	2f89fbfd0ced1d7392950a1a6bcbfb2f22ea61b0c9d77898447598b3e511cbc5	CONFIRMED
Burn Invocation	4ed32c2fe4b14466c8ce92db3f94e695071e26db4ef49f7f8979b043cd65f434	CONFIRMED

10.0 Technical Definition of "Under Control"

Explicit delimitation of programmed constraints versus claims of decentralization

In institutional systems engineering, the term *"Under Control"* refers strictly to deterministic, programmatic constraints enforced by ledger consensus and contract assertions. It must not be conflated with total decentralization or trustlessness.

10.1 Specific Enforced Control Mechanisms

CONTROL DIMENSION	TECHNICAL IMPLEMENTATION & ENFORCEMENT MECHANISM
Supply Ceiling Enforcement	LEXORA rejects any mint execution exceeding <code>max_supply</code> (900B). Hardcap mathematically checked prior to SAC invocation.
Asset Registry Gating	Maintains explicit <code>Active / Disabled</code> status. Ecosystem integrations can programmatically gate actions based on <code>is_token_allowed()</code> .
Irrevocable Burn Ledger	Tokens routed for burning are transferred to the contract and permanently destroyed via the SAC burn method. The burned counter increments immutably.
Clawback Protection	Policy stores <code>clawback_enabled: false</code> , guaranteeing absence of unilateral balance clawbacks via controller policy routines.
Operational Pause Switch	Owner authority can set <code>paused: true</code> to halt controller interactions in the event of upstream infrastructure anomalies.

10.2 Critical Delineation: Control vs. Decentralization

Control ≠ Full Decentralization: The LEXORA controller operates under an authorized Owner identity (GC6JIJ...AYTSFDFU). While protocol parameters are programmatically constrained, the contract is governed by an administrative key, not a distributed DAO.

On-Chain Verification ≠ Third-Party Security Audit: Verification confirms that state matches declared parameters on Stellar Mainnet. It does not constitute a formal code audit or mathematical verification from an external auditing firm.

11.0 Verification Directory & Independent Audit

Standard operating procedures for querying on-chain cryptographic state

11.1 Public Explorers & Verification Endpoints

RESOURCE	CANONICAL URL / SEARCH PATTERN
StellarExpert Asset	https://stellar.expert/explorer/public/asset/XRP262-GCGVZEE7RD2BFF2EIQUT37DYJUR7WDCQ2KWA5LUWYATRFLKEYHMJ3XRP-2
Protocol Repository	https://github.com/arashKazerouni/lexora-account
Website Repository	https://github.com/arashKazerouni/Xrp262-project
Mainnet RPC Endpoint	https://mainnet.sorobanrpc.com
Horizon API Endpoint	https://horizon.stellar.org/accounts/GCGVZEE7RD2BFF2EIQUT37DYJUR7WDCQ2KWA5LUWYATRFLKEYHMJ3XRP

11.2 Independent Verification Workflow (Stellar CLI / RPC)

```
# 1. Query Supply Policy on LEXORA Controller
stellar contract invoke \
  --id CAJL2JO6EILWBTHDRMIQVJA6MTZIUWHOD6WNVJDN7FWTYD6H3NFXH542 \
  --source-account GBCPY... \
  --network mainnet \
  -- get_policy
```

```
# 2. Query Asset Registry Status for XRP262
stellar contract invoke \
  --id CAJL2JO6EILWBTHDRMIQVJA6MTZIUWHOD6WNVJDN7FWTYD6H3NFXH542 \
  --source-account GBCPY... \
  --network mainnet \
  -- is_token_allowed --token CC7L34EWYCTDCA3L7CRRULWX577UJWET32KNJFD2WTEQ4KD7IAUKHIS6
```

Institutional Disclaimer: This document is a technical reference dossier, not a guarantee of future protocol behavior or a substitute for independent source code review. All institutional users should verify addresses and state directly on-chain.

12.0 Protocol Integrity Summary

Final consolidated architectural telemetry & cryptographic status card

XRP262 ON-CHAIN TELEMETRY

MAINNET VALIDATED

CONFIGURED MAX SUPPLY

900,000,000,000

CURRENT CIRCULATING

899,573,973,192

IRREVOCABLY BURNED

426,026,808

TOKEN REGISTRY STATUS

ACTIVE (Allowed: True)

CANONICAL CONTRACT BINDINGS:

CONTROLLER: CAJL2J06EILWBTHDRMIQVJA6MTZIUWHOD6WNVJDN7FWTYD6H3NFXH542

ASSET SAC: CC7L34EUYCTDCA3L7CRRULWX577UJWET32KNJFD2WTEQ4KD7IAUKHIS6

ISSUER: GCGVZEE7RD2BFF2EIQUT37DYJUR7WDCQ2KWA5LUWYATRFLKEYHMJ3XRP

12.1 Independent Verification & Source Code

Institutional partners, exchanges, and integration developers are instructed to verify all parameters against live Stellar Mainnet ledger states prior to deploying dependent financial or routing infrastructure.

Stellar Core 20+

Soroban Protocol v21

Deterministic Supply Accounting

VERIFY THE STATE ON-CHAIN · STELLAR MAINNET<https://github.com/arashKazerooni/lexora-account> · <https://stellar.expert>