

Identifying responsibility in a Nigerian sex trafficking network: A game theoretical approach

Frank de Meijer¹ and Aras Selvi²

CentER, Department of Econometrics and OR, Tilburg University, The Netherlands

¹*f.j.j.demeijer@tilburguniversity.edu*

²*a.selvi@tilburguniversity.edu*

Abstract

In this work, we investigate a popular network problem arising in the criminal sciences as well as psychological studies. We are given a Nigerian sex trafficking network, and we are interested in finding the most effective members in this network. However, the definition of effectiveness is vague in most cases, since a member who connects a lot of criminals can be as dangerous as someone who ‘owns’ many victims. Therefore, we introduce a game theoretical setting to this problem, and by using Operations Research techniques we approximate the Shapley value: a measure of importance of a ‘player’ in a cooperative game, considering every possible coalitions.

Keywords— Shapley value, connectivity games, human trafficking networks

1 Introduction

Thousands of West-African sex-trafficking victims are arriving to Europe every year [Morselli, 2009]. These victims, exclusively women, are forced to prostitution and other forms of sexual exploitation. The authors of [Olagbegi et al., 2006] show that most of these victims are from Nigeria, since the majority of crime networks in Nigeria are based on sex-trafficking for various reasons (unemployment, persuasion via rituals, threatening, etc.). The paper [Mancuso, 2014] studies the police investigation named “Foglie nere” which had issued arrest warrants of Nigerian sex trafficking networks in 2009. This case is significantly important, because it focuses on Nigeria based victims of sex trafficking in Italy. 72% of the West-African people are detected in Italy from 2003 to 2007, and the Nigerian victims were by far the majority [Morselli, 2009]. Therefore, the “Foglie nere” case is a very reliable example of such sex trafficking networks.

Details about the organization of the network can be found in the work [Mancuso, 2014]. These include the way victims are dragged into the network, the way they are placed in European countries, transportation modes, destination countries, visa processes, etc. We focus on the network of “Foglie nere”, where nodes have different types. The node types are: *Responsible for control*, *Victims-madams*, *Madams*, *Traffickers*, *Victims*, *Other roles*. The first type, *Responsible for control* are involved in the direct exploitation of the victims, and they are responsible for the connection between the victims and madams. *Madams*, are the ones (usually in Nigeria), who ‘own’ victims. Similarly, *Victims-madams* are the persons who are active victims and madams at the same time. The *Traffickers* are responsible for the logistic and documentation work. Finally, the *Other roles* are persons who are in close touch with the network but have different duties. The full sex trafficking network that we study can be found in [Mancuso, 2014]. In this network all actors are included as nodes and an edge between them is included whenever the two actors communicate.

The goal of this work is to identify which of the actors are most responsible for the harm caused by the network. In [Mancuso, 2014] standard social network analysis is applied to complete this task, e.g., by calculating centrality measures such as the betweenness and the intra-group density, see [Wasserman and Faust, 1994]. A drawback of these classical centrality measures is that they only take into account the network structure. In this work we introduce two new centrality measures based on a game theoretical approach. A similar approach is used to rank the players in a terrorist network, see [Lindelauf et al., 2011, Husslage et al., 2015, Van Campen et al., 2018]. This method outperforms classical centrality measures, since it enables the incorporation of additional information on the players and their connections in the analysis.

This paper is organized as follows: In section 2 we provide additional information on the data that we use for our analysis. In Section 3 we define two types of cooperative games that are used as a centrality measure and we describe how to approximate the Shapley value for these games. After this, in Section 4 we present and discuss the ranking based on these new centrality measures. Finally, Section 5 concludes our work.

2 Data

Before we are able to put the sex trafficking network in a game theoretical setting, we look closer to the original data. The original network constructed in [Mancuso, 2014] consists of 86 actors, among which 8 madams, 2 victim-madams, 31 responsible for control (from now on called controllers), 18 traffickers, 8 other roles and 19 victims. Each victim is only connected to a single node in the network, either a madam, victim-madam or a controller. The actor corresponding to this node can be seen as the ‘owner’ of the victim, i.e., the person directly responsible for this victim. Since the victims are not held responsible for the committed crimes, these are not considered players in the game theoretical setting. Instead, we introduce a weight function on the remaining nodes that represents the number of victims that it is connected to. This weight function is formally introduced in Section 3. Moreover, we do not take traffickers and other roles into account, since preliminary studies (see e.g., [Mancuso, 2014]) show that these roles have a small impact on the effectiveness of the network. Finally, for simplicity, the victims-madams are treated as madams that are responsible for one additional victim, namely itself. These adaptations result in a network of 41 actors, among which 31 controllers and 10 madams. The updated network can be found in Appendix A. This network is used to define the game theoretical centrality measures introduced in the next section.

3 Game Theoretical Setting

In this section we put the sex trafficking network in a game theoretical setting by defining two types of games that represent the effectiveness of the various coalitions in the network. Moreover, we describe how the Shapley value [Shapley, 1953] can be approximated and used to identify the responsibility of each player in the network.

Let M denote the set of madams and let C denote the set of controllers. Together, these sets form the set of players (i.e., actors in the network), which we denote by N . For each $i \in N$, we let d_i denote the number of victims for which player i is directly responsible.

A network can be interpreted as an undirected graph $G = (N, E)$ with vertex set N and edge set E . Note that each vertex in G represents a madam or a controller. If two players communicate, we connect their corresponding vertices by an edge. For each subset $S \subseteq N$, let $G[S] = (N[S], E[S])$ denote the subgraph of G induced by the players in S . Moreover, for all $i \in N$ let $\delta(i)$ denote the set of neighbours of player i , i.e., $\delta(i) = \{j \in N : (i, j) \in E\}$.

Before we are able to construct a game, we need to define a weight function $w : N \rightarrow \mathbb{R}$ that represents the individual responsibility or effectiveness of a player. An obvious choice

would be $w_i = d_i$ for all $i \in N$. Since most of the controllers work as intermediates, it follows that $d_i = 0$ for most of these players. This might underestimate the direct responsibility of the controllers, since in many cases the controllers are indispensable for the effectiveness of a network (see e.g., [Mancuso, 2014]). For that reason, we define a control parameter $\alpha \in [0, 1]$ and define a weight function w^α as follows:

$$w_i^\alpha = \begin{cases} d_i & \text{if } i \in M, \\ d_i + \alpha \sum_{j \in \delta(i)} d_j & \text{if } i \in C. \end{cases}$$

The intuition behind this function is that the controllers are held partly responsible for the victims of their neighbours, depending on the control parameter α . If α is close to 1, then the controllers are heavily responsible for its neighbours' victims, while $w^\alpha = d$ if $\alpha = 0$.

Note that the weight function w^α only measures direct responsibility of the players and does not take into account the centrality of the network. To measure this latter quantity as well, we construct a game corresponding to the network.

A cooperative game is represented by the pair (N, v) , where N equals the set of players and $v : 2^N \rightarrow \mathbb{R}$ assigns a value to each coalition $S \subseteq N$. The value $v(S)$ can be seen as a measure for the effectiveness of the subnetwork $G[S]$ induced by the players in S . The value of the grand coalition, $v(N)$, can be seen as the total effectiveness of the network. A main question in cooperative game theory is how to allocate the total effectiveness $v(N)$ among the players, i.e., which of the players are most important for the success of the network? We use a well-known solution concept known as the Shapley value [Shapley, 1953], which is based on the players' marginal contributions to the coalitions.

Before we are able to compute the Shapley value, the main question is how to define v such that it represents the effectiveness of a coalition in the best way. In the next sections, we propose two different settings.

3.1 Weighted connectivity game

A reasonable measure for the centrality of a (sub)network is its connectivity, since a cell in the network has more strength if the players directly communicate with each other. Based on a similar approach of [Husslage et al., 2015], we let $v_1^\alpha(S)$ be equal to the largest weighted connected component in $G[S]$. This yields the following weighted connectivity game v_1^α :

$$v_1^\alpha(S) = \max_{\substack{T \subseteq S: G[T] \\ \text{connected}}} \sum_{i \in T} w_i^\alpha \quad \text{for all } S \subseteq N.$$

One can easily verify that the corresponding game (N, v_1^α) is monotonic for all $\alpha \in [0, 1]$. Namely, if $S_1 \subseteq S_2$ and T is the largest weighted connected component in S_1 , then also $T \subseteq S_2$. Consequently, we know that $v_1^\alpha(S_2) \geq \sum_{i \in T} w_i^\alpha = v_1^\alpha(S_1)$.

3.2 Weighted local game

The assumption behind the weighted connectivity game is that the effectiveness of a (sub)network only depends on its largest weighted connected component. This assumption might be too radical. Namely, in the case of sex trafficking networks it is possible for two subnetworks to operate independently from one other provided that each subnetwork consists of sufficient members. This leads to a so-called weighted local game, in which a coalition S incurs the weights of its players for which all its neighbours are also in S . We define v_2^α as follows:

$$v_2^\alpha(S) = \sum_{i \in S: \delta(i) \subseteq S} w_i^\alpha \quad \text{for all } S \subseteq N.$$

The intuition behind this function is that if a player i and all its neighbours are present in S , then the subnetwork centered around i can operate and, thus, is effective. One can easily verify that (N, v_2^α) is monotonic. Moreover, we can show that this game is convex.

Theorem 1. *The game (N, v_2^α) is convex for all $\alpha \in [0, 1]$.*

Proof. Let $S, T \subseteq N$. In order to show that (N, v_2^α) is convex, we need to show that we have $v(S \cup T) + v(S \cap T) \geq v(S) + v(T)$. Since $S \cup T = (S \setminus T) \cup (S \cap T) \cup (T \setminus S)$, we have

$$\begin{aligned} v_2^\alpha(S \cup T) + v_2^\alpha(S \cap T) &= \sum_{\substack{i \in S \cup T: \\ \delta(i) \in S \cup T}} w_i^\alpha + \sum_{\substack{i \in S \cap T: \\ \delta(i) \in S \cap T}} w_i^\alpha \\ &= \sum_{\substack{i \in S \setminus T: \\ \delta(i) \in S \cup T}} w_i^\alpha + \sum_{\substack{i \in S \cap T: \\ \delta(i) \in S \cup T}} w_i^\alpha + \sum_{\substack{i \in T \setminus S: \\ \delta(i) \in S \cup T}} w_i^\alpha + \sum_{\substack{i \in S \cap T: \\ \delta(i) \in S \cap T}} w_i^\alpha. \end{aligned}$$

We can now establish a lower bound on the second term by observing that for all $i \in S \cap T$ with $\delta(i) \subseteq S$ or $\delta(i) \subseteq T$, we have $\delta(i) \subseteq S \cup T$. Hence,

$$\sum_{\substack{i \in S \cap T: \\ \delta(i) \in S \cup T}} w_i^\alpha \geq \sum_{\substack{i \in S \cap T: \\ \delta(i) \in S}} w_i^\alpha + \sum_{\substack{i \in S \cap T: \\ \delta(i) \in T}} w_i^\alpha - \sum_{\substack{i \in S \cap T: \\ \delta(i) \in S \cap T}} w_i^\alpha.$$

Combining the results above, we obtain

$$\begin{aligned} v_2^\alpha(S \cup T) + v_2^\alpha(S \cap T) &\geq \sum_{\substack{i \in S \setminus T: \\ \delta(i) \in S \cup T}} w_i^\alpha + \sum_{\substack{i \in S \cap T: \\ \delta(i) \in S}} w_i^\alpha + \sum_{\substack{i \in S \cap T: \\ \delta(i) \in T}} w_i^\alpha + \sum_{\substack{i \in T \setminus S: \\ \delta(i) \in S \cup T}} w_i^\alpha \\ &\geq \sum_{\substack{i \in S: \\ \delta(i) \in S}} w_i^\alpha + \sum_{\substack{i \in T: \\ \delta(i) \in T}} w_i^\alpha = v_2^\alpha(S) + v_2^\alpha(T). \end{aligned}$$

We conclude that (N, v_2^α) is convex. \square

Since each convex game is totally balanced, it follows that (N, v_2^α) is totally balanced and that the Shapley value of this game belongs to the core of the game. For details and properties of the core see [Borm et al., 2001].

3.3 Approximation of the Shapley value

The Shapley value is a solution concept for a game (N, v) that is based on marginal vectors. Let Π denote the set of all permutations of the set of players. For a given ordering $\sigma \in \Pi$, if player i is on position k , then the marginal contribution of player i in σ equals $m_v^\sigma(i) = v(\{\sigma_1, \dots, \sigma_k\}) - v(\{\sigma_1, \dots, \sigma_{k-1}\})$. The Shapley value $\Phi_i(v)$ for player i is the average marginal contribution of player i over all orderings in Π , i.e., $\Phi_i(v) = \frac{1}{|\Pi|} \sum_{\sigma \in \Pi} m_v^\sigma(i)$.

In our case, $|N| = 41$, which implies that we need to consider $41! \approx 3.35 \cdot 10^{49}$ orderings. Because of this, it is not possible to compute $\Phi(v)$ exactly. Instead, we make use of an approximation proposed by [Van Campen et al., 2018] which is called structured random sampling. Let t be some positive integer, then the procedure works as follows:

- Select a subset Π_r of Π with $r = t \cdot |N|$;
- Divide the subset Π_r in n groups of size t ;
- For all players $i \in N$, do:
 1. Swap player i with the player at position j for each of the t orderings in group j , where $j \in \{1, \dots, |N|\}$, resulting in a set Π'_r of r new orderings;
 2. Compute the marginal contributions $m_v^\sigma(i)$ of player i for all $\sigma \in \Pi'_r$;
 3. Calculate $\hat{\Phi}_i(v) = \frac{1}{r!} \sum_{\sigma \in \Pi'_r} m_v^\sigma(i)$.

4 Computation and Results

In this section, we apply our game theoretic centrality measures to the network at hand and discuss the main findings.

In the previous section we introduced two types of game theoretical centrality measures, namely $\hat{\Phi}(v_1^\alpha)$ and $\hat{\Phi}(v_2^\alpha)$. The first is mainly based on connectivity (i.e., the effectiveness of a coalition is represented by the largest connected subnetwork), while the second is based on the number of local networks (i.e., an actor in the network can operate if all its members are also in the coalition). Both measures still depend on the control parameter α , which counts for the direct responsibility of the controllers. Since there is no data on the value of α , we calculate $\hat{\Phi}(v_1^\alpha)$ and $\hat{\Phi}(v_2^\alpha)$ for various values of α to see how the rankings depend on α . In Appendix B the measures $\hat{\Phi}(v_1^\alpha)$ and $\hat{\Phi}(v_2^\alpha)$ are calculated for $\alpha = 0, 0.4, 0.6$ and 1. Moreover, we report the betweenness centrality measure of [Mancuso, 2014]. In Appendix C we compare the rankings we obtain from our centrality measures with the ranking of [Mancuso, 2014], again for multiple values of α . We used $t = 250$ in the approximation of the Shapley values. Preliminary experiments have shown that for $t \geq 100$ only minor changes occur in the rankings. Using $t = 250$, the calculation of a single centrality measure can be done within 100 seconds at a standard PC having an 8-th Generation Intel(R) Core(TM) i7-8750H processor. We use Python 3.7 [Rossum, 1995] as the main programming language, and develop in the Jupyter Notebook platform [Kluyver et al., 2016]. Array operations are done with the package NumPy [Oliphant, 2006], graph operations are done with the package NetworkX [NetworkX developer team, 2014], and for the visual plotting we use Matplotlib [Hunter, 2007]. The project repository is publicly available on <https://github.com/arasselvi/Nigerian-Sex-Trafficking-0.R..>

If we look at the measure $\hat{\Phi}(v_1^\alpha)$, we see that the rankings are quite robust with respect to the value of α . The rankings for $\alpha = 0.6$ and $\alpha = 1$ is completely identical and for lower values there are some small changes. In general, we see that if the value of α increases, the vertices that fulfill a brokerage position (e.g., player 14 and 18) become more important. Indeed, an increase of α results in a larger total weight of a connected component and thus in a relative increase of the marginal contributions of the players that fulfill a brokerage position. In general, the players 10, 26, 14, 21 and 23 can be seen as most dangerous in the network. These are exactly the five players in the top 5 ranking of [Mancuso, 2014].

Next, we look at the measure $\hat{\Phi}(v_2^\alpha)$. The rankings resulting from this measure are less robust against the value of α . If α increases, the players with high weighted neighbours become more important. Although the rankings are less robust than those of $\hat{\Phi}(v_1^\alpha)$, there are several players that appear in the top-5 for all considered values of α , namely player 26, 10, 3, 8 and 2. If we look at the graph, these are indeed the players that have a large and/or high-weighted local network centred around them. It has to be noted that players that have a low weight, but are at a brokerage position (e.g., player 18, 21 and 23) appear in a very low position in the ranking. This is due to the underlying assumption of this centrality measure, which values the effectiveness of subnetworks instead of taking into account the connectivity.

In Table 1 the top-5 ranking based on our game theoretical centrality measure averaged over α is presented. Moreover, we include the ranking based on the betweenness centrality measure of [Mancuso, 2014].

[Mancuso, 2014]	$\hat{\Phi}(v_1^\alpha)$	$\hat{\Phi}(v_2^\alpha)$
10	10	26
26	26	10
23	14	8
21	21	3
14	23	2

Table 1: Average rankings of $\hat{\Phi}(v_1^\alpha)$ and $\hat{\Phi}(v_2^\alpha)$ over α and the ranking from [Mancuso, 2014].

Considering both measures, we conclude that player 10 and 26 can be seen as most responsible for the effectiveness of the network. These players are both madams. The fact that these players have high Shapley values for both introduced centrality measures, shows that these have high-weighted local subnetworks and fulfill a brokerage position in the network. Surprisingly, it are exactly those madams which also record on average more contacts with people outside the Italian borders, see [Mancuso, 2014].

Moreover, we can conclude that the ranking resulting from the connectivity game are quite similar to the standard centrality measures of [Mancuso, 2014]. These rankings mainly identify players with a brokerage positions in the network. However, the ranking based on the weighted local game gives more insight in the effective subnetworks that can operate independently from the other coalitions. Under the assumption that subnetworks can still operate locally, this method identifies effective players that could not be recognized by the standard centrality measures.

5 Conclusion and Future Research

In this work, we introduced two new game theoretical centrality measures to identify the effectiveness of players in a sex trafficking network. In the first game, the effectiveness of a coalition is measured by considering the largest weighted connected component in the subnetwork spanned by the coalition. The second game is a so-called weighted local game, where the effectiveness of a coalition is proportional to the total number of local subnetworks that are induced by the players in the coalition. We proved that this latter type of game is convex. By approximating the Shapley value of these games, we can identify the individual responsibility of each player in the network. These methods can be applied successfully to obtain a ranking of the madams and controllers in a sex trafficking network. However, the focus of these rankings is different. It turns out that the first game could be used to identify the players having a brokerage position in the network, while the second game finds the players that fulfill a powerful local position. This latter type of effectiveness could not be measured by the standard centrality measures provided in [Mancuso, 2014].

The introduced game theoretical centrality measures can be applied to other sex trafficking networks (or similar social networks) as well. Recall that our analysis is based on a control parameter α which represents the direct responsibility of the controllers. It would be interesting to have more information about a reasonable value of this parameter. This can be a topic of future research. Moreover, while the weighted connectivity game and the weighted local game have a different focus, they both provide useful information about the players in the network. Therefore, it is interesting to also look at other types of value functions that model the effectiveness of a coalition.

References

- [Borm et al., 2001] Borm, P., Hamers, H., and Hendrickx, R. (2001). Operations research games: A survey. *Top*, 9(2):139.
- [Hunter, 2007] Hunter, J. D. (2007). Matplotlib: A 2d graphics environment. *Computing in Science & Engineering*, 9(3):90–95.
- [Husslage et al., 2015] Husslage, B., Borm, P., Burg, T., Hamers, H., and Lindelauf, R. (2015). Ranking terrorists in networks: A sensitivity analysis of al qaedas 9/11 attack. *Social Networks*, 42:1–7.
- [Kluyver et al., 2016] Kluyver, T., Ragan-Kelley, B., Pérez, F., Granger, B., Bussonnier, M., Frederic, J., Kelley, K., Hamrick, J., Grout, J., Corlay, S., Ivanov, P., Avila, D., Abdalla, S., and Willing, C. (2016). Jupyter notebooks – a publishing format for reproducible computational workflows. In Loizides, F. and Schmidt, B., editors, *Positioning and Power in Academic Publishing: Players, Agents and Agendas*, pages 87 – 90. IOS Press.
- [Lindelauf et al., 2011] Lindelauf, R., Hamers, H., and Husslage, B. (2011). Game theoretic centrality analysis of terrorist networks: The cases of jemaah islamiyah and al qaeda. *CentER Discussion Paper*, 2011-107.
- [Mancuso, 2014] Mancuso, M. (2014). Not all madams have a central role: analysis of a nigerian sex trafficking network. *Trends in Organized Crime*, 17(1-2):66–88.
- [Morselli, 2009] Morselli, C. (2009). *Inside criminal networks*, volume 8. Springer.
- [NetworkX developer team, 2014] NetworkX developer team (2014). Networkx.
- [Olagbegi et al., 2006] Olagbegi, B. O., Aminu, L., Akiode, B., Zacharia, Y., Ezekwem, U., and Menkiti, M. (2006). Human trafficking in nigeria: Root causes and recommendations. *Policy Paper Poverty Series*, 14(2):11–69.
- [Oliphant, 2006] Oliphant, T. (2006). NumPy: A guide to NumPy. USA: Trelgol Publishing. [Online; accessed jtoday].
- [Rossum, 1995] Rossum, G. (1995). Python reference manual. Technical report, Amsterdam, The Netherlands, The Netherlands.
- [Shapley, 1953] Shapley, L. S. (1953). A value for n-person games. *Contributions to the Theory of Games*, 2(28):307–317.
- [Van Campen et al., 2018] Van Campen, T., Hamers, H., Husslage, B., and Lindelauf, R. (2018). A new approximation method for the shapley value applied to the wtc 9/11 terrorist attack. *Social Network Analysis and Mining*, 8(1).
- [Wasserman and Faust, 1994] Wasserman, S. and Faust, K. (1994). *Social network analysis, methods and applications*. Cambridge University Press.

Appendices

A Network Figure




Figure 1: Sex trafficking network. Blue nodes are ‘responsible for control’, red nodes are ‘madams’. Node indexes are written above a node, while the weight is written just below the node in form, e.g., $w = 3$.

B Full results

The node indexing we used is slightly different than in the paper [Mancuso, 2014]. Therefore, we share the results with the node indexes in the original paper. Moreover, we the indexes with a (*) sign denote ‘madams’.

Index	[Mancuso, 2014] Index	Betweenness Cent.	Shapley $\alpha = 0$		Shapley $\alpha = 0.4$	
			$\hat{\Phi}(v_1^\alpha)$	$\hat{\Phi}(v_2^\alpha)$	$\hat{\Phi}(v_1^\alpha)$	$\hat{\Phi}(v_2^\alpha)$
1	N03	0.000	0.000	0.901	0.442	2.282
2	N02	11.527	1.401	1.895	2.231	3.271
3	N01	13.999	1.936	2.223	3.170	4.003
4	N04	0.889	1.694	1.713	2.140	2.605
5*	N44	9.946	2.163	1.894	1.842	2.359
6*	N06	2.353	1.498	1.464	1.364	1.847
7*	N18	0.000	1.993	2.307	1.979	2.653
8*	N05	31.064	3.089	3.358	3.140	4.613
9	N07	0.000	0.669	1.700	2.807	3.006
10*	N16	61.755	9.661	3.357	14.800	9.821
11	N45	0.000	0.561	1.480	1.982	3.002
12	N19	2.353	0.561	1.480	1.982	3.002
13	N46	0.000	0.000	0.982	1.439	2.498
14	N20	53.782	1.933	0.982	9.559	2.905
15	N54	0.000	0.000	0.000	0.000	0.600
16	N52	2.353	0.000	0.000	1.651	1.913
17	N53	0.000	0.000	0.000	0.000	1.287
18	N10	50.588	1.956	0.170	6.812	0.860
19	N85	0.000	0.000	0.170	0.000	0.165
20	N11	0.000	0.000	0.170	0.000	0.165
21	N08	55.014	2.080	0.365	6.853	0.820
22	N86	0.000	0.000	0.170	0.000	0.165
23*	N12	55.168	1.964	1.222	6.718	1.355
24	N15	0.000	0.000	0.196	0.000	0.205
25	N84	0.000	0.298	0.688	0.311	0.707
26*	N24	58.025	3.080	1.210	10.929	14.016
27*	N34	0.000	0.323	0.683	0.381	1.438
28	N28	0.014	0.001	1.011	1.170	1.765
29	N25	0.000	0.000	0.355	0.766	1.355
30	N26	0.000	0.000	0.355	0.776	1.673
31	N39	0.000	0.000	0.355	0.766	1.355
32*	N36	0.000	0.000	0.355	0.000	0.355
33	N31	0.000	0.000	0.355	0.767	1.355
34	N30	0.042	0.000	0.355	0.780	1.684
35	N38	0.000	0.000	0.355	0.767	1.355
36*	N35	0.014	0.324	0.689	0.377	1.446
37	N74	0.000	0.000	0.355	0.768	1.355
38	N77	0.000	0.000	0.355	0.768	1.355
39	N80	0.000	0.000	0.355	0.768	1.355
40	N79	0.000	0.000	0.355	0.768	1.355
41	N78	0.000	0.000	0.355	0.768	1.355

Index	[Mancuso, 2014] Index	Betweenness Cent.	Shapley $\alpha = 0.6$		Shapley $\alpha = 1$	
			$\hat{\Phi}(v_1^\alpha)$	$\hat{\Phi}(v_2^\alpha)$	$\hat{\Phi}(v_1^\alpha)$	$\hat{\Phi}(v_2^\alpha)$
1	N03	0.000	0.819	3.033	1.588	4.681
2	N02	11.527	2.431	3.986	3.373	5.702
3	N01	13.999	3.533	5.077	5.065	7.353
4	N04	0.889	2.464	3.133	3.372	4.251
5*	N44	9.946	1.740	2.577	1.902	3.113
6*	N06	2.353	1.309	2.030	1.429	2.676
7*	N18	0.000	1.997	2.972	2.320	3.688
8*	N05	31.064	3.106	5.280	3.718	6.647
9	N07	0.000	3.616	3.695	5.684	4.996
10*	N16	61.755	16.706	13.157	22.093	20.337
11	N45	0.000	2.358	3.496	4.155	5.539
12	N19	2.353	2.358	3.496	4.155	5.539
13	N46	0.000	1.837	2.999	3.623	5.035
14	N20	53.782	12.493	3.969	19.225	6.304
15	N54	0.000	0.000	0.796	0.000	1.581
16	N52	2.353	2.381	2.846	4.436	4.926
17	N53	0.000	0.000	1.983	0.000	3.344
18	N10	50.588	8.927	1.226	14.297	2.252
19	N85	0.000	0.000	0.335	0.321	0.832
20	N11	0.000	0.000	0.335	0.321	0.832
21	N08	55.014	9.377	1.184	14.479	2.358
22	N86	0.000	0.000	0.335	0.323	0.830
23*	N12	55.168	9.229	1.597	14.262	2.363
24	N15	0.000	0.000	0.205	0.344	0.698
25	N84	0.000	0.332	0.711	0.693	1.196
26*	N24	58.025	15.251	20.508	24.191	34.209
27*	N34	0.000	0.411	1.657	0.437	2.691
28	N28	0.014	1.728	1.981	3.592	3.026
29	N25	0.000	1.242	1.842	2.597	3.395
30	N26	0.000	1.276	2.636	2.714	4.378
31	N39	0.000	1.242	1.842	2.597	3.395
32*	N36	0.000	0.000	0.334	0.000	0.347
33	N31	0.000	1.237	1.842	2.600	3.395
34	N30	0.042	1.278	2.667	2.716	4.406
35	N38	0.000	1.237	1.842	2.600	3.395
36*	N35	0.014	0.411	1.680	0.440	2.737
37	N74	0.000	1.236	1.842	2.608	3.395
38	N77	0.000	1.236	1.842	2.608	3.395
39	N80	0.000	1.236	1.842	2.608	3.395
40	N79	0.000	1.236	1.842	2.608	3.395
41	N78	0.000	1.236	1.842	2.608	3.395

C Full Rankings

Below, we share the player rankings in each of the methods (first element is the most effective player). Bold elements have zero score, meaning in the corresponding measure they are the ones having least effectiveness. The bold elements are equally unimportant. Moreover, if consecutive elements have the superscript *, they have the same score.

[Mancuso, 2014]	Shapley $\alpha = 0$		Shapley $\alpha = 0.4$		Shapley $\alpha = 0.6$		Shapley $\alpha = 1$	
	$\hat{\Phi}(v_1^\alpha)$	$\hat{\Phi}(v_2^\alpha)$	$\hat{\Phi}(v_1^\alpha)$	$\hat{\Phi}(v_2^\alpha)$	$\hat{\Phi}(v_1^\alpha)$	$\hat{\Phi}(v_2^\alpha)$	$\hat{\Phi}(v_1^\alpha)$	$\hat{\Phi}(v_2^\alpha)$
10	10	8	10	26	10	26	10	26
26	8	10	26	10	26	10	26	10
23	26	7	14	8	14	8	14	3
21	5	3	21	3	21	3	21	8
14	21	2	18	2	23	2	23	14
18	7	5	23	9	18	14	18	2
8	23	4	3	12	9	9	9	11
3	3	9	8	11	3	12	3	12
2	18	12	9	14	8	11	8	13
5	14	11	2	7	2	4	2	9
6*	4	6	4	4	4	1	4	16
12*	6	23	12	13	16	13	16	1
16*	2	26	11	5	12	7	12	34
4	9	28	7	1	11	16	11	30
34	12	13	5	16	7	34	7	4
28*	11	14	16	6	13	30	13	7
36*	27	1	13	28	5	5	5	40
1	36	36	6	34	28	6	28	41
7	25	25	28	30	6	17	6	29
9	28	27	34	36	34	28	34	33
11	17	21	30	27	30	41	30	39
13	13	30	33	23	31	29	31	38
15	15	31	35	41	29	33	29	37
17	16	39	41	29	33	40	33	35
19	41	38	39	39	35	39	35	31
20	19	37	38	38	41	38	41	17
22	20	35	40	37	40	37	40	5
24	40	34	37	40	37	35	37	28
25	22	33	29	35	38	31	38	36
27	24	32	31	33	39	36	39	27
29	29	41	1	31	1	27	1	6
30	30	29	27	17	27	23	27	23
31	31	40	36	18	36	18	36	21
32	32	24	26	21	25	21	25	18
33	33	19	19	25	15	15	15	15
35	34	22	24	15	17	25	17	25
37	35	18	32	32	19	19	19	19
38	37	20	22	24	20	22	20	20
39	38	15	20	22	22	20	22	22
40	39	16	15	20	24	32	24	24
41	1	17	17	19	32	34	32	32