


Advisor Workspace Shell - Conceptual Wireframe Architecture

Page 1


Conceptual operating environment for advisors. This is a shell-level wireframe that unifies search, novelty, active work, review, and background intelligence above underlying apps and workflows.

Conceptual shell frame



1. Persistent shell / operating frame

The outer frame that holds navigation, session context, identity, app modules, and movement across the advisor environment.



Breakdown

Design this as a stable operating frame, not a decorative border.

Global identity and entry

- 1 Provides the advisor's stable home base. The shell should feel persistent even as the advisor moves across records, workflows, and apps.

Context persistence

- 2 Carries advisor, book, team, coverage, market, and workflow context so the user does not need to rebuild it inside every tool.

Navigation and module access

- 3 Supports movement across core jobs and product modules without breaking continuity or losing the current work state.

Session-level visibility

- 4 Shows profile, notifications, system status, AI mode, approvals, and other top-level session indicators.

Structural role

- 5 The shell is not the work itself. It is the operating frame that holds search, novelty, work, review, and background execution together.

2. Omnisearch / ask / launch layer

The front door for ask, find, launch, retrieve evidence, and trigger actions from one intent surface.

Ask | Find | Launch | Compare | Create | Act - 'Find clients with cash below \$1M and prepare follow-up options'

Answer

Results

Actions

Apps

Evidence

Direct answer

3 clients fell below the \$1M cash threshold in the last 7 days.

Shortlist

Client list with key balances, ownership, and recent outreach status.

Action suggestions

Draft outreach, create task bundle, request approval, open profile.

Evidence

Threshold rule, balance source, holdings context, last contact, and risk notes.

App launch

Open profile, portfolio, service case, or campaign workflow in context.

Breakdown

Treat search as a command surface, not only a retrieval utility.

One entry point, many intents

- 1 The same bar should handle search, Q&A, workflow jump, app launch, and action initiation.

Progressive response model

- 2 Start with a concise answer or shortlist, then allow drill-down into evidence, comparisons, or actions.

Context-aware interpretation

- 3 Search should understand the current advisor context, selected client scope, permissions, and workflow stage.

Actionable results

- 4 Results should not end at retrieval. They should support open, compare, draft, assign, or send to a background agent.

Evidence and trust

- 5 Every high-impact result should connect to sources, records, policy notes, and confidence cues.

3. Novelty / what changed lane

A prioritized lane for changes, signals, opportunities, exceptions, and system-prepared outputs that deserve advisor attention.

Prioritized novelty stream

● **Cash balance drop**
3 clients below threshold - review impact and next steps

● **Engagement spike**
2 prospects showing elevated activity

● **Service exception**
1 SLA risk now requires attention

● **Opportunity signal**
Idle cash moved into investable range

● **Prepared output**
Draft follow-up package ready

● **Background monitor**
A saved watchlist detected change overnight

Breakdown

This is closer to an intelligent triage surface than a traditional notification feed.

Signal triage, not noise

- 1 The lane should rank what is new and important, not mirror every notification from every system.

Mix of events and prepared outputs

- 2 Novelty should include both detected changes and work the system has already prepared for review.

Clear why-now explanation

- 3 Every item should explain what changed, why it matters, and what action paths are available.

Designed for scanning


- 4 This lane should be fast to browse. Use consistent card anatomy, confidence, and urgency cues.

Bridge into work

- 5 Selecting an item should move the advisor into the central work area with context already loaded.

4. Active work area

The main canvas where advisors review situations, compare options, prepare outreach, inspect evidence, and move work forward.



Breakdown

This is the heart of the shell. It must support real work, not only information display.

Mode-based center

- 1 The work area should change shape based on the advisor's current job - compare, prepare, decide, create, or act.

Deep work before execution

- 2 This zone should support actual thinking and editing, not just present static summaries.

Adjacent evidence

- 3 Keep evidence and context beside the work, not hidden in another app or screen.

Action composer at the bottom


- 4 Let the advisor move from work into draft, approval, workflow launch, or background execution without losing context.

State continuity

- 5 If the advisor leaves and returns, the workspace should restore the current canvas state whenever possible.

5. Review / approvals / work items lane

A dedicated lane for pending reviews, approval checkpoints, prepared drafts, exceptions, and long-running work status.



Breakdown

This zone is where trust meets execution.

1 Review before irreversible action

Use this lane for any work that needs explicit advisor confirmation before execution or sending.

2 Prepared output management

Drafts, packages, and generated suggestions should arrive here in a way that is easy to scan and govern.

3 Queue behavior

The lane should also show pending, in-progress, escalated, and completed work so the advisor understands system state.

4 Editability and control

Every item should support approve, edit, defer, escalate, or cancel depending on policy and autonomy level.

5 Not just alerts

This lane is operational. It should feel like a review queue, not a passive notification list.

6. Background intelligence / agent status layer

The hidden but visible layer that monitors, remembers, prioritizes, routes, prepares, and executes work in the background.

Inputs:

- saved monitors
- system events
- client activity
- holdings / cash changes
- service state

Outputs:

- novelty cards
- prepared drafts
- approval tasks
- status notifications
- completed work summaries

Monitoring -> Detect change -> Prioritize -> Prepare output ->
Queue for review -> Execute / notify

Watches

Interprets

Ranks

Prepares

Status concepts: monitoring, queued, waiting for review, running, escalated, cancelled.

Breakdown

This is the orchestration engine underneath the shell.

Background, not invisible

- 1 This layer can run behind the scenes, but its status should still be legible to the advisor.

From event to prepared work

- 2 The goal is not only to detect events. It is to turn them into prioritized, ready-to-review work.

Supports multiple autonomy levels

- 3 Some jobs only monitor, some prepare, and some can execute after explicit approval.

Operational transparency

- 4 Show when a job is queued, waiting, running, blocked, escalated, or completed.

Feeds multiple surfaces

- 5 This layer powers the novelty lane, the review queue, notifications, and the central work area.