

# The `germinationmetrics` Package: A Brief Introduction

Aravind, J., Vimala Devi, S., Radhamani, J., Jacob, S. R., and Kalyani Srinivasan

2020-06-15

ICAR-National Bureau of Plant Genetic Resources, New Delhi.

## Contents

Overview	1
Installation	1
Version History	2
Germination count data	2
Single-value germination indices	3
Non-linear regression analysis	20
Four-parameter hill function	20
Wrapper functions	29
Citing <code>germinationmetrics</code>	33
Session Info	33
References	34

## Overview

The package `germinationmetrics` is a collection of functions which implements various methods for describing the time-course of germination in terms of single-value germination indices as well as fitted curves.

The goal of this vignette is to introduce the users to these functions and get started in describing sequentially recorded germination count data. This document assumes a basic knowledge of R programming language.



## Installation

The package can be installed using the following functions:

```
# Install from CRAN
install.packages('germinationmetrics', dependencies=TRUE)

# Install development version from Github
devtools::install_github("aravind-j/germinationmetrics")
```

Then the package can be loaded using the function

```
library(germinationmetrics)
```

## Version History

The current version of the package is 0.1.4. The previous versions are as follows.

**Table 1.** Version history of `germinationmetrics` R package.

Version	Date
0.1.0	2018-04-17
0.1.1	2018-07-26
0.1.1.1	2018-10-16
0.1.2	2018-10-31

To know detailed history of changes use `news(package='germinationmetrics')`.

## Germination count data

Typically in a germination test, the germination count data of a fixed number of seeds is recorded at regular intervals for a definite period of time or until all the seeds have germinated. These germination count data can be either partial or cumulative (Table 2).

**Table 2 :** A typical germination count data.


intervals	counts	cumulative.counts
1	0	0
2	0	0
3	0	0
4	0	0
5	4	4
6	17	21
7	10	31
8	7	38
9	1	39
10	0	39
11	1	40
12	0	40
13	0	40
14	0	40

The time-course of germination can be plotted as follows.

```
data <- data.frame(intervals = 1:14,
                  counts = c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0))

# Partial germination counts
x <- data$counts
# Cumulative germination counts
y <- cumsum(x)
# Time intervals of observations
int <- data$intervals

plot(int, cumsum(x))
```



### Single-value germination indices

The details about the single-value germination indices implemented in `germinationmetrics` are described in Table 3.

**Table 3 :** Single-value germination indices implemented in `germinationmetrics`.

```
[1] "Package 'pander' and pandoc are required to generate this table"
```

## Examples

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
```

```
# From partial germination counts
GermPercent(germ.counts = x, total.seeds = 50)
```

```
GermPercent()
```

```
[1] 80
```

```
# From cumulative germination counts
GermPercent(germ.counts = y, total.seeds = 50, partial = FALSE)
```

```
[1] 80
```

```
# From number of germinated seeds
GermPercent(germinated.seeds = 40, total.seeds = 50)
```

```
[1] 80
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
z <- c(0, 0, 0, 0, 11, 11, 9, 7, 1, 0, 1, 0, 0, 0)
int <- 1:length(x)
```

```
# From partial germination counts
#-----
FirstGermTime(germ.counts = x, intervals = int)
```

```
FirstGermTime(), LastGermTime(), PeakGermTime(), TimeSpreadGerm()
```

```
[1] 5
```

```
LastGermTime(germ.counts = x, intervals = int)
```

```
[1] 11
```

```
TimeSpreadGerm(germ.counts = x, intervals = int)
```

```
[1] 6
```

```
PeakGermTime(germ.counts = x, intervals = int)
```

```
[1] 6
```

```
# For multiple peak germination times
PeakGermTime(germ.counts = z, intervals = int)
```

```
Warning in PeakGermTime(germ.counts = z, intervals = int): Multiple peak germination times exist.
```

```
[1] 5 6
```

```
# From cumulative germination counts
#-----
FirstGermTime(germ.counts = y, intervals = int, partial = FALSE)
```

```
[1] 5
```

```
LastGermTime(germ.counts = y, intervals = int, partial = FALSE)
```

```
[1] 11
```

```
TimeSpreadGerm(germ.counts = y, intervals = int, partial = FALSE)
```

```
[1] 6
```

```
PeakGermTime(germ.counts = y, intervals = int, partial = FALSE)
```

```
[1] 6
```

```
# For multiple peak germination time
```

```
PeakGermTime(germ.counts = cumsum(z), intervals = int, partial = FALSE)
```

```
Warning in PeakGermTime(germ.counts = cumsum(z), intervals = int, partial = FALSE): Multiple peak germination times
```

```
[1] 5 6
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)
```

```
# From partial germination counts
```

```
#-----
t50(germ.counts = x, intervals = int, method = "coolbear")
```

```
t50()
```

```
[1] 5.970588
```

```
t50(germ.counts = x, intervals = int, method = "farooq")
```

```
[1] 5.941176
```

```
# From cumulative germination counts
```

```
#-----
t50(germ.counts = y, intervals = int, partial = FALSE, method = "coolbear")
```

```
[1] 5.970588
```

```
t50(germ.counts = y, intervals = int, partial = FALSE, method = "farooq")
```

```
[1] 5.941176
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)
```

```
# From partial germination counts
```

```
#-----
MeanGermTime(germ.counts = x, intervals = int)
```

```
MeanGermTime(), VarGermTime(), SEGermTime(), CVGermTime()
```

```
[1] 6.7
```

```

VarGermTime(germ.counts = x, intervals = int)

[1] 1.446154
SEGermTime(germ.counts = x, intervals = int)

[1] 0.1901416
CVGermTime(germ.counts = x, intervals = int)

[1] 0.1794868
# From cumulative germination counts
#-----
MeanGermTime(germ.counts = y, intervals = int, partial = FALSE)

[1] 6.7
VarGermTime(germ.counts = y, intervals = int, partial = FALSE)

[1] 19.04012
SEGermTime(germ.counts = y, intervals = int, partial = FALSE)

[1] 0.2394781
CVGermTime(germ.counts = y, intervals = int, partial = FALSE)

[1] 0.6512685

x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)

# From partial germination counts
#-----
MeanGermRate(germ.counts = x, intervals = int)

MeanGermRate(), CVG(), VarGermRate(), SEGermRate(), GermRateRecip()

[1] 0.1492537
CVG(germ.counts = x, intervals = int)

[1] 14.92537
VarGermRate(germ.counts = x, intervals = int)

[1] 0.0007176543
SEGermRate(germ.counts = x, intervals = int)

[1] 0.004235724
GermRateRecip(germ.counts = x, intervals = int, method = "coolbear")

[1] 0.1674877
GermRateRecip(germ.counts = x, intervals = int, method = "farooq")

[1] 0.1683168

```

```

# From cumulative germination counts
#-----
MeanGermRate(germ.counts = y, intervals = int, partial = FALSE)

[1] 0.1492537
CVG(germ.counts = y, intervals = int, partial = FALSE)

[1] 14.92537
VarGermRate(germ.counts = y, intervals = int, partial = FALSE)

[1] 0.009448666
SEGermRate(germ.counts = y, intervals = int, partial = FALSE)

[1] 0.005334776
GermRateRecip(germ.counts = y, intervals = int,
              method = "coolbear", partial = FALSE)

[1] 0.1674877
GermRateRecip(germ.counts = y, intervals = int,
              method = "farooq", partial = FALSE)

[1] 0.1683168

x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)

# From partial germination counts
#-----
GermSpeed(germ.counts = x, intervals = int)

GermSpeed(), GermSpeedAccumulated(), GermSpeedCorrected()

[1] 6.138925
GermSpeedAccumulated(germ.counts = x, intervals = int)

[1] 34.61567
GermSpeedCorrected(germ.counts = x, intervals = int, total.seeds = 50,
                  method = "normal")

[1] 0.07673656
GermSpeedCorrected(germ.counts = x, intervals = int, total.seeds = 50,
                  method = "accumulated")

[1] 0.4326958

# From partial germination counts (with percentages instead of counts)
#-----
GermSpeed(germ.counts = x, intervals = int,
          percent = TRUE, total.seeds = 50)

[1] 12.27785

```



```
GermSpeedAccumulated(germ.counts = x, intervals = int,
                      percent = TRUE, total.seeds = 50)
```

```
[1] 69.23134
```

```
# From cumulative germination counts
```

```
#-----
```

```
GermSpeed(germ.counts = y, intervals = int, partial = FALSE)
```

```
[1] 6.138925
```

```
GermSpeedAccumulated(germ.counts = y, intervals = int, partial = FALSE)
```

```
[1] 34.61567
```

```
GermSpeedCorrected(germ.counts = y, intervals = int,
                    partial = FALSE, total.seeds = 50, method = "normal")
```

```
[1] 0.07673656
```

```
GermSpeedCorrected(germ.counts = y, intervals = int,
                    partial = FALSE, total.seeds = 50, method = "accumulated")
```

```
[1] 0.4326958
```

```
# From cumulative germination counts (with percentages instead of counts)
```

```
#-----
```

```
GermSpeed(germ.counts = y, intervals = int, partial = FALSE,
           percent = TRUE, total.seeds = 50)
```

```
[1] 12.27785
```

```
GermSpeedAccumulated(germ.counts = y, intervals = int, partial = FALSE,
                      percent = TRUE, total.seeds = 50)
```

```
[1] 69.23134
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)
```

```
# From partial germination counts
```

```
#-----
```

```
GermSpeed(germ.counts = x, intervals = int)
```

```
GermSpeed(), GermSpeedAccumulated(), GermSpeedCorrected()
```

```
[1] 6.138925
```

```
GermSpeedAccumulated(germ.counts = x, intervals = int)
```

```
[1] 34.61567
```

```
GermSpeedCorrected(germ.counts = x, intervals = int, total.seeds = 50,
                    method = "normal")
```

```
[1] 0.07673656
```

```
GermSpeedCorrected(germ.counts = x, intervals = int, total.seeds = 50,
                    method = "accumulated")
```

```
[1] 0.4326958
```

```
# From partial germination counts (with percentages instead of counts)
#-----
GermSpeed(germ.counts = x, intervals = int,
           percent = TRUE, total.seeds = 50)
```

```
[1] 12.27785
```

```
GermSpeedAccumulated(germ.counts = x, intervals = int,
                      percent = TRUE, total.seeds = 50)
```

```
[1] 69.23134
```

```
# From cumulative germination counts
```

```
#-----
GermSpeed(germ.counts = y, intervals = int, partial = FALSE)
```

```
[1] 6.138925
```

```
GermSpeedAccumulated(germ.counts = y, intervals = int, partial = FALSE)
```

```
[1] 34.61567
```

```
GermSpeedCorrected(germ.counts = y, intervals = int,
                    partial = FALSE, total.seeds = 50, method = "normal")
```

```
[1] 0.07673656
```

```
GermSpeedCorrected(germ.counts = y, intervals = int,
                    partial = FALSE, total.seeds = 50, method = "accumulated")
```

```
[1] 0.4326958
```

```
# From cumulative germination counts (with percentages instead of counts)
#-----
GermSpeed(germ.counts = y, intervals = int, partial = FALSE,
           percent = TRUE, total.seeds = 50)
```

```
[1] 12.27785
```

```
GermSpeedAccumulated(germ.counts = y, intervals = int, partial = FALSE,
                      percent = TRUE, total.seeds = 50)
```

```
[1] 69.23134
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)
```

```
# From partial germination counts
```

```
#-----
WeightGermPercent(germ.counts = x, total.seeds = 50, intervals = int)
```

```
WeightGermPercent()
```

```
[1] 47.42857
```

```
# From cumulative germination counts
```

```
#-----
```

```
WeightGermPercent(germ.counts = y, total.seeds = 50, intervals = int,
                  partial = FALSE)
```

```
[1] 47.42857
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)
```

```
# From partial germination counts
```

```
#-----
```

```
MeanGermPercent(germ.counts = x, total.seeds = 50, intervals = int)
```

```
MeanGermPercent(), MeanGermNumber()
```

```
[1] 5.714286
```

```
MeanGermNumber(germ.counts = x, intervals = int)
```

```
[1] 2.857143
```

```
# From cumulative germination counts
```

```
#-----
```

```
MeanGermPercent(germ.counts = y, total.seeds = 50, intervals = int, partial = FALSE)
```

```
[1] 5.714286
```

```
MeanGermNumber(germ.counts = y, intervals = int, partial = FALSE)
```

```
[1] 2.857143
```

```
# From number of germinated seeds
```

```
#-----
```

```
MeanGermPercent(germinated.seeds = 40, total.seeds = 50, intervals = int)
```

```
[1] 5.714286
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)
```

```
# From partial germination counts
```

```
#-----
```

```
# Without max specified
```

```
TimsonsIndex(germ.counts = x, intervals = int, total.seeds = 50)
```

```
TimsonsIndex(), GermRateGeorge()
```

```
[1] 664
```

```
TimsonsIndex(germ.counts = x, intervals = int, total.seeds = 50,
              modification = "none")
```

```
[1] 664
```

```
TimsonsIndex(germ.counts = x, intervals = int, total.seeds = 50,
              modification = "labouriau")
```

```
[1] 8.3
```

```
TimsonsIndex(germ.counts = x, intervals = int, total.seeds = 50,
              modification = "khanungar")
```

```
[1] 47.42857
```

```
GermRateGeorge(germ.counts = x, intervals = int)
```

```
[1] 332
```

```
# With max specified
```

```
TimsonsIndex(germ.counts = x, intervals = int, total.seeds = 50, max = 10)
```

```
[1] 344
```

```
TimsonsIndex(germ.counts = x, intervals = int, total.seeds = 50,
              max = 10, modification = "none")
```

```
[1] 344
```

```
TimsonsIndex(germ.counts = x, intervals = int, total.seeds = 50,
              max = 10, modification = "labouriau")
```

```
[1] 4.410256
```

```
TimsonsIndex(germ.counts = x, intervals = int, total.seeds = 50,
              max = 10, modification = "khanungar")
```

```
[1] 24.57143
```

```
GermRateGeorge(germ.counts = x, intervals = int, max = 10)
```

```
[1] 172
```

```
GermRateGeorge(germ.counts = x, intervals = int, max = 14)
```

```
[1] 332
```

```
# From cumulative germination counts
```

```
#-----
```

```
# Without max specified
```

```
TimsonsIndex(germ.counts = y, intervals = int, partial = FALSE,
              total.seeds = 50)
```

```
[1] 664
```

```
TimsonsIndex(germ.counts = y, intervals = int, partial = FALSE,
              total.seeds = 50,
              modification = "none")
```

```
[1] 664
```

```
TimsonsIndex(germ.counts = y, intervals = int, partial = FALSE,
              total.seeds = 50,
              modification = "labouriau")
```

```
[1] 8.3
```

```
TimsonsIndex(germ.counts = y, intervals = int, partial = FALSE,
              total.seeds = 50,
              modification = "khanungar")
```

```
[1] 47.42857
```

```
GermRateGeorge(germ.counts = y, intervals = int, partial = FALSE,)
```

```
[1] 332
```

```
# With max specified
```

```
TimsonsIndex(germ.counts = y, intervals = int, partial = FALSE,
              total.seeds = 50, max = 10)
```

```
[1] 344
```

```
TimsonsIndex(germ.counts = y, intervals = int, partial = FALSE,
              total.seeds = 50,
              max = 10, modification = "none")
```

```
[1] 344
```

```
TimsonsIndex(germ.counts = y, intervals = int, partial = FALSE,
              total.seeds = 50,
              max = 10, modification = "labouriau")
```

```
[1] 4.410256
```

```
TimsonsIndex(germ.counts = y, intervals = int, partial = FALSE,
              total.seeds = 50,
              max = 10, modification = "khanungar")
```

```
[1] 24.57143
```

```
GermRateGeorge(germ.counts = y, intervals = int, partial = FALSE,
                max = 10)
```

```
[1] 172
```

```
GermRateGeorge(germ.counts = y, intervals = int, partial = FALSE,
                max = 14)
```

```
[1] 332
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)
```

```
# From partial germination counts
```

```
#-----
```

```
GermIndex(germ.counts = x, intervals = int, total.seeds = 50)
```

```
GermIndex()
```

```
[1] 5.84
```

```
GermIndex(germ.counts = x, intervals = int, total.seeds = 50,
          modification = "none")
```

```
[1] 5.84
```

```
GermIndex(germ.counts = x, intervals = int, total.seeds = 50,
          modification = "santanaranal")
```

```
[1] 7.3
```

```
# From cumulative germination counts
```

```
#-----  
GermIndex(germ.counts = y, intervals = int, partial = FALSE,  
           total.seeds = 50)
```

```
[1] 5.84
```

```
GermIndex(germ.counts = y, intervals = int, partial = FALSE,  
           total.seeds = 50,  
           modification = "none")
```

```
[1] 5.84
```

```
GermIndex(germ.counts = y, intervals = int, partial = FALSE,  
           total.seeds = 50,  
           modification = "santanaranal")
```

```
[1] 7.3
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)  
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)  
int <- 1:length(x)
```

```
# From partial germination counts
```

```
#-----  
EmergenceRateIndex(germ.counts = x, intervals = int)
```

```
EmergenceRateIndex()
```

```
[1] 292
```

```
EmergenceRateIndex(germ.counts = x, intervals = int,  
                    method = "melville")
```

```
[1] 292
```

```
EmergenceRateIndex(germ.counts = x, intervals = int,  
                    method = "melvillessantanaranal")
```

```
[1] 7.3
```

```
EmergenceRateIndex(germ.counts = x, intervals = int,  
                    method = "bilbrowanjura")
```

```
[1] 5.970149
```

```
EmergenceRateIndex(germ.counts = x, intervals = int,  
                    total.seeds = 50, method = "fakorede")
```

```
[1] 8.375
```

```
# From cumulative germination counts
```

```
#-----  
EmergenceRateIndex(germ.counts = y, intervals = int, partial = FALSE,)
```

```
[1] 292
```

```
EmergenceRateIndex(germ.counts = y, intervals = int, partial = FALSE,  
                    method = "melville")
```

[1] 292

```
EmergenceRateIndex(germ.counts = y, intervals = int, partial = FALSE,
  method = "melvillesantanaranal")
```

[1] 7.3

```
EmergenceRateIndex(germ.counts = y, intervals = int, partial = FALSE,
  method = "bilbrowanjura")
```

[1] 5.970149

```
EmergenceRateIndex(germ.counts = y, intervals = int, partial = FALSE,
  total.seeds = 50, method = "fakorede")
```

[1] 8.375

```
x <- c(0, 0, 34, 40, 21, 10, 4, 5, 3, 5, 8, 7, 7, 6, 6, 4, 0, 2, 0, 2)
y <- c(0, 0, 34, 74, 95, 105, 109, 114, 117, 122, 130, 137, 144, 150,
  156, 160, 160, 162, 162, 164)
int <- 1:length(x)
total.seeds = 200
```

```
# From partial germination counts
```

```
#-----
PeakValue(germ.counts = x, intervals = int, total.seeds = 200)
```

```
PeakValue(), GermValue()
```

[1] 9.5

```
GermValue(germ.counts = x, intervals = int, total.seeds = 200,
  method = "czabator")
```

```
$`Germination Value`
```

[1] 38.95

[[2]]

	germ.counts	intervals	Cumulative.germ.counts	Cumulative.germ.percent	DGS
3	34	3	34	17.0	5.666667
4	40	4	74	37.0	9.250000
5	21	5	95	47.5	9.500000
6	10	6	105	52.5	8.750000
7	4	7	109	54.5	7.785714
8	5	8	114	57.0	7.125000
9	3	9	117	58.5	6.500000
10	5	10	122	61.0	6.100000
11	8	11	130	65.0	5.909091
12	7	12	137	68.5	5.708333
13	7	13	144	72.0	5.538462
14	6	14	150	75.0	5.357143
15	6	15	156	78.0	5.200000
16	4	16	160	80.0	5.000000
17	0	17	160	80.0	4.705882
18	2	18	162	81.0	4.500000
19	0	19	162	81.0	4.263158
20	2	20	164	82.0	4.100000

```
GermValue(germ.counts = x, intervals = int, total.seeds = 200,
           method = "dp", k = 10)
```

```
$`Germination Value`
```

```
[1] 53.36595
```

```
[[2]]
```

	germ.counts	intervals	Cumulative.germ.counts	Cumulative.germ.percent	DGS	SumDGSbyN	GV
3	34	3	34	17.0	5.666667	5.666667	9.633333
4	40	4	74	37.0	9.250000	7.458333	27.595833
5	21	5	95	47.5	9.500000	8.138889	38.659722
6	10	6	105	52.5	8.750000	8.291667	43.531250
7	4	7	109	54.5	7.785714	8.190476	44.638095
8	5	8	114	57.0	7.125000	8.012897	45.673512
9	3	9	117	58.5	6.500000	7.796769	45.611097
10	5	10	122	61.0	6.100000	7.584673	46.266503
11	8	11	130	65.0	5.909091	7.398497	48.090230
12	7	12	137	68.5	5.708333	7.229481	49.521942
13	7	13	144	72.0	5.538462	7.075752	50.945411
14	6	14	150	75.0	5.357143	6.932534	51.994006
15	6	15	156	78.0	5.200000	6.799262	53.034246
16	4	16	160	80.0	5.000000	6.670744	53.365948
17	0	17	160	80.0	4.705882	6.539753	52.318022
18	2	18	162	81.0	4.500000	6.412268	51.939373
19	0	19	162	81.0	4.263158	6.285850	50.915385
20	2	20	164	82.0	4.100000	6.164414	50.548194

```
$testend
```

```
[1] 16
```

```
GermValue(germ.counts = x, intervals = int, total.seeds = 200,
           method = "czabator", from.onset = FALSE)
```

```
$`Germination Value`
```

```
[1] 38.95
```

```
[[2]]
```

	germ.counts	intervals	Cumulative.germ.counts	Cumulative.germ.percent	DGS
1	0	1	0	0.0	0.000000
2	0	2	0	0.0	0.000000
3	34	3	34	17.0	5.666667
4	40	4	74	37.0	9.250000
5	21	5	95	47.5	9.500000
6	10	6	105	52.5	8.750000
7	4	7	109	54.5	7.785714
8	5	8	114	57.0	7.125000
9	3	9	117	58.5	6.500000
10	5	10	122	61.0	6.100000
11	8	11	130	65.0	5.909091
12	7	12	137	68.5	5.708333
13	7	13	144	72.0	5.538462
14	6	14	150	75.0	5.357143
15	6	15	156	78.0	5.200000
16	4	16	160	80.0	5.000000



```

17      0      17      160      80.0 4.705882
18      2      18      162      81.0 4.500000
19      0      19      162      81.0 4.263158
20      2      20      164      82.0 4.100000

```

```

GermValue(germ.counts = x, intervals = int, total.seeds = 200,
           method = "dp", k = 10, from.onset = FALSE)

```

```

$`Germination Value`
[1] 46.6952

```

```

[[2]]
   germ.counts intervals Cumulative.germ.counts Cumulative.germ.percent      DGS SumDGSbyN      GV
1           0          1              0              0.0 0.000000  0.000000  0.000000
2           0          2              0              0.0 0.000000  0.000000  0.000000
3          34          3             34             17.0 5.666667  1.888889  3.211111
4          40          4             74             37.0 9.250000  3.729167 13.797917
5          21          5             95             47.5 9.500000  4.883333 23.195833
6          10          6            105             52.5 8.750000  5.527778 29.020833
7           4          7            109             54.5 7.785714  5.850340 31.884354
8           5          8            114             57.0 7.125000  6.009673 34.255134
9           3          9            117             58.5 6.500000  6.064153 35.475298
10          5         10            122             61.0 6.100000  6.067738 37.013202
11          8         11            130             65.0 5.909091  6.053316 39.346552
12          7         12            137             68.5 5.708333  6.024567 41.268285
13          7         13            144             72.0 5.538462  5.987174 43.107655
14          6         14            150             75.0 5.357143  5.942172 44.566291
15          6         15            156             78.0 5.200000  5.892694 45.963013
16          4         16            160             80.0 5.000000  5.836901 46.695205
17          0         17            160             80.0 4.705882  5.770370 46.162961
18          2         18            162             81.0 4.500000  5.699794 46.168331
19          0         19            162             81.0 4.263158  5.624182 45.555871
20          2         20            164             82.0 4.100000  5.547972 45.493374

```

```

$testend
[1] 16

```

```

# From cumulative germination counts
#-----

```

```

PeakValue(germ.counts = y, interval = int, total.seeds = 200,
           partial = FALSE)

```

```

[1] 9.5

```

```

GermValue(germ.counts = y, intervals = int, total.seeds = 200,
           partial = FALSE, method = "czabator")

```

```

$`Germination Value`
[1] 38.95

```

```

[[2]]
   germ.counts intervals Cumulative.germ.counts Cumulative.germ.percent      DGS
3           34          3              34             17.0 5.666667
4           40          4              74             37.0 9.250000
5           21          5              95             47.5 9.500000
6           10          6            105             52.5 8.750000

```

7	4	7	109	54.5	7.785714
8	5	8	114	57.0	7.125000
9	3	9	117	58.5	6.500000
10	5	10	122	61.0	6.100000
11	8	11	130	65.0	5.909091
12	7	12	137	68.5	5.708333
13	7	13	144	72.0	5.538462
14	6	14	150	75.0	5.357143
15	6	15	156	78.0	5.200000
16	4	16	160	80.0	5.000000
17	0	17	160	80.0	4.705882
18	2	18	162	81.0	4.500000
19	0	19	162	81.0	4.263158
20	2	20	164	82.0	4.100000

```
GermValue(germ.counts = y, intervals = int, total.seeds = 200,
           partial = FALSE, method = "dp", k = 10)
```

```
$`Germination Value`
[1] 53.36595
```

```
[[2]]
   germ.counts intervals Cumulative.germ.counts Cumulative.germ.percent      DGS SumDGSbyN      GV
3           34         3              34             17.0 5.666667  5.666667  9.633333
4           40         4              74             37.0 9.250000  7.458333 27.595833
5           21         5              95             47.5 9.500000  8.138889 38.659722
6           10         6             105             52.5 8.750000  8.291667 43.531250
7            4         7             109             54.5 7.785714  8.190476 44.638095
8            5         8             114             57.0 7.125000  8.012897 45.673512
9            3         9             117             58.5 6.500000  7.796769 45.611097
10           5        10             122             61.0 6.100000  7.584673 46.266503
11           8        11             130             65.0 5.909091  7.398497 48.090230
12           7        12             137             68.5 5.708333  7.229481 49.521942
13           7        13             144             72.0 5.538462  7.075752 50.945411
14           6        14             150             75.0 5.357143  6.932534 51.994006
15           6        15             156             78.0 5.200000  6.799262 53.034246
16           4        16             160             80.0 5.000000  6.670744 53.365948
17           0        17             160             80.0 4.705882  6.539753 52.318022
18           2        18             162             81.0 4.500000  6.412268 51.939373
19           0        19             162             81.0 4.263158  6.285850 50.915385
20           2        20             164             82.0 4.100000  6.164414 50.548194
```

```
$testend
[1] 16
```

```
GermValue(germ.counts = y, intervals = int, total.seeds = 200,
           partial = FALSE, method = "czabator", from.onset = FALSE)
```

```
$`Germination Value`
[1] 38.95
```

```
[[2]]
   germ.counts intervals Cumulative.germ.counts Cumulative.germ.percent      DGS
1            0         1              0             0.0 0.000000
2            0         2              0             0.0 0.000000
```

3	34	3	34	17.0	5.666667
4	40	4	74	37.0	9.250000
5	21	5	95	47.5	9.500000
6	10	6	105	52.5	8.750000
7	4	7	109	54.5	7.785714
8	5	8	114	57.0	7.125000
9	3	9	117	58.5	6.500000
10	5	10	122	61.0	6.100000
11	8	11	130	65.0	5.909091
12	7	12	137	68.5	5.708333
13	7	13	144	72.0	5.538462
14	6	14	150	75.0	5.357143
15	6	15	156	78.0	5.200000
16	4	16	160	80.0	5.000000
17	0	17	160	80.0	4.705882
18	2	18	162	81.0	4.500000
19	0	19	162	81.0	4.263158
20	2	20	164	82.0	4.100000

```
GermValue(germ.counts = y, intervals = int, total.seeds = 200,
           partial = FALSE, method = "dp", k = 10, from.onset = FALSE)
```

```
$`Germination Value`
[1] 46.6952
```

```
[[2]]
   germ.counts intervals Cumulative.germ.counts Cumulative.germ.percent      DGS SumDGSbyN      GV
1           0          1                   0                0.0 0.000000 0.000000 0.000000
2           0          2                   0                0.0 0.000000 0.000000 0.000000
3          34          3                   34                17.0 5.666667 1.888889 3.211111
4          40          4                   74                37.0 9.250000 3.729167 13.797917
5          21          5                   95                47.5 9.500000 4.883333 23.195833
6          10          6                  105                52.5 8.750000 5.527778 29.020833
7           4          7                  109                54.5 7.785714 5.850340 31.884354
8           5          8                  114                57.0 7.125000 6.009673 34.255134
9           3          9                  117                58.5 6.500000 6.064153 35.475298
10          5         10                  122                61.0 6.100000 6.067738 37.013202
11          8         11                  130                65.0 5.909091 6.053316 39.346552
12          7         12                  137                68.5 5.708333 6.024567 41.268285
13          7         13                  144                72.0 5.538462 5.987174 43.107655
14          6         14                  150                75.0 5.357143 5.942172 44.566291
15          6         15                  156                78.0 5.200000 5.892694 45.963013
16          4         16                  160                80.0 5.000000 5.836901 46.695205
17          0         17                  160                80.0 4.705882 5.770370 46.162961
18          2         18                  162                81.0 4.500000 5.699794 46.168331
19          0         19                  162                81.0 4.263158 5.624182 45.555871
20          2         20                  164                82.0 4.100000 5.547972 45.493374
```

```
$testend
[1] 16
```

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
```

```

int <- 1:length(x)

# From partial germination counts
#-----
CUGerm(germ.counts = x, intervals = int)

CUGerm()

[1] 0.7092199

# From cumulative germination counts
#-----
CUGerm(germ.counts = y, intervals = int, partial = FALSE)

[1] 0.05267935

x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)

# From partial germination counts
#-----
GermSynchrony(germ.counts = x, intervals = int)

GermSynchrony(), GermUncertainty()

[1] 0.2666667

GermUncertainty(germ.counts = x, intervals = int)

[1] 2.062987

# From cumulative germination counts
#-----
GermSynchrony(germ.counts = y, intervals = int, partial = FALSE)

[1] 0.2666667

GermUncertainty(germ.counts = y, intervals = int, partial = FALSE)

[1] 2.062987

```

## Non-linear regression analysis

Several mathematical functions have been used to fit the cumulative germination count data and describe the germination process by non-linear regression analysis. They include functions such as Richard's, Weibull, logistic, log-logistic, gaussian, four-parameter hill function etc. Currently `germinationmetrics` implements the four-parameter hill function to fit the count data and computed various associated metrics.

### Four-parameter hill function

The four-parameter hill function defined as follows (El-Kassaby et al., 2008).

$$f(x) = y = y_0 + \frac{ax^b}{x^b + c^b}$$

Where,  $y$  is the cumulative germination percentage at time  $x$ ,  $y_0$  is the intercept on the  $y$  axis,  $a$  is the asymptote,  $b$  is a mathematical parameter controlling the shape and steepness of the germination curve and  $c$  is the “half-maximal activation level”.

The details of various parameters that are computed from this function are given in Table 4.

**Table 4** Germination parameters estimated from the four-parameter hill function.

[1] "Package 'pander' and pandoc are required to generate this table"

## Examples

```
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)
total.seeds = 50

# From partial germination counts
#-----
FourPHFfit(germ.counts = x, intervals = int, total.seeds = 50, tmax = 20)
```

FourPHFfit()

\$data

	gp	csgp	intervals
1	0	0	1
2	0	0	2
3	0	0	3
4	0	0	4
5	8	8	5
6	34	42	6
7	20	62	7
8	14	76	8
9	2	78	9
10	0	78	10
11	2	80	11
12	0	80	12
13	0	80	13
14	0	80	14

\$Parameters

	term	estimate	std.error	statistic	p.value
1	a	80.000000	1.24158595	64.43372	1.973240e-14
2	b	9.881947	0.70779379	13.96162	6.952322e-08
3	c	6.034954	0.04952654	121.85294	3.399385e-17
4	y0	0.000000	0.91607007	0.00000	1.000000e+00

\$Fit

	sigma	isConv	finTol	logLik	AIC	BIC	deviance	df.residual
1	1.769385	TRUE	1.490116e-08	-25.49868	60.99736	64.19265	31.30723	10

\$a

[1] 80

\$b

```

[1] 9.881947

$c
[1] 6.034954

$y0
[1] 0

$lag
[1] 0

$Dlag50
[1] 6.034954

$t50.total
[1] 6.355122

$txp.total
      10      60
4.956266 6.744598

$t50.Germinated
[1] 6.034954

$txp.Germinated
      10      60
4.831809 6.287724

$Uniformity
      90      10 uniformity
7.537688 4.831809 2.705880

$TMGR
[1] 5.912195

$AUC
[1] 1108.975

$MGT
[1] 6.632252

$Skewness
[1] 1.098973

$msg
[1] "#1. Relative error in the sum of squares is at most `ftol'. "

$isConv
[1] TRUE

attr(,"class")
[1] "FourPHFfit"

```

```

# From cumulative germination counts
#-----
FourPHFfit(germ.counts = y, intervals = int, total.seeds = 50, tmax = 20,
partial = FALSE)

$data
  gp csgp intervals
1  0    0         1
2  0    0         2
3  0    0         3
4  0    0         4
5  8    8         5
6 34   42         6
7 20   62         7
8 14   76         8
9  2   78         9
10 0   78        10
11 2   80        11
12 0   80        12
13 0   80        13
14 0   80        14

$Parameters
  term estimate std.error statistic    p.value
1    a 80.000000 1.2415867  64.43368 1.973252e-14
2    b  9.881927 0.7077918  13.96163 6.952270e-08
3    c  6.034953 0.0495266 121.85275 3.399437e-17
4   y0  0.000000 0.9160705   0.00000 1.000000e+00

$Fit
  sigma isConv   finTol  logLik    AIC    BIC deviance df.residual
1 1.769385  TRUE 1.490116e-08 -25.49868 60.99736 64.19265 31.30723         10

$a
[1] 80

$b
[1] 9.881927

$c
[1] 6.034953

$y0
[1] 0

$lag
[1] 0

$Dlag50
[1] 6.034953

$t50.total
[1] 6.355121

```

```

$txp.total
      10      60
4.956263 6.744599

$t50.Germinated
[1] 6.034953

$txp.Germinated
      10      60
4.831806 6.287723

$Uniformity
      90      10 uniformity
7.537691 4.831806 2.705885

$TMGR
[1] 5.912194

$AUC
[1] 1108.976

$MGT
[1] 6.632252

$Skewness
[1] 1.098973

$msg
[1] "#1. Relative error in the sum of squares is at most `ftol'. "

$isConv
[1] TRUE

attr("class")
[1] "FourPHFfit"
x <- c(0, 0, 0, 0, 4, 17, 10, 7, 1, 0, 1, 0, 0, 0)
y <- c(0, 0, 0, 0, 4, 21, 31, 38, 39, 39, 40, 40, 40, 40)
int <- 1:length(x)
total.seeds = 50


# From partial germination counts
#-----
fit1 <- FourPHFfit(germ.counts = x, intervals = int,
                  total.seeds = 50, tmax = 20)

# From cumulative germination counts
#-----
fit2 <- FourPHFfit(germ.counts = y, intervals = int,
                  total.seeds = 50, tmax = 20, partial = FALSE)


# Default plots
plot(fit1)

```







```
plot(fit2)
```




```
# No labels
plot(fit1, plotlabels = FALSE)
```




```
plot(fit2, plotlabels = FALSE)
```




```
# Only the FPHF curve
plot(fit1, rog = FALSE, t50.total = FALSE, t50.germ = FALSE,
     tmgr = FALSE, mgt = FALSE, uniformity = FALSE)
```




```
plot(fit2, rog = FALSE, t50.total = FALSE, t50.germ = FALSE,  
     tmgr = FALSE, mgt = FALSE, uniformity = FALSE)
```



```
# Without y axis limits adjustment
plot(fit1, limits = FALSE)
```



```
plot(fit2, limits = FALSE)
```



## Wrapper functions

Wrapper functions `germination.indices()` and `FourPHFfit.bulk()` are available in the package for computing results for multiple samples in batch from a data frame of germination counts recorded at specific time intervals.

**`germination.indices()`** This wrapper function can be used to compute several germination indices simultaneously for multiple samples in batch.

```
data(gcdata)
```

```
counts.per.intervals <- c("Day01", "Day02", "Day03", "Day04", "Day05",
                          "Day06", "Day07", "Day08", "Day09", "Day10",
                          "Day11", "Day12", "Day13", "Day14")
germination.indices(gcdata, total.seeds.col = "Total Seeds",
                   counts.intervals.cols = counts.per.intervals,
                   intervals = 1:14, partial = TRUE, max.int = 5)
```

	Genotype	Rep	Day01	Day02	Day03	Day04	Day05	Day06	Day07	Day08	Day09	Day10	Day11	Day12	Day13	Day14	Tot
1	G1	1	0	0	0	0	4	17	10	7	1	0	1	0	0	0	
2	G2	1	0	0	0	1	3	15	13	6	2	1	0	1	0	0	
3	G3	1	0	0	0	2	3	18	9	8	2	1	1	1	0	0	
4	G4	1	0	0	0	0	4	19	12	6	2	1	1	1	0	0	
5	G5	1	0	0	0	0	5	20	12	8	1	0	0	1	1	0	
6	G1	2	0	0	0	0	3	21	11	7	1	1	1	1	0	0	
7	G2	2	0	0	0	0	4	18	11	7	1	0	1	0	0	0	
8	G3	2	0	0	0	1	3	14	12	6	2	1	0	1	0	0	
9	G4	2	0	0	0	1	3	19	10	8	1	1	1	1	0	0	
10	G5	2	0	0	0	0	4	18	13	6	2	1	0	1	0	0	
11	G1	3	0	0	0	0	5	21	11	8	1	0	0	1	1	0	
12	G2	3	0	0	0	0	3	20	10	7	1	1	1	1	0	0	
13	G3	3	0	0	0	0	4	19	12	8	1	1	0	1	1	0	
14	G4	3	0	0	0	0	3	21	11	6	1	0	1	1	0	0	
15	G5	3	0	0	0	0	4	17	10	8	1	1	1	0	0	0	
	FirstGermTime	LastGermTime	PeakGermTime		TimeSpreadGerm		t50_Coolbear	t50_Farooq	MeanGermTime	VarGermTime							
1		5	11		6		6	5.970588	5.941176	6.700000		1.446					
2		4	12		6		8	6.192308	6.153846	6.857143		2.027					
3		4	12		6		8	6.000000	5.972222	6.866667		2.572					
4		5	12		6		7	6.041667	6.000000	6.891304		2.187					
5		5	13		6		8	5.975000	5.950000	6.812500		2.368					
6		5	12		6		7	5.976190	5.952381	6.869565		2.071					
7		5	11		6		6	5.972222	5.944444	6.690476		1.389					
8		4	12		6		8	6.208333	6.166667	6.875000		2.112					
9		4	12		6		8	6.000000	5.973684	6.866667		2.300					
10		5	12		6		7	6.076923	6.038462	6.822222		1.831					
11		5	13		6		8	5.928571	5.904762	6.791667		2.381					
12		5	12		6		7	5.975000	5.950000	6.886364		2.149					
13		5	13		6		8	6.083333	6.041667	6.936170		2.539					
14		5	12		6		7	5.928571	5.904762	6.772727		1.900					
15		5	11		6		6	6.050000	6.000000	6.809524		1.670					
	MeanGermRate	VarGermRate	SEGermRate		CVG	GermRateRecip_Coolbear	GermRateRecip_Farooq	GermSpeed									
1	0.1492537	0.0007176543	0.004235724		14.92537	0.1674877	0.1683168	6.1									
2	0.1458333	0.0009172090	0.004673148		14.58333	0.1614907	0.1625000	6.3									
3	0.1456311	0.0011572039	0.005071059		14.56311	0.1666667	0.1674419	6.8									
4	0.1451104	0.0009701218	0.004592342		14.51104	0.1655172	0.1666667	6.9									

5	0.1467890	0.0010995627	0.004786184	14.67890	0.1673640	0.1680672	7.3
6	0.1455696	0.0009301809	0.004496813	14.55696	0.1673307	0.1680000	6.9
7	0.1494662	0.0006935558	0.004063648	14.94662	0.1674419	0.1682243	6.4
8	0.1454545	0.0009454531	0.004861721	14.54545	0.1610738	0.1621622	6.0
9	0.1456311	0.0010345321	0.004794747	14.56311	0.1666667	0.1674009	6.8
10	0.1465798	0.0008453940	0.004334343	14.65798	0.1645570	0.1656051	6.8
11	0.1472393	0.0011191581	0.004828643	14.72393	0.1686747	0.1693548	7.3
12	0.1452145	0.0009558577	0.004660905	14.52145	0.1673640	0.1680672	6.0
13	0.1441718	0.0010970785	0.004831366	14.41718	0.1643836	0.1655172	7.0
14	0.1476510	0.0009033254	0.004531018	14.76510	0.1686747	0.1693548	6.7
15	0.1468531	0.0007767634	0.004300508	14.68531	0.1652893	0.1666667	6.3
GermSpeedAccumulated_Count GermSpeedAccumulated_Percent GermSpeedCorrected_Normal GermSpeedCorrected_Kh							
1		34.61567		69.23134		0.07673656	
2		35.54058		69.68741		0.07726134	
3		38.29725		79.78594		0.07340991	
4		38.68453		75.85202		0.07680397	
5		41.00786		82.01571		0.07623944	
6		38.77620		79.13509		0.07383855	
7		36.38546		75.80304		0.07369656	
8		33.77079		71.85275		0.07112480	
9		38.11511		73.29829		0.07893128	
10		38.19527		76.39054		0.07569665	
11		41.17452		80.73436		0.07801721	
12		37.00640		72.56158		0.07675799	
13		39.29399		80.19182		0.07352419	
14		37.69490		78.53103		0.07316490	
15		35.69697		74.36868		0.07273057	
WeightGermPercent MeanGermPercent MeanGermNumber TimsonsIndex TimsonsIndex_Labouriau TimsonsIndex_Kha							
1	47.42857	5.714286	2.857143	8.000000	1.00	0.5	0.5
2	47.89916	5.882353	3.000000	9.803922	1.25	0.7	0.7
3	54.46429	6.696429	3.214286	14.583333	1.40	1.0	1.0
4	52.24090	6.442577	3.285714	7.843137	1.00	0.5	0.5
5	56.14286	6.857143	3.428571	10.000000	1.00	0.7	0.7
6	54.51895	6.705539	3.285714	6.122449	1.00	0.4	0.4
7	51.93452	6.250000	3.000000	8.333333	1.00	0.5	0.5
8	49.39210	6.079027	2.857143	10.638298	1.25	0.7	0.7
9	50.27473	6.181319	3.214286	9.615385	1.25	0.6	0.6
10	52.57143	6.428571	3.214286	8.000000	1.00	0.5	0.5
11	55.18207	6.722689	3.428571	9.803922	1.00	0.7	0.7
12	50.00000	6.162465	3.142857	5.882353	1.00	0.4	0.4
13	55.24781	6.851312	3.357143	8.163265	1.00	0.5	0.5
14	53.86905	6.547619	3.142857	6.250000	1.00	0.4	0.4
15	51.19048	6.250000	3.000000	8.333333	1.00	0.5	0.5
GermIndex GermIndex_mod EmergenceRateIndex_Melville EmergenceRateIndex_Melville_mod EmergenceRateInd							
1	5.840000	7.300000		292	7.300000		
2	5.882353	7.142857		300	7.142857		
3	6.687500	7.133333		321	7.133333		
4	6.411765	7.108696		327	7.108696		
5	6.900000	7.187500		345	7.187500		
6	6.693878	7.130435		328	7.130435		
7	6.395833	7.309524		307	7.309524		
8	6.063830	7.125000		285	7.125000		
9	6.173077	7.133333		321	7.133333		
10	6.460000	7.177778		323	7.177778		

11	6.784314	7.208333		346		7.208333
12	6.137255	7.113636		313		7.113636
13	6.775510	7.063830		332		7.063830
14	6.625000	7.227273		318		7.227273
15	6.291667	7.190476		302		7.190476
	EmergenceRateIndex_Fakorede	PeakValue	GermValue_Czabator	GermValue_DP	GermValue_Czabator_mod	GermValue_DP
1		8.375000	9.500000	54.28571	57.93890	54.28571
2		8.326531	9.313725	54.78662	52.58713	54.78662
3		7.324444	10.416667	69.75446	68.62289	69.75446
4		7.640359	10.049020	64.74158	70.43331	64.74158
5		7.096354	11.250000	77.14286	80.16914	77.14286
6		7.317580	10.714286	71.84506	76.51983	71.84506
7		7.646259	10.416667	65.10417	69.41325	65.10417
8		8.078125	9.574468	58.20345	56.00669	58.20345
9		7.934815	9.855769	60.92165	58.13477	60.92165
10		7.580247	10.250000	65.89286	70.91875	65.89286
11		7.216146	11.029412	74.14731	77.39782	74.14731
12		7.981921	9.803922	60.41632	64.44988	60.41632
13		7.231326	10.969388	75.15470	78.16335	75.15470
14		7.388430	10.677083	69.90947	74.40140	69.90947
15		7.782313	10.156250	63.47656	67.62031	63.47656
	GermSynchrony	GermUncertainty				
1	0.2666667	2.062987				
2	0.2346109	2.321514				
3	0.2242424	2.462012				
4	0.2502415	2.279215				
5	0.2606383	2.146051				
6	0.2792271	2.160545				
7	0.2729384	2.040796				
8	0.2256410	2.357249				
9	0.2494949	2.321080				
10	0.2555556	2.187983				
11	0.2686170	2.128670				
12	0.2737844	2.185245				
13	0.2506938	2.241181				
14	0.2991543	2.037680				
15	0.2497096	2.185028				

**FourPHFfit.bulk()** This wrapper function can be used to fit the four-parameter hill function for multiple samples in batch.

```
data(gcdata)

counts.per.intervals <- c("Day01", "Day02", "Day03", "Day04", "Day05",
                          "Day06", "Day07", "Day08", "Day09", "Day10",
                          "Day11", "Day12", "Day13", "Day14")

FourPHFfit.bulk(gcdata, total.seeds.col = "Total Seeds",
                counts.intervals.cols = counts.per.intervals,
                intervals = 1:14, partial = TRUE,
                fix.y0 = TRUE, fix.a = TRUE, xp = c(10, 60),
                tmax = 20, tries = 3, umax = 90, umin = 10)
```

	Genotype	Rep	Day01	Day02	Day03	Day04	Day05	Day06	Day07	Day08	Day09	Day10	Day11	Day12	Day13	Day14	To
1:	G1	1	0	0	0	0	4	17	10	7	1	0	1	0	0	0	

2:	G2	1	0	0	0	1	3	15	13	6	2	1	0	1	0	0
3:	G3	1	0	0	0	2	3	18	9	8	2	1	1	1	0	0
4:	G4	1	0	0	0	0	4	19	12	6	2	1	1	1	0	0
5:	G5	1	0	0	0	0	5	20	12	8	1	0	0	1	1	0
6:	G1	2	0	0	0	0	3	21	11	7	1	1	1	1	0	0
7:	G2	2	0	0	0	0	4	18	11	7	1	0	1	0	0	0
8:	G3	2	0	0	0	1	3	14	12	6	2	1	0	1	0	0
9:	G4	2	0	0	0	1	3	19	10	8	1	1	1	1	0	0
10:	G5	2	0	0	0	0	4	18	13	6	2	1	0	1	0	0
11:	G1	3	0	0	0	0	5	21	11	8	1	0	0	1	1	0
12:	G2	3	0	0	0	0	3	20	10	7	1	1	1	1	0	0
13:	G3	3	0	0	0	0	4	19	12	8	1	1	0	1	1	0
14:	G4	3	0	0	0	0	3	21	11	6	1	0	1	1	0	0
15:	G5	3	0	0	0	0	4	17	10	8	1	1	1	0	0	0
	b	c	y0	lag	Dlag50	t50.total	t50.Germinated		TMGR		AUC		MGT	Skewness		
1:	9.881947	6.034954	0	0	6.034954	6.355122	6.034954	5.912195	1108.975	6.632252	1.098973					
2:	9.227667	6.175193	0	0	6.175193	6.473490	6.175193	6.031282	1128.559	6.784407	1.098655					
3:	7.793055	6.138110	0	0	6.138110	6.244190	6.138110	5.938179	1283.693	6.772742	1.103392					
4:	8.925668	6.125172	0	0	6.125172	6.276793	6.125172	5.972686	1239.887	6.739665	1.100323					
5:	9.419194	6.049641	0	0	6.049641	6.103433	6.049641	5.914289	1328.328	6.654980	1.100062					
6:	9.450187	6.097412	0	0	6.097412	6.182276	6.097412	5.961877	1294.463	6.702470	1.099232					
7:	10.172466	6.029851	0	0	6.029851	6.202812	6.029851	5.914057	1213.908	6.622417	1.098272					
8:	8.940702	6.189774	0	0	6.189774	6.439510	6.189774	6.036193	1164.346	6.804000	1.099232					
9:	8.617395	6.125121	0	0	6.125121	6.352172	6.125121	5.961631	1188.793	6.745241	1.101242					
10:	9.608849	6.109503	0	0	6.109503	6.253042	6.109503	5.978115	1240.227	6.711899	1.098600					
11:	9.400248	6.018759	0	0	6.018759	6.099434	6.018759	5.883558	1305.200	6.624247	1.100600					
12:	9.162558	6.108449	0	0	6.108449	6.326181	6.108449	5.964079	1188.021	6.718636	1.099892					
13:	8.995233	6.149011	0	0	6.149011	6.207500	6.149011	5.998270	1316.407	6.762272	1.099733					
14:	10.391898	6.015907	0	0	6.015907	6.122385	6.015907	5.905179	1273.386	6.604963	1.097916					
15:	9.136762	6.121580	0	0	6.121580	6.317392	6.121580	5.976088	1203.664	6.732267	1.099760					
	msg isConv txp.total_10 txp.total_60 Unifor															
1:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.956266 6.744598															
2:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.983236 6.872603															
3:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.673022 6.608437															
4:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.850876 6.614967															
5:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.814126 6.386788															
6:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.868635 6.477594															
7:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.930423 6.510495															
8:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.940058 6.823299															
9:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.836659 6.733275															
10:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.920629 6.566505															
11:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.798630 6.391288															
12:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.893597 6.684521															
13:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.841310 6.509952															
14:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.915143 6.397486															
15:	#1. Relative error in the sum of squares is at most `ftol'. TRUE 4.892505 6.667247															
	Uniformity															
1:	2.705880															
2:	2.968652															
3:	3.507277															
4:	3.046208															
5:	2.848078															
6:	2.860984															
7:	2.625165															



```

8: 3.073056
9: 3.157466
10: 2.818494
11: 2.839354
12: 2.957830
13: 3.033943
14: 2.562960
15: 2.972718

```

## Citing `germinationmetrics`

To cite the R package '`germinationmetrics`' in publications use:

Aravind, J., Vimala Devi, S., Radhamani, J., Jacob, S. R., and Kalyani Srinivasan (2020). `germinationmetrics`: Seed Germination Indices and Curve Fitting. R package version 0.1.4,  
<https://github.com/aravind-j/germinationmetrics><https://cran.r-project.org/package=germinationmetrics>.

A BibTeX entry for LaTeX users is

```

@Manual{,
  title = {germinationmetrics: Seed Germination Indices and Curve Fitting},
  author = {J. Aravind and S. {Vimala Devi} and J. Radhamani and Sherry Rachel Jacob and {Kalyani Srinivasan}},
  year = {2020},
  note = {R package version 0.1.4},
  note = {https://github.com/aravind-j/germinationmetrics},
  note = {https://cran.r-project.org/package=germinationmetrics},
}

```

This free and open-source software implements academic research by the authors and co-workers. If you use it, please support the project by citing the package.

## Session Info

```
sessionInfo()
```

```

R version 4.0.0 (2020-04-24)
Platform: x86_64-w64-mingw32/x64 (64-bit)
Running under: Windows 10 x64 (build 17763)

```

```
Matrix products: default
```

```
locale:
```

```

[1] LC_COLLATE=English_United States.1252 LC_CTYPE=English_United States.1252 LC_MONETARY=English_United States.1252
[4] LC_NUMERIC=C LC_TIME=English_United States.1252

```

```
attached base packages:
```

```
[1] stats      graphics  grDevices  utils      datasets  methods   base
```

```
other attached packages:
```

```
[1] germinationmetrics_0.1.4
```

```
loaded via a namespace (and not attached):
```

```

[1] minpack.lm_1.2-1  tidyselect_1.1.0  xfun_0.14         pander_0.6.3      purrr_0.3.4       lattice_0.20-28

```

[7] <code>colorspace_1.4-1</code>	<code>vctrs_0.3.0</code>	<code>generics_0.0.2</code>	<code>testthat_2.3.2</code>	<code>htmltools_0.4.0</code>	<code>yaml_2.2</code>
[13] <code>XML_3.99-0.3</code>	<code>rlang_0.4.6</code>	<code>pillar_1.4.4</code>	<code>glue_1.4.1</code>	<code>withr_2.2.0</code>	<code>lifecycl</code>
[19] <code>plyr_1.8.6</code>	<code>stringr_1.4.0</code>	<code>munsell_0.5.0</code>	<code>gtable_0.3.0</code>	<code>evaluate_0.14</code>	<code>labeling</code>
[25] <code>knitr_1.28</code>	<code>gbRd_0.4-11</code>	<code>curl_4.3</code>	<code>fansi_0.4.1</code>	<code>highr_0.8</code>	<code>broom_0.</code>
[31] <code>Rcpp_1.0.4.6</code>	<code>scales_1.1.1</code>	<code>backports_1.1.6</code>	<code>desc_1.2.0</code>	<code>pkgload_1.0.2</code>	<code>farver_2</code>
[37] <code>ggplot2_3.3.0</code>	<code>packrat_0.5.0</code>	<code>digest_0.6.25</code>	<code>stringi_1.4.6</code>	<code>dplyr_1.0.0</code>	<code>ggrepel_</code>
[43] <code>grid_4.0.0</code>	<code>rprojroot_1.3-2</code>	<code>bibtex_0.4.2.2</code>	<code>mathjaxr_1.0-0</code>	<code>Rdpack_0.11-2</code>	<code>cli_2.0.</code>
[49] <code>tools_4.0.0</code>	<code>bitops_1.0-6</code>	<code>magrittr_1.5</code>	<code>RCurl_1.98-1.2</code>	<code>tibble_3.0.1</code>	<code>crayon_1</code>
[55] <code>tidyr_1.1.0</code>	<code>pkgconfig_2.0.3</code>	<code>ellipsis_0.3.1</code>	<code>data.table_1.12.8</code>	<code>assertthat_0.2.1</code>	<code>rmarkdown</code>
[61] <code>httr_1.4.1</code>	<code>rstudioapi_0.11</code>	<code>R6_2.4.1</code>	<code>nlme_3.1-147</code>	<code>compiler_4.0.0</code>	

## References

El-Kassaby, Y. A., Moss, I., Kolotelo, D., and Stoeher, M. (2008). Seed germination: Mathematical representation and parameters extraction. *Forest Science* 54, 220–227. doi:[10.1093/forestscience/54.2.220](https://doi.org/10.1093/forestscience/54.2.220).