The `viabilitymetrics` Package: A Brief Introduction

Aravind, J., Radhamani, J., Vimala Devi, S., Jacob, S. R., and Kalyani Srinivasan

2018-08-15

ICAR-National Bureau of Plant Genetic Resources, New Delhi.

Contents

Overview

The package `viabilitymetrics`.....

Installation

The package can be installed using the following functions:

```
# Install from CRAN
install.packages('viabilitymetrics', dependencies=TRUE)

# Install development version from Github
devtools::install_github("aravind-j/viabilitymetrics")
```

Then the package can be loaded using the function

```
library(viabilitymetrics)
```

Viability constants

Index	Species	K_E	C_W	C_H	C_Q	Reference
1	*Abelmoschus esculentus**	6.659	2.448	0.0329	0.000478	Daniel et al. (2013)
2	*Acer platanoides**	7.22	4.23	0.0329	0.000478	Dickie et al. (1991)
3	*Agastache rugosa*	6.93	4.255	0.0329	0.00048	Lee et al. (2017)
4	*Agathus australis*	6.36	3.64	0.0329	0.000478	Dickie and Smith (1995)
5	*Allium cepa*	6.975	3.47	0.04	0.000428	Ellis and Roberts (1981)
6	*Allium cepa**	9.083	5.81	0.0329	0.000478	Ellis et al. (1990)
7	*Arabidopsis thaliana*	8.35	5.15	0.0563	8.39e-05	Hay et al. (2003)
8	*Arachis hypogaea*	6.718	4.089	0.0329	0.000478	Ellis et al. (1990)
9	*Arachis hypogaea*	6.177	3.426	0.0304	0.000453	Usberti and Gomes (1998)
10	*Araucaria columnaris*	5.66	2.68	0.033	0.000478	Tompsett (1984); Tompsett (1992)
11	*Araucaria cunninghamii*	7.49	3.73	0.033	0.000478	Tompsett (1992)
12	*Balfourodendron riedelianum*	2.867	9.77e-13	1.344e-12	1.165e-13	Ignácio (2013)
13	*Beta vulgaris*	9.373	5.152	0.0372	0.000467	Ellis and Hong (2007)
14	*Beta vulgaris**	8.943	4.723	0.0329	0.000478	Ellis et al. (1990)
15	*Borago officinalis*	6.748	2.42	0.0665	0.000478	Far et al. (2010)
16	*Brachiaria brizantha* (Intact seed)	6.488	4.48	0.0475	0.001292	Usberti (2007)
17	*Brachiaria brizantha* (Scarified seed)	8.795	4.852	0.02114	0.000733	Usberti (2007)
18	*Brassica juncea**	7.768	4.56	0.0329	0.000478	Ellis et al. (1989)
19	*Brassica napus**	7.718	4.54	0.0329	0.000478	Ellis et al. (1989)
20	*Brassica napus*	5.654	2.5	0.04387	1.438e-05	Alivand et al. (2013)
21	*Capsicum annum**	7.767	4.67	0.0329	0.000478	Demir et al. (2009)
22	*Celosia argentea**	4.957	1.188	0.0329	0.000478	Daniel et al. (2012)
23	*Chenopodium quinoa**	8.58	5.02	0.0329	0.000478	Ellis et al. (1988)

Index	Species	K_E	C_W	C_H	C_Q	Reference
24	*Cicer arietinum*	8.901	4.847	0.0329	0.000478	Ellis et al. (1982); Dickie et al. (1990)
25	*Cicer arietinum*	8.502	4.602	0.0295	0.000491	Ellis (1988)
26	*Citrullus lanatus**	4.86	1.59	0.0329	0.000478	Demir et al. (2011)
27	*Cucumis melo**	6.11	2.59	0.0329	0.000478	Demir et al. (2011)
28	*Cucumis melo*	7.299	3.707	0.0367	0.000473	Kuo (1991)
29	*Cucumis sativus**	5.35	2.03	0.0329	0.000478	Demir et al. (2011)
30	*Cucurbita pepo*	6.913	3.604	0.04	4e-04	Hong et al. (1996)
31	*Cucurbita pepo* subsp. *pepo* convar. *pepo* var. *styriaca*	3.402	3.215	0.131	0.00264	Far et al. (2010)
32	*Dactylis glomerata*	4.715	0.554	0.03	2e-04	Reza (2014a)
33	*Dalbergia nigra*	5.199	4.524	0.08175	0.001641	Chaves and Usberti (2004)
34	*Delphinium ambiguum*	7.67	3.12	0.04	4e-04	Hong et al. (1996)
35	*Descurainia sophia*	4	0.179	0.03	0.000445	Reza (2014b)
36	*Digitalis purpurea**	7.49	5.61	0.0329	0.000478	Hong et al. (1996)
37	*Dimorphandra mollis*	6.282	3.838	0.05405	0.001316	Chaves and Usberti (2004)
38	*Dioscorea dumetorum*	5.859	-3.06	-7e-04	-7e-04	Daniel et al. (2003)
39	*Dioscorea togoensis*	4.505	-1.646	-0.02	-0.00011	Daniel et al. (2003)
40	*Dipterocarpus alatus*	5.92	2.69	0.033	0.000478	Tompsett (1992)
41	*Dipterocarpus intricatus*	6.18	2.77	0.033	0.000478	Tompsett (1992)
42	*Dracocephalum moldavica*	3.837	0.2	0.03	2e-04	Reza (2014b)
43	*Eleusine coracana*	7.88	4.181	0.0254	0.000489	Ellis and Hong (2007)
44	*Eleusine coracana**	9.508	5.08	0.0329	0.000478	Ellis et al. (1989)
45	*Elytrigia elongate*	6	1.642	0.03	2e-04	Reza (2014a)
46	*Entandophragma angolense*	4.6	2.21	0.033	0.000478	Tompsett (1992)
47	*Eragrostis tef**	10.1	6.01	0.0329	0.000478	Ellis et al. (1989)
48	*Eragrostis tef* cv. Muri	9.727	5.185	0.0329	0.00054	Zewdie and Ellis (1991)
49	*Eragrostis tef* cvs.	9.927	5.185	0.0329	0.00054	Zewdie and Ellis (1991)
50	*Eruca sativa*	4.33	0.4574	0.03	0.000304	Reza (2014b)
51	*Eucalyptus bussei**	7.3	3.96	0.0329	0.000478	Muthoka et al. (2009)
52	*Eucalyptus erythrocorys*	8.81	4.97	0.0412	0.000379	Crawford et al. (2013)
53	*Eucalyptus grandis*	9.661	6.467	0.03498	0.000233	Fantinatti and Usberti (2007)
54	*Eucalyptus heterochroma**	8.9	6.89	0.0329	0.000478	Muthoka et al. (2009)
55	*Eucalyptus heterophylla**	7.4	4.36	0.0329	0.000478	Muthoka et al. (2009)
56	*Eucalyptus pseudoburuana**	10.1	7.81	0.0329	0.000478	Muthoka et al. (2009)

Index	Species	K_E	C_W	C_H	C_Q	Reference
57	*Eucalyptus quinquecostata**	10.2	8.09	0.0329	0.000478	Muthoka et al. (2009)
58	*Festuca ovina*	4.366	0.5	0.03	2e-04	Reza (2014a)
59	*Glycine max*	7.525	4.086	0.0329	0.000478	Ellis et al. (1982); Dickie et al. (1990)
60	*Glycine max*	7.292	3.996	0.0295	0.000491	Ellis (1988)
61	*Gossypium hirsutum*	9.24	5.19	0.03965	0.000426	Usberti et al. (2006)
62	*Guizotia abyssinica**	7.578	4.78	0.0329	0.000478	Ellis et al. (1989)
63	*Guizotia abyssinica*	7.494	4.257	0.0372	0.00048	Zewdie and Ellis (1991)
64	*Gypsophila elegans*	9.6	5.36	0.04	4e-04	Hong et al. (1996)
65	*Helianthus annuus**	6.74	4.16	0.0329	0.000478	Ellis et al. (1988)
66	*Hordeum vulgare*	9.144	5.342	0.0329	0.000478	Ellis and Roberts (1980); Dickie et al. (1990)
67	*Khaya senegalensis*	4.76	2.15	0.033	0.000478	Tompsett (1992)
68	*Lactuca sativa*	7.938	5.25	0.0329	0.000478	Ellis et al. (1989)
69	*Lactuca sativa**	6.895	4.2	0.0329	0.000478	Kraak and Vos (1987); Dickie et al. (1990)
70	*Lallemantia royleana*	4.725	2.324	0.02544	1.068e-05	Baladi and Balouchi (2016)
71	*Linum usitatissimum**	7.76	4.86	0.0329	0.000478	Ellis et al. (1988)
72	*Linum usitatissimum* cv. Norman	5.201	2.59	0.03613	1.5e-05	Balouchi et al. (2017)
73	*Linum usitatissimum* cv. Urmia	4.474	2.185	0.01467	0.000161	Balouchi et al. (2017)
74	*Liquidambar styraciflua*	6.553	3.033	0.0081	0.00151	Bonner (1994)
75	*Liquidambar styraciflua*	6.385	2.706	0.0306	0.000967	Bonner (1994)
76	*Lupinus polyphyllus*	6.217	2.761	0.04	4e-04	Dickie and Bowyer (1985)
77	*Lycopersicon esculentum*	6.502	3.181	0.0324	0.000431	Kruse et al. (2005)
78	*Lycopersicon esculentum*	4.544	2.683	-0.05018	0.001266	Sinício et al. (2009)
79	*Malus domestica*	7.316	4.119	0.04	0.00042	Dickie (1988)
80	*Melilotus officinalis*	4.21	0.2	0.03	2e-04	Reza (2014b)
81	*Nigella sativa*	4.97	1.253	0.0516	0.000478	Far et al. (2010)
82	*Orobanche aegyptiaca*	6.434	0.0356	0.066	1e-05	Kebreab and Murdoch (1999)
83	*Orobanche crenata*	6.447	0.0356	0.066	1e-05	Kebreab and Murdoch (1999)
84	*Orobanche minor*	6.126	0.0356	0.066	1e-05	Kebreab and Murdoch (1999)
85	*Oryza glaberrima*	9.406	5.043	0.0375	0.000471	Ellis and Hong (2007)
86	*Oryza glaberrima**	6.871	5.51	0.0329	0.000478	Bam et al. (2008)
87	*Oryza sativa*	8.242	4.345	0.0307	0.000501	Ellis and Hong (2007)
88	*Oryza sativa**	8.668	5.03	0.0329	0.000478	Ellis et al. (1989)

Index	Species	K_E	C_W	C_H	C_Q	Reference
89	*Oryza sativa* ssp. *indica**	8.81	4.904	0.0329	0.000478	Ellis et al. (1992)
90	*Oryza sativa* ssp. *japonica**	8.416	4.904	0.0329	0.000478	Ellis et al. (1992)
91	*Oryza sativa* ssp. *japonica**	6.628	5.51	0.0329	0.000478	Bam et al. (2008)
92	*Oryza sativa* ssp. *javanica**	8.736	4.904	0.0329	0.000478	Ellis et al. (1992)
93	*Papaver nudicaule*	6.838	4.101	0.027	0.000313	Belletti et al. (1991)
94	*Paspalum scrobiculatum*	8.066	4.449	0.0266	0.000526	Ellis and Hong (2007)
95	*Pennisetum glaucum**	8.728	4.86	0.0329	0.000478	Ellis et al. (1989)
96	*Pennisetum purpureum* Ã— *P. glaucum* (Cutting type)	7.735	4.658	0.01969	0.000403	Pozitano and Usberti (2009)
97	*Pennisetum purpureum* Ã— *P. glaucum* (Grazing type)	8.825	4.522	0.03655	3e-04	Pozitano and Usberti (2009)
98	*Pennisetum purpureum* Ã— *P. glaucum* (Original type)	8.417	5.037	0.02309	0.000436	Pozitano and Usberti (2009)
99	*Pennisetum typhoides*	8.442	5.035	0.025	0.000443	Ellis and Hong (2007)
100	*Phaseolus vulgaris**	9.09	4.761	0.0329	0.000478	Ellis et al. (1990)
101	*Phaseolus vulgaris*	9.08	5.2	0.0057	0.00079	Wilson and McDonald (1989)
102	*Phleum pratense*	9.571	5.262	0.04	4e-04	Hong et al. (1996)
103	*Phleum pratense* cv. Erecta*	8.678	4.75	0.0329	0.000478	Ellis et al. (1989)
104	*Phleum pratense* cv. S325*	8.138	4.75	0.0329	0.000478	Ellis et al. (1989)
105	*Pinus elliottii*	5.588	1.449	0.0326	0.00101	Bonner (1994)
106	*Pinus elliottii*	5.246	0.9832	0.0508	0.000571	Bonner (1994)
107	*Pinus occidentalis*	5.047	1.678	0.0206	0.00126	Bonner (1994)
108	*Pinus occidentalis*	5.101	1.674	0.0354	0.000838	Bonner (1994)
109	*Pinus taeda*	3.618	-0.2567	0.00064	0.00122	Bonner (1994)
110	*Pinus taeda*	3.278	-0.73	0.0348	0.000328	Bonner (1994)
111	*Pinus taeda*	8.838	5.981	0.1034	0.0005476	Fantinatti and Usberti (2007)
112	*Pisum sativum**	9.858	5.39	0.0329	0.000478	Ellis et al. (1989)
113	*Pongamia pinnata*	5.75	3.26	0.04	3e-04	Kundu (2008)
114	*Ranunculus sceleratus*	6.98	5.01	0.0329	0.000428	Hong et al. (1996)
115	*Saccharum* spp.	8.805	5.168	5.168	0.000581	Ellis and Hong (2007)
116	*Salvia officinalis*	5	1.49	0.0329	2e-04	Reza (2014b)
117	*Satureja hortensis*	4.46	0.391	0.0329	0.000478	Reza (2014b)
118	*Secale cereale*	6.361	2.059	0.03	0.000201	Reza (2014a)
119	*Secale montanum*	4.431	0.472	0.03	0.000201	Reza (2014a)

Index	Species	K_E	C_W	C_H	C_Q	Reference
120	*Secale montanum*	6.114	2.577	0.03856	0.00013	Dehghan and Sharif-Zadeh (2015)
121	*Sesamum indicum*	7.19	4.02	0.04	0.000428	Ellis et al. (1986)
122	*Setaria italica*	8.657	4.968	0.0304	0.000504	Ellis and Hong (2007)
123	*Setaria italica**	8.678	4.95	0.0329	0.000478	Ellis et al. (1989)
124	*Solanum macrocarpon*	5.166	3.009	0.094	0.0019	Daniel et al. (2011)
125	*Solanum tuberosum*	7.923	5.063	0.0325	0.000432	Ellis and Hong (2007)
126	*Sorghum bicolor*	2.49	-0.3002	0.00725	-0.00057	Ali (2014)
127	*Sorghum bicolor*	9.472	5.426	0.0324	0.000478	Ellis and Hong (2007)
128	*Sorghum bicolor*	10.59	6.305	0.041	0.000349	Kuo et al. (1990)
129	*Sorghum bicolor*	2.49	-0.3002	0.00725	-0.00057	Tabatabaei (2014)
130	*Swietinia humilis*	5.393	2.391	0.0329	0.000478	Dickie et al. (1990)
131	*Tagetes patula*	12.22	3.114	0.2769	0.002212	Simões et al. (2008)
132	*Terminalia brassii*	5.016	2.161	0.0329	0.000478	Tompsett (1986); Tompsett (1992)
133	*Thymus daenensis*	5	0.753	0.0347	2e-04	Reza (2014b)
134	*Thymus transcaspicus*	5.065	0.0641	0.03	2e-04	Reza (2014b)
135	*Trifolium subterraneum*	7.21	3.51	0.04	4e-04	Hong et al. (1996)
136	*Triticum aestivum*	9.043	5.183	0.0351	0.000475	Ellis and Hong (2007)
137	*Triticum aestivum**	9.42	5.859	0.0329	0.000478	Ellis et al. (1990)
138	*Ulmus carpinifolia*	5.83	3.035	0.0329	0.000478	Tompsett (1986); Tompsett (1992)
139	*Vigna radiata**	10.86	6.27	0.0329	0.000478	Ellis et al. (1989)
140	*Vigna unguiculata*	9.401	5.118	0.0329	0.000478	Ellis et al. (1982); Dickie et al. (1990)
141	*Vigna unguiculata*	9.102	4.967	0.0295	0.000491	Ellis (1988)
142	*Xanthorrhoea preissii*	8.77	5.29	0.0382	0.000472	Crawford et al. (2013)
143	*Zea mays*	10.56	6.366	0.0332	0.000577	Ellis and Hong (2007)
144	*Zea mays**	8.579	4.91	0.0329	0.000478	Hong et al. (1996)

* Viability constants are derived from storage experiment at a single temperature. C_H and C_Q here are the universal temperature coefficients (0.0329 and 0.000478 respectively).

Citing `viabilitymetrics`

```
To cite the R package 'viabilitymetrics' in publications use:

  J. Aravind, J. Radhamani, S. Vimala Devi, Sherry Rachel Jacob
  and Kalyani Srinivasan (2018).  viabilitymetrics: Seed Viability
  Calculations and Curve Fitting. R package version 0.0.0.9000,
  https://aravind-j.github.io/viabilitymetrics/.
```

```
A BibTeX entry for LaTeX users is

  @Manual{,
    title = {viabilitymetrics: Seed Viability Calculations and Curve Fitting},
    author = {{Aravind J} and {Vimala Devi S} and {Radhamani J} and {Sherry Rachel Jacob} and {Kalyani S
    year = {2018},
    note = {R package version 0.0.0.9000},
    note = {https://aravind-j.github.io/viabilitymetrics/},
  }

This free and open-source software implements academic research by
the authors and co-workers. If you use it, please support the
project by citing the package.
```

Session Info

```
sessionInfo()
```

```
R version 3.5.1 (2018-07-02)
Platform: x86_64-w64-mingw32/x64 (64-bit)
Running under: Windows >= 8 x64 (build 9200)

Matrix products: default

locale:
[1] LC_COLLATE=English_India.1252  LC_CTYPE=English_India.1252
[3] LC_MONETARY=English_India.1252 LC_NUMERIC=C
[5] LC_TIME=English_India.1252

attached base packages:
[1] stats     graphics  grDevices utils     datasets  methods   base

other attached packages:
[1] viabilitymetrics_0.0.0.9000

loaded via a namespace (and not attached):
 [1] Rcpp_0.12.18          compiler_3.5.1        pillar_1.3.0
 [4] plyr_1.8.4            bindr_0.1.1           tools_3.5.1
 [7] digest_0.6.15         evaluate_0.11         memoise_1.1.0
[10] tibble_1.4.2          gtable_0.2.0          pkgconfig_2.0.1
[13] rlang_0.2.1           bibtex_0.4.2          rstudioapi_0.7.0-9001
[16] commonmark_1.5        yaml_2.2.0            bindrcpp_0.2.2
[19] withr_2.1.2           stringr_1.3.1         dplyr_0.7.6
[22] roxygen2_6.1.0        xml2_1.2.0            knitr_1.20
[25] desc_1.2.0            devtools_1.13.6       rprojroot_1.3-2
[28] gbRd_0.4-11           grid_3.5.1            tidyselect_0.2.4
[31] glue_1.3.0            data.table_1.11.4     R6_2.2.2
[34] Rdpack_0.8-0          rmarkdown_1.10        pander_0.6.2
[37] ggplot2_3.0.0         purrr_0.2.5           magrittr_1.5
[40] htmltools_0.3.6       backports_1.1.2       scales_0.5.0
[43] assertthat_0.2.0      colorspace_1.3-2      stringi_1.2.4
[46] lazyeval_0.2.1        munsell_0.5.0         crayon_1.3.4
```

References

Ali, T. S. (2014). Determination of seed viability constants in sorghum under various storage conditions. *Iranian Journal of Field Crop Science (Iranian Journal of Agricultural Sciences)* 45, 377–387. Available at: http://www.sid.ir/En/Journal/ViewPaper.aspx?ID=461469.

Alivand, R., Tavakol Afshari, R., and Sharifzade, farzad (2013). Germination response and estimation of seed deterioration of *Brassica napus* under various storage conditions. *Iranian Journal of Field Crop Science* 44, 69–81. doi:10.22059/ijfcs.2013.30485.

Baladi, S., and Balouchi, H. (2016). Evaluation of *Lallemantia royleana* seed longevity under varying conditions of temperature and moisture content. *Seed Science and Technology* 44, 320–326. doi:10.15258/sst.2016.44.2.03.

Balouchi, H., Baladi, S., Moradi, A., and Dehnavi, M. M. (2017). The influence of temperature and moisture content on seed longevity of two genotypes of *Linum usitatissimum*. *Seed Science and Technology* 45, 130–138. doi:10.15258/sst.2017.45.1.08.

Bam, R. K., Hong, T. D., Ellis, R. H., Kumaga, F. K., and Asiedu, E. A. (2008). Storage behaviour of two contrasting upland rice genotypes. *Ghana Journal of Agricultural Science* 41. doi:10.4314/gjas.v41i1.46154.

Belletti, P., Lanteri, S., and Lotito, S. (1991). The influence of temperature and moisture on seed ageing in Iceland poppy (*Papaver nudicaule* L.). *Scientia Horticulturae* 48, 153–158. doi:10.1016/0304-4238(91)90162-r.

Bonner, F. T. (1994). Predicting seed longevity for four forest tree species with orthodox seeds. *Proceedings of the International Seed Testing Association*.

Chaves, M. M. F., and Usberti, R. (2004). Controlled seed deterioration in Dalbergia nigra and Dimorphandra mollis, endangered Brazilian forest species. *Seed Science and Technology* 32, 813–823. doi:10.15258/sst.2004.32.3.16.

Crawford, A. D., Hay, F. R., Plummer, J. A., Probert, R. J., and Steadman, K. J. (2013). One-step fitting of seed viability constants for two Australian plant species, *Eucalyptus erythrocorys* (Myrtaceae) and *Xanthorrhoea preissii* (Xanthorrhoeacea). *Australian Journal of Botany* 61, 1–10. doi:10.1071/bt12171.

Daniel, I. O., Kruse, M., and Börner, A. (2011). Comparative longevity and viability modeling of *Solanum macrocarpon* L. Seeds. *Seed Science and Technology* 39, 680–685. doi:10.15258/sst.2011.39.3.16.

Daniel, I. O., Kruse, M., and Börner, A. (2012). Predicting longevity of Celosia Argentea L. Seeds during storage. *Acta Horticulturae* 953, 319–324. doi:10.17660/ActaHortic.2012.953.44.

Daniel, I. O., Kruse, M., and Börner, A. (2013). Controlled deterioration and predicting viability of okra seed in storage. *International Journal of Vegetable Science* 19, 324–333. doi:10.1080/19315260.2012.729261.

Daniel, I. O., Ng, N. Q., Tayo, T. O., and Togun, A. O. (2003). Storage of West African yam (*dioscorea* spp.) seeds: Modelling seed survival under controlled storage environments. *Seed Science and Technology* 31, 139–147. doi:10.15258/sst.2003.31.1.14.

Dehghan, M., and Sharif-Zadeh, F. (2015). Viability model and effect of two drying procedures on seed longevity of *Secale montanum* seeds. *Biomedicine and Nursing* 1, 43–48.

Demir, I., Kenanoglu, B. B., Hay, F., Mavi, K., and Celikkol, T. (2011). Determination of seed moisture constants (KE, CW) for the viability equation for watermelon, melon, and cucumber seeds. *Seed Science and Technology* 39, 527–532. doi:10.15258/sst.2011.39.2.23.

Demir, I., Kenanoglu, B. B., Mavi, K., Celikkol, T., Hay, F., and Sariyildiz, Z. (2009). Derivation of constants (KE, CW) for the viability equation for pepper seeds and the subsequent test of its applicability. *HortScience* 44, 1679–1682. Available at: http://hortsci.ashspublications.org/content/44/6/1679.

Dickie, J. B. (1988). Prospects for the long-term storage of apple seeds. *Veroffentlichungen der Landwirtschajthch-Chemischen Bundesanstalt Linz/Donau* 19, 47–63.

Dickie, J. B., and Bowyer, J. T. (1985). Estimation of provisional seed viability constants for apple (*Malus domestica borkh.* Cv. Greensleeves). *Annals of Botany* 56, 271–275. doi:10.1093/oxfordjournals.aob.a087012.

Dickie, J. B., Ellis, R. H., Kraak, H. L., Ryder, K., and Tompsett, P. B. (1990). Temperature and seed storage longevity. *Annals of Botany* 65, 197–204. doi:10.1093/oxfordjournals.aob.a087924.

Dickie, J. B., May, K., Morris, S. V. A., and Titley, S. E. (1991). The effects of desiccation on seed survival in *Acer platanoides* L. And *Acer pseudoplatanus* L. *Seed Science Research* 1. doi:10.1017/s0960258500000829.

Dickie, J. B., and Smith, R. D. (1995). Observations on the survival of seeds of *agathis* spp. Stored at low moisture contents and temperatures. *Seed Science Research* 5. doi:10.1017/s0960258500002531.

Ellis, R. H. (1988). The viability equation, seed viability nomographs, and practical advice on seed storage. *Seed Science and Technology* 16, 29–50.

Ellis, R. H., and Hong, T. D. (2007). Quantitative response of the longevity of seed of twelve crops to temperature and moisture in hermetic storage. *Seed Science and Technology* 35, 432–444. Available at: http://centaur.reading.ac.uk/8496/.

Ellis, R. H., Hong, T. D., and Roberts, E. H. (1986). Logarithmic relationship between moisture content and longevity in sesame seeds. *Annals of Botany* 57, 499–503. doi:10.1093/oxfordjournals.aob.a087131.

Ellis, R. H., Hong, T. D., and Roberts, E. H. (1988). A low-moisture-content limit to logarithmic relations between seed moisture content and longevity. *Annals of Botany* 61, 405–408. doi:10.1093/oxfordjournals.aob.a087571.

Ellis, R. H., Hong, T. D., and Roberts, E. H. (1989). A comparison of the low-moisture-content limit to the logarithmic relation between seed moisture and longevity in twelve species. *Annals of Botany* 63, 601–611. doi:10.1093/oxfordjournals.aob.a087788.

Ellis, R. H., Hong, T. D., and Roberts, E. H. (1992). The Low-moisture-content Limit to the Negative Logarithmic Relation Between Seed Longevity and Moisture Content in Three Subspecies of Rice. *Annals of Botany* 69, 53–58. doi:10.1093/oxfordjournals.aob.a088306.

Ellis, R. H., Hong, T. D., Roberts, E. H., and Tao, K.-L. (1990). Low moisture content limits to relations between seed longevity and moisture. *Annals of Botany* 65, 493–504. doi:10.1093/oxfordjournals.aob.a087961.

Ellis, R. H., Osei-Bonsu, K., and Roberts, E. H. (1982). The influence of genotype, temperature and moisture on seed longevity in chickpea, cowpea and soya bean. *Annals of Botany* 50, 69–82. doi:10.1093/oxfordjournals.aob.a086347.

Ellis, R. H., and Roberts, E. H. (1980). The influence of temperature and moisture on seed viability period in barley (*Hordeum Distichum* l.). *Annals of Botany* 45, 31–37. doi:10.1093/oxfordjournals.aob.a085798.

Ellis, R. H., and Roberts, E. H. (1981). The quantification of ageing and survival in orthodox seeds. *Seed Science and Technology*.

Fantinatti, J. B., and Usberti, R. (2007). Seed viability constants for *Eucalyptus grandis*. *Pesquisa Agropecuária Brasileira* 42, 111–117. doi:10.1590/s0100-204s2007000100015.

Far, F. G., Soltani, A., and Sadeghipour (2010). Determination of seed viability constants in medicinal pumpkin (cucurbita pepo l. Subsp. Pepo. Convar. Pepo var. Styriaca greb), borago (*Borago officinalis* L.) And black cumin (*Nigella sativa* L.). *Journal of Plant Production (Journal of Agricultural Sciences and Natural Resources)* 17, 53–66. Available at: http://www.sid.ir/En/Journal/ViewPaper.aspx?ID=214959.

Hay, F. R., Mead, A., Manger, K., and Wilson, F. J. (2003). One-step analysis of seed storage data and the longevity of *Arabidopsis thaliana* seeds. *Journal of Experimental Botany* 54, 993–1011. doi:10.1093/jxb/erg103.

Hong, T. D., Linington, S., and Ellis, R. H. (1996). *Seed Storage Behaviour: A Compendium*. Rome, Italy: International Plant Genetic Resources Institute (IPGRI).

Ignácio, V. L. (2013). Germinação e conservação de sementes de Balfourodendron riedelianum (Engler) Engler. Available at: http://tede.unioeste.br:8080/tede/handle/tede/1454.

Kebreab, and Murdoch (1999). Effect of temperature and humidity on the longevity of *orobanche* seeds. *Weed Research* 39, 199–211. doi:10.1046/j.1365-3180.1999.00138.x.

Kraak, H. L., and Vos, J. (1987). Seed viability constants for lettuce. *Annals of Botany* 59, 343–349. doi:10.1093/oxfordjournals.aob.a087323.

Kruse, M., Ghiasi, K. G., and Schmohl, S. (2005). The seed viability equation for analysing seed storage behaviour. Available at: https://www.seedtest.org/upload/cms/user/presentation5Kruseetal.pdf.

Kundu, M. (2008). Prediction of viability of seeds of *Pongamia pinnata* (Karanj) under controlled conditions. *Seed Science and Technology* 36, 481–485. doi:10.15258/sst.2008.36.2.23.

Kuo, W. H. J. (1991). On the prediction of the storage longevity of muskmelon seeds. *Memoirs of the College of Agriculture* 31, 22–29.

Kuo, W. H. J., Shan, M. L., and Tseng, M. T. (1990). Effects of temperature and seed moisture-content on the longevity of sorghum seeds. *Journal of the Agricultural Association of China*, 32–41.

Lee, M. H., Hong, S. H., Na, C. S., Kim, J. G., Kim, T. W., and Lee, Y. H. (2017). Analysis of seed storage data and longevity for *Agastache rugosa*. *Korean Journal of Environmental Biology* 35, 207–214.

Muthoka, P. N., Hay, F. R., Dida, M. M., Nyabundi, J. O., and Probert, R. J. (2009). Moisture content and the longevity of seeds of six *euphorbia* species in open storage. *Seed Science and Technology* 37, 383–397. doi:10.15258/sst.2009.37.2.12.

Pozitano, M., and Usberti, R. (2009). Seed controlled deterioration of three interspecific elephant grass pearl millet hybrids. *Revista Brasileira de Zootecnia* 38, 428–434. Available at: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1516-35982009000300005&nrm=iso.

Reza, E. H. (2014a). Estimation of seed viability constants for tall wheatgrass, cocksfoot, rye, and sheep fescue to inform gene banking decisions. *Iranian Journal of Plant Physiology* 4, 1145–1149. Available at: http://www.sid.ir/En/Journal/ViewPaper.aspx?ID=518161.

Reza, E. H. (2014b). Prediction of seed regeneration time of some medicinal plants by estimation of viability equation constants. *Iranian Journal of Field Crop Science* 45, 399–407. doi:10.22059/ijfcs.2014.53536.

Simões, F. C., Usberti, R., and Paiva, P. D. O. (2008). Controlled seed deterioration in *Tagetes patula* L. Cultivars. *Seed Science and Technology* 36, 524–533. doi:10.15258/sst.2008.36.3.02.

Sinício, R., Lopes, J. F., Silva, D. J. H., and Mattedi, A. P. (2009). Longevity equation for tomato seeds. *Seed Science and Technology* 37, 667–675. doi:10.15258/sst.2009.37.3.14.

Tabatabaei, S. A. (2014). Determination of seed viability constants in sorghum under various storage conditions. *Iranian Journal of Field Crop Science* 45, 377–387. doi:10.22059/ijfcs.2014.53534.

Tompsett, P. B. (1984). The effect of moisture content and temperature on the storage life of *Araucaria columnaris*. *Seed Science and Technology* 12, 801–816.

Tompsett, P. B. (1986). The effect of temperature and moisture content on the longevity of seed of *Ulmus carpinifolia* and *Terminalia brassii*. *Annals of Botany* 57, 875–883. doi:10.1093/oxfordjournals.aob.a087172.

Tompsett, P. B. (1992). A review of the literature on storage of dipterocarp seeds. *Seed Science and Technology* 20, 251–267.

Usberti, R. (2007). Performance of tropical forage grass (Brachiaria brizantha) dormant seeds under controlled storage. *Seed Science and Technology* 35, 402–413. doi:10.15258/sst.2007.35.2.15.

Usberti, R., and Gomes, R. B. R. (1998). Seed viability constants for groundnut. *Annals of Botany* 82, 691–694. doi:10.1006/anbo.1998.0736.

Usberti, R., Roberts, E. H., and Ellis, R. H. (2006). Prediction of cottonseed longevity. *Pesquisa Agropecuária Brasileira* 41, 1435–1441. doi:10.1590/s0100-204X2006000900013.

Wilson, D. O., and McDonald, M. B. (1989). A probit planes method for analyzing seed deterioration data. *Crop Science* 29, 471–476. doi:10.2135/cropsci1989.0011183X002900020046x.

Zewdie, M., and Ellis, R. H. (1991). Response of tef and niger seed longevity to storage temperature and moisture. *Seed Science and Technology* 19, 319–329.