

DD-COMMANDS

TO INSTALL: GO TO **GET STARTED** AND SELECT **INSTALL AN AGENT**, COPY THE COMMANDS AND PASTE ON AMAZON LINUX.

```
DD_API_KEY=95e9e1c3f2519c8a332bf0fcbfd07c14 DD_SITE="datadoghq.com" bash -c "$(curl -L https://install.datadoghq.com/scripts/install_script_agent7.sh)"
```

To check the status: **systemctl status datadog-agent**

To start the DD : **systemctl start datadog-agent**

To stop the DD: **systemctl stop datadog-agent**

To restart the DD : **systemctl restart datadog-agent**

To check the processor : **ps -eaf | grep -i "datadog"**

NOW AFTER INSTALLING THE DATADOG, WAIT FOR 5 MINS IT WILL BE UPDATED ON OUR ACCOUNT. NOW OUR AIM IS TO GET THE LIVE PROCESSORS OF OUR SERVER.

Host List

1

hosts up of

1

total hosts

2h

Past 2 Hours

Search by

Search or select tags

Group by

Select tag keys

Showing 1–1 of 1 host


Options

↑ HOSTNAME	STATUS		CPU	IOWAIT	LOAD 15	APPS
ip-172-31-45-239.ec2.internal	ACTIVE		1.19%	0.28%	0.2	ntp system

Results per page:

50

select our server and go to processors



we cant see anything, so lets configure. So click on **configure collection in the agent** link and follow the steps.

Go to **vi /etc/datadog-agent/datadog.yaml** and line number 1373 and paste these lines

process_config:

process_collection:

enabled: true

```
# process_config:
process_config:
  process_collection:
    enabled: true
```

now save and continue **:wq**

then restart the datadog : **systemctl restart datadog-agent**

then check the configuration : **datadog-agent configcheck**

you can also check weather it is enabled or not : **datadog-agent config**

install webserver & start : **yum install httpd -y && systemctl start httpd && systemctl enable httpd**

change the configurations: add these lines in the file **vi /etc/httpd/conf/httpd.conf**

LoadModule status_module modules/mod_status.so

<Location /server-status>

SetHandler server-status

order deny,allow

Deny from all

Allow from all

Allow from <your-Private-IP>

</Location>

ExtendedStatus On

check the configurations: httpd -t

restart httpd : systemctl restart httpd

WAIT FOR 5 MINS AND CHECK ON WEBSITE, PROCESSORS WILL BE UPDATED



WELCOME, Mustafa! Get Started

Host List

1 hosts up of 1 total

Search by

Search or select tags

Showing 1-1 of 1 host

↑ HOSTNAME

ip-172-31-45-239.ec2.internal

Recent

Dashboards

Monitors

Watchdog

Service Mgmt

Infrastructure

APM

Digital Experience

Software Delivery

Security

LLM Observability

Metrics

Logs

Integrations

Screen Share

awsanddevops1...

FLM

ip-172-31-45-239.ec2.internal

ACTIVE | Linux | v7.55.3

Aliases | i-0a4a4c1c03b624470

Host Info

Metrics

Containers

Processes

Network

Logs

Traces

Profiles

Security

Agent Configuration

Filter by

host:ip-172-31-45-239.ec2.inter...

Filter by text or tag

Showing 1-38 of 38 processes. 38 matching processes in total.

PROCESS

PID

TOTAL CPU %

↓ RSS MEMORY

agent run -p /opt/datadog-agent/run/agent.pid

6595

< 1%

217 MiB

agent run -p /opt/datadog-agent/run/agent.pid

7315

< 1%

217 MiB

process-agent --cfgpath=/etc/datadog-agent/datadog.yaml --sysprobe-config=/etc/datadog-agent/syste

6596

< 1%

98 MiB

process-agent --cfgpath=/etc/datadog-agent/datadog.yaml --sysprobe-config=/etc/datadog-agent/syste

7316

< 1%

98 MiB

trace-agent --config /etc/datadog-agent/datadog.yaml --pidfile /opt/datadog-agent/run/trace-agent.pid

6597

< 1%

75 MiB

trace-agent --config /etc/datadog-agent/datadog.yaml --pidfile /opt/datadog-agent/run/trace-agent.pid

7317

< 1%

74 MiB

amazon-ssm-agent

3167

< 1%

10 MiB

vim /etc/datadog-agent/datadog.yaml

7241

0%

9 MiB

vim /etc/datadog-agent/datadog.yaml

7867

0%

9 MiB

sshd: ec2-user [priv]

3333

0%

7 MiB

systemd-journald

1782

< 1%

7 MiB

qmgr -l -t unix -u

3087

0%

6 MiB

pickup -l -t unix -u

3086

0%

6 MiB

GET THE DOCKER CONTAINERS BY USING THSE COMMANDS:

GIVE PERMISSIONS: **sudo usermod -a -G docker dd-agent**

RUN THE CONTAINER:

```
docker run -d --name datadog-agent \  
  
    -e DD_API_KEY=5f323f17458862478646066e122464cc \  
  
    -e DD_LOGS_ENABLED=true \  
  
    -e DD_LOGS_CONFIG_CONTAINER_COLLECT_ALL=true \  
  
    -e DD_CONTAINER_EXCLUDE_LOGS="name:datadog-agent" \  
  
    -e DD_SITE="datadoghq.com" \  
  
    -v /var/run/docker.sock:/var/run/docker.sock:ro \  
  
    -v /proc:/host/proc:ro \  
  
    -v /opt/datadog-agent/run:/opt/datadog-agent/run:rw \  
  
    -v /sys/fs/cgroup:/host/sys/fs/cgroup:ro \  
  
    datadog/agent:latest
```

on the above container, change your API_KEY

REF LINK: <https://app.datadoghq.com/logs/onboarding/container>

Now go to dashboard and check the containers.