# Cloud Computing


## Exercise-6

Name: CH. Aravind Kumar

ID: 23MCCE11

Course: Imtech

1.






Calculated through RMI method.

In RMI the server opens a registry port and acts as a server waiting for the client and the client will connect and call the method directly. in server the multithreaded program will run calculating inside points using the given threads and points. after calculating the server just returns the pi value directly back to the client like a normal function call.


## 2.

### b)








These 3 images above 2 images and below image are 3 different examples 1st image is example for found and 2nd is for non-existing book 3rd is for anything that is not a digit.



127.0.0.1:5000/books/45@
127.0.0.1:5000/books/45@
Pretty-print
{
"error": "Invalid book ID. Must be an integer."
}

## c)

before:



books
Start backup
Documents
6TH SEM
CC
Ex6
books
Search books
New
Sort
View
Details
Home
Gallery
Aravind - Persor
Desktop
Documents
Downloads
Music
Pictures
Videos
Games
Ex4
Certificates
Ex5
Ex6
Redmi Note 10T
This PC
Network
Linux
Name
Date modified
Type
Size
book_45524 17-03-2026 20:19 Text Document 382 KB
book_45525 17-03-2026 20:19 Text Document 536 KB
book_45526 17-03-2026 20:19 Text Document 323 KB
book_45527 17-03-2026 20:19 Text Document 134 KB
book_45528 17-03-2026 20:19 Text Document 191 KB
book_45529 17-03-2026 20:19 Text Document 70 KB
book_45530 17-03-2026 20:19 Text Document 297 KB
book_45531 17-03-2026 20:19 Text Document 312 KB
book_45532 17-03-2026 20:19 Text Document 1,296 KB
book_45533 17-03-2026 20:19 Text Document 156 KB
10 items

After:






## d)

before:



upcoming images will give proof for successfully downloading a book and the optimization one if a book already exists It won't download the book.








Note: In the code I changed pg for searching a book because the downloaded books in previous books are names book_<book_id>.txt not pg<book_id>.txt. respectively I removed first 5 letters to give book id's in 2.a)

ii)this book_folder = "../books" to book_folder = "./books" because I have them in same folder

iii)I have given comments in code for the new added functions.

e)




And in terminal the output json is not like shown in exercise pdf.