MAVEN ASSIGNMENT

- Submitted by (Kavita Goodwani INT 438)

1. Install Mayen 1. Send the screenshot of "myn -version"

```
C:\Users\Kavita Goodwani\webapp-session-kavita>mvn -version
Apache Maven 3.6.3 (cecedd343002696d0abb50b32b541b8a6ba2883f)
Maven home: C:\Program Files\apache-maven-3.6.3\bin\..
Java version: 1.8.0_261, vendor: Oracle Corporation, runtime: C:\Program Files\Java\jdk1.8.0_261\jre
Default locale: en_IN, platform encoding: Cp1252
OS name: "windows 10", version: "10.0", arch: "amd64", family: "windows"
```

- 2. Create a sample maven project
 - a. Using archetype plugin and generate goal.
 - b. Give custom values for groupId, artifactId, version, package and execute "mvn install" and "mvn exec:java -Dexec.mainClass=your-fully-qualified-class-name".
 - c. Share zip of project and screenshot for "mvn install" and "mvn exec:java" command

```
[INFO] Scanning for projects...
[INFO] -
           ----- org.apache.maven:standalone-pom >-----
[INFO] Building Maven Stub Project (No POM) 1
INFO] -----[ pom ]-----
[TNFO]
[INFO] >>> maven-archetype-plugin:3.2.0:generate (default-cli) > generate-sources @ standalone-pom >>>
[INFO]
[INFO] <<< maven-archetype-plugin:3.2.0:generate (default-cli) < generate-sources @ standalone-pom <<<
[INFO]
[TNFO]
      --- maven-archetype-plugin:3.2.0:generate (default-cli) @ standalone-pom ---
INFO]
[INFO] Generating project in Batch mode
[INFO]
INFO] Using following parameters for creating project from Old (1.x) Archetype: maven-archetype-quickstart:1.0
[INFO] -
[INFO] Parameter: basedir, Value: C:\Users\Kavita Goodwani
[INFO] Parameter: package, Value: com.accolite.au
[INFO] Parameter: groupId, Value: com.accolite.au
[INFO] Parameter: artifactId, Value: maven-session-kavita
[INFO] Parameter: packageName, Value: com.accolite.au
[INFO] Parameter: version, Value: 1.0
[INFO] project created from Old (1.x) Archetype in dir: C:\Users\Kavita Goodwani\maven-session-kavita
INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 55.924 s
INFO] Finished at: 2020-07-30T11:55:29+05:30
```

```
--- maven-compiler-plugin:3.1:compile (default-compile) @ maven-session-kavita ---
thanges detected - recompiling the module!

[6] File encoding has not been set, using platform encoding Cp1252, i.e. build is platform dependent!
Compiling 1 source file to C:\Users\Kavita Goodwani\maven-session-kavita\target\classes
     --- maven-resources-plugin:2.6:testResources (default-testResources) @ maven-session-kavita ---

KG] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!

skip non existing resourceDirectory C:\Users\Kavita Goodwani\maven-session-kavita\src\test\resources
      --- maven-compiler-plugin:3.1:testCompile (default-testCompile) @ maven-session-kavita ---
hanges detected - recompiling the module!
] file encoding has not been set, using platform encoding Cp1252, i.e. build is platform dep
compiling 1 source file to C:\Users\Kavita Goodwani\maven-session-kavita\target\test-classes
     --- maven-surefire-plugin: 2.12.4:test (default-test) @ maven-session-kavita ---
Surefire report directory: C:\Users\Kavita Goodwani\maven-session-kavita\target\surefire-reports
  nning com.accolite.au.AppTest
sts run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.009 sec
     --- maven-jar-plugin:2.4:jar (default-jar) @ maven-session-kavita --- Building jar: C:\Users\Kavita Goodwani\maven-session-kavita\target\maven-session-kavita-1.0.jar
    C:\Users\Kavita Goodwani\maven-session-kavita>mvn exec:java -Dexec.mainClass=com.accolite.au.App
[INFO] Scanning for projects...
[INFO]
[INFO] ------ com.accolite.au:maven-session-kavita >------
[INFO] Building maven-session-kavita 1.0
[INFO] -----[ jar ]------
[INFO] --- exec-maven-plugin:3.0.0:java (default-cli) @ maven-session-kavita ---
Hello World!
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 0.723 s
[INFO] Finished at: 2020-07-30T11:59:31+05:30
[INFO] ------
```

Directory Structure:




Pom.xml

```
cproject xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4 0 0.xsd">
  <modelVersion>4.0.0</modelVersion>
  <groupId>com.accolite.au</groupId>
  <artifactId>maven-session-kavita</artifactId>
 <packaging>jar</packaging>
  <version>1.0</version>
  <name>maven-session-kavita</name>
  <url>http://maven.apache.org</url>
  <dependencies>
   <dependency>
     <groupId>junit</groupId>
     <artifactId>junit</artifactId>
     <version>3.8.1
     <scope>test</scope>
   </dependency>
 </dependencies>
</project>
```

- 3. Create a maven web-app project
- a. Using archetype plugin and generate goal.
- b. Give custom values for groupId, artifactId, version, package and execute "mvn install" and "mvn exec:java -Dexec.mainClass=your-fully-qualified-class-name".
- c. Share zip of project and screenshot for "mvn install"
- 4.In the above created sample maven project (Step 2) run "mvn install" again but it should now skip the execution of tests.
- a. Send the screenshot of "mvn install" that should skip the execution of tests.

```
Building Maven Stub Project (No POM) 1
          _____[ pom ]------
         >>> maven-archetype-plugin:3.2.0:generate (default-cli) > generate-sources @ standalone-pom >>>
         <<< maven-archetype-plugin:3.2.0:generate (default-cli) < generate-sources @ standalone-pom <<<</pre>
         --- maven-archetype-plugin: 3.2.0: generate (default-cli) @ standalone-pom ---
         Generating project in Interactive mode
INFO] Archetype repository not defined. Using the one from [org.apache.maven.archetypes:maven-archetype-webapp:1.4] found in catalog remote [INFO] Using property: groupId = com.accolite.au
[INFO] Using property: artifactId = webapp-session-kavita
Pefine value for property 'version' 1.0-SNAPSHOT: : 1
[INFO] Using property: package = com.accolite.au
Confirm properties configuration:
 roupId: com.accolite.au
rtifactId: webapp-session-kavita
ersion: 1
ackage: com.accolite.au
 INFO Using following parameters for creating project from Archetype: maven-archetype-webapp:1.4
INFO] Parameter: groupId, Value: com.accolite.au
INFO] Parameter: artifactId, Value: webapp-session-kavita
INFO] Parameter: version, Value: 1
INFO] Parameter: package, Value: com.accolite.au
INFO] Parameter: packageInPathFormat, Value: com/accolite/au
INFO] Parameter: packageInPathFormat, Value: com/accolite/
INFO] Parameter: version, Value: 1
INFO] Parameter: package, Value: com.accolite.au
INFO] Parameter: groupId, Value: com.accolite.au
INFO] Parameter: artifactId, Value: webapp-session-kavita
         Project created from Archetype in dir: C:\Users\Kavita Goodwani\webapp-session-kavita
INFO] Total time: 02:22 min
INFO] Finished at: 2020-07-30T12:23:05+05:30
```

```
Downloading from central: https://repo.maven.apache.org/maven2/commons-codec/1.6/commons-codec/1.6.pom
Downloaded from central: https://repo.maven.apache.org/maven2/commons-codec/1.6/commons-codec/1.6.pom
Downloaded from central: https://repo.maven.apache.org/maven2/commons-codec/1.6.pom
Downloaded from central: https://repo.maven.apache.org/maven2/commons-codec/1.6/commons-codec/1.6.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/shared-untils/0.4/maven-shared-untils-0.4.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/codehaus/pleaus-untils-3.0.15.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/codehaus/pleaus-untils-3.0.15.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/codehaus/pleaus-untils-3.0.15.pom
Downloading from central: https://repo.maven.apache.org/maven2/org/codehaus/pleaus-untils-3.0.15.pom
Downloading from central: https://repo.maven.apache.org/maven2/org/codehaus/pleaus-untils-3.0.15.pom
Downloading from central: https://repo.maven.apache.org/maven2/org/codehaus/pleaus-untils-3.0.15.pom
Downloading from central: https://repo.maven.apache.org/maven2/org/codehaus/pleaus-untils-3.0.15.pleaus-untils-3.0.15.par
Downloaded from central: https://repo.maven.apache.org/maven2/org/sodehaus/pleaus-untils-3.0.15.pleaus-untils-3.0.15.par
Downloaded from central: https://repo.maven.apache.org/maven2/org/sodehaus/pleaus-untils-3.0.15.pleaus-untils-3.0.15.par
Downloaded from central: https://repo.maven.apache.org/maven2/org/sodehaus/pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleaus-untils-3.0.15.pleau
```



Pom.xml

```
<?xml version="1.0" encoding="UTF-8"?>
Foreign the state of the s
        xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
        <modelVersion>4.0.0</modelVersion>
        <groupId>com.accolite.au
        <artifactId>webapp-session-kavita</artifactId>
        <version>l</version>
        <packaging>war</packaging>
        <name>webapp-session-kavita Maven Webapp</name>
        <!-- FIXME change it to the project's website -->
        <url>http://www.example.com</url>
    cproperties>
            cproject.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
             <maven.compiler.source>1.7</maven.compiler.source>
            <maven.compiler.target>1.7</maven.compiler.target>
        </properties>
       <dependencies>
            <dependency>
               <groupId>junit</groupId>
               <artifactId>junit</artifactId>
               <version>4.11</version>
                <scope>test</scope>
             </dependency>
       </dependencies>
       <build>
            <finalName>webapp-session-kavita</finalName>
            <pluginManagement><!-- lock down plugins versions to avoid using Maven defaults (may be moved to parent pom) -->
                <plugins>
                    <plugin>
                    <artifactId>maven-clean-plugin</artifactId>
                        <arctraccio>maven-crean-prugin</arctraccio>
                     <version>3.1.0
                    </plugin>
                     <!-- see http://maven.apache.org/ref/current/maven-core/default-bindings.html#Plugin bindings for war packaging -->
白
                    <plugin>
                     <artifactId>maven-resources-plugin</artifactId>
                        <version>3.0.2
                    </plugin>
中
                    <plugin>
                       <artifactId>maven-compiler-plugin</artifactId>
                        <version>3.8.0
                    </plugin>
中
                   <plugin>
                        <artifactId>maven-surefire-plugin</artifactId>
                        <version>2.22.1
                    </plugin>
中
                   <plugin>
                       <artifactId>maven-war-plugin</artifactId>
                        <version>3.2.2
                    </plugin>
中
                    <plugin>
                        <artifactId>maven-install-plugin</artifactId>
                        <version>2.5.2
                    </plugin>
中
                    <plugin>
                     <artifactId>maven-deploy-plugin</artifactId>
                        <version>2.8.2
                    </plugin>
                 </plugins>
             </pluginManagement>
         </build>
     </project>
```