









# ISPF Programmer's Guide

#### 1 REVIEW

by Franz Lanz

Publisher: De Gruyter Oldenbourg Release Date: November 2015 ISBN: 9783110407655

Topic: Productivity Tools



**CONTINUE READING** 

View table of contents

# **Book Description**

This book is intended to support ISPF application programmers to become professional in the smart programming of ISPF applications using the REXX language. The contents are presented in a modular manner to suit reading with heterogeneous ISPF programming knowledge. The following topics are covered: Introduction to the programming language REXX as well as to ISPF programming, data processing in ISPF applications, use of messages, panels, skeletons, tables, ISPF variables and an introduction to creating and applying edit macros. Each theme is vividly illustrated by programming examples. The Smart ISPF Utilities contain some very useful programming aids that are often useful when programming ISPF applications. The book serves as a textbook as well as a manual for daily work. Many cross-references are included as well as an extensive index. Moreover, the author gives many helpful hints and tips on smart ISPF programming practices. The Smart ISPF Utilities contain many useful programming aids.

De Gruyter Oldenbourg, an imprint of De Gruyter since 2013, publishes content in the fields of history, economics, informatics, and engineering. Our reputation is strong for monographs and textbooks, and we have a close relationship ...



More about De Gruyter Oldenbourg

# **Table of Contents**



**Title** 

**≔** Copyright

Preface

☐ 1 Introduction

- 1.1 Users of this book
- 1.2 The significance of the REXX programming language in z/OS
- 1.3 Brochures for programming ISPF applications
  - 1.3.1 The REXX programming literature
  - 1.3.2 ISPF reference books
  - 1.3.3 TSO reference books
  - 1.3.4 The ISPF services

# 2 Introduction to the REXX programming language

- 2.1 What is REXX?
- 2.2 Overview of REXX under TSO
  - 2.2.1 Recognizing a REXX procedure by the TSO
  - 2.2.2 Running REXX procedures in the TSO
- 2.3 Compile REXX procedures
- 2.4 Performance of REXX procedures
- 2.5 The syntax of the REXX language
- 2.6 Variables in REXX
- 2.7 Data types of DEYY variables

1

- 2.8.1 String operators
- 2.8.2 Arithmetic Operators
- 2.8.3 Compare operators
- 2.8.4 Logical operators

#### 2.9 Stems in REXX

- 2.9.1 Initialize stems with null string
- 2.9.2 File processing in connection with stems
- 2.9.3 Multi-unit Stems

### ӛ

### 3 The REXX commands

- 3.1 ADDRESS Connection to the subsystems
  - 3.1.1 The host command environments
  - 3.1.2 The active host command environment
  - 3.1.3 The temporary addressing of external commands
  - 3.1.4 Special case ISPEXEC and ISREDIT
  - 3.1.5 The main host command environments
- 3.2 ARG Retrieve the parameter string
- 3.3 CALL Call other programs
- 3.4 DO groups and DO loops
  - 3.4.1 The DO group
  - 3.4.2 The DO loop
- 3.5 EXIT and RETURN leaving the REXX procedure
- 3.6 IF and WHEN check conditions
- 3.7 INTERPRET generate REXX commands dynamically
- 3.8 NUMERIC set computing options
- 3.9 PARSE text fragmentation
  - 3.9.1 PARSE ARG
  - 3.9.2 PARSE VALUE WITH
  - 3.9.3 PARSE VAR
  - 3.9.4 PARSE SOURCE



- 3.10.1 Internal subroutines with PROCEDURE statement
- 3.10.2 Internal subroutines without PROCEDURE statement
- 3.11 QUEUE Working with the TSO stack
  - 3.11.1 The TSO/E data stack
  - 3.11.2 Use options for the TSO/E Data Stack
- 3.12 SAY Print texts
- 3.13 SELECT Conditionally call alternative instructions
- 3.14 NOP No operation
- 3.15 PULL Enter data on the screen
- 3.16 TRACE The strong debugging aid
- 3.17 SIGNAL Jumping when errors

### ë≣

### 4 The REXX functions

- 4.1 General functions
  - 4.1.1 ADDRESS Get the active host command environment
  - 4.1.2 ARG Input parameter test or take
  - 4.1.3 DATE Date functions
  - 4.1.4 TIME Time functions
  - 4.1.5 QEUED Number of records in the data stack
  - 4.1.6 SOURCELINE Return a program line
  - 4.1.7 USERID Return the TSO user ID
  - 4.1.8 VALUE Create variable names dynamically
- 4.2 Arithmetic functions
  - 4.2.1 ABS absolute value of a number
  - 4.2.2 DIGITS, FORM, FUZZ Query options for arithmetic operations
  - 4.2.3 MIN, MAX Minimum and maximum value
  - 4.2.4 RANDOM Generate random numbers
  - 4.2.5 SIGN Return of the sign
- 4.3 Comparison Functions



#### 4.3.1 COMPARE - Compare texts

#### 4.4 Conversion functions

- 4.4.1 C2D Character to decimal
- 4.4.2 C2X Character to Hexadecimal
- 4.4.3 D2C Decimal to Character
- 4.4.4 D2X Decimal to Hexadecimal
- 4.4.5 X2B Hexadecimal to Binary
- 4.4.6 X2C Hexadecimal to Character
- 4.4.7 X2D Hexadecimal to Decimal

## 4.5 Formatting functions

- 4.5.1 CENTER Centering a string
- 4.5.2 COPIES Reproduce texts
- 4.5.3 FORMAT Format numbers
- 4.5.4 JUSTIFY Formatting a string
- 4.5.5 LEFT Rearrange text left-justified
- 4.5.6 RIGHT Arrange text right-justified

### 4.6 String functions

- 4.6.1 DELSTR Delete substrings
- 4.6.2 INSERT Insert text
- 4.6.3 SCHANGE Change of texts
- 4.6.4 LENGTH Length of a text
- 4.6.5 OVERLAY Superimpose text
- 4.6.6 POS Search for text
- 4.6.7 STRIP remove border characters
- 4.6.8 SUBSTR Extract part of a text
- 4.6.9 TRANSLATE translate characters
- 4.6.10 VERIFY verify text

#### 4.7 Word functions

- 4.7.1 WORD return of a word
- 4.7.2 WORDINDEX return the starting position of a word



- 4.7.4 WORDPOS search for a word
- 4.7.5 WORDS number of words in a string
- 4.8 System functions
  - 4.8.1 LISTDSI List data set information
  - 4.8.2 MSG control of the TSO messages
  - 4.8.3 MVSVAR Return z/OS system information
  - 4.8.4 OUTTRAP take TSO messages
  - 4.8.5 SYSDSN check data set status
  - 4.8.6 SYSVAR get system Information
  - 4.8.7 STORAGE read and write memory contents

# 5 The TSO/E REXX commands

- 5.1 EXECIO Read and write data sets
- 5.2 DELSTACK delete data stack contents
- 5.3 DROPBUF Delete data stack buffers
- 5.4 TSO Commands

# 6 Execute REXX programs

- 6.1 Execution of programs in a TSO/ISPF environment
  - 6.1.1 Online execution
  - 6.1.2 Batch execution

# 7 Introduction to ISPF programming

- 7.1 Programming languages useable in ISPF
- 7.2 ISPF programming objects
- 7.3 Some typical examples
  - 7.3.1 Example for use of ISPF panels
  - 7.3.2 Example for use of skeletons
  - 7.3.3 Example for use of tables
  - 7.3.4 Example for use of ISPF variables
  - 7.3.5 Example for data processing with TSO and ISPF



- 7.4 LIBDEF Dynamic linking of ISPF libraries
- 7.5 ALTLIB Dynamic linking of EXEC libraries
  - 7.5.1 Search sequence in the procedures libraries
  - 7.5.2 The ALTLIB command in ISPF
  - 7.5.3 Stacking of the APPLICATION level ALTLIBs
  - 7.5.4 The QUIET operand of the ALTLIB DISPLAY command

### æ

## 8 Data set processing using ISPF

- 8.1 The LM services
  - 8.1.1 Grouping of LM services
  - 8.1.2 LMINIT Start of the data set processing
  - 8.1.3 LMFREE Free a data set
  - 8.1.4 LMOPEN Open a data set for processing
  - 8.1.5 LMCLOSE Close a data set
  - 8.1.6 LMMFIND Localize a member
  - 8.1.7 LMMREP Replace a member
  - 8.1.8 LMMADD Add a member
  - 8.1.9 LMGET Read a data records
  - 8.1.10 LMPUT Output data records
  - 8.1.11 LMCOPY Copy data
  - 8.1.12 LMMOVE Move data
  - 8.1.13 LMMDEL Delete members
  - 8.1.14 LMMREN Rename members
  - 8.1.15 LMMSTATS Display or change member statistics
  - 8.1.16 LMCOMP Compress a PDS
  - 8.1.17 LMMLIST Display a member list
  - 8.1.18 LMMDISP Display and edit a member list
  - 8.1.19 LMDINIT Initialize the LMDDISP service
  - 8.1.20 LMDDISP Data set list service
  - 8.1.21 LMDLIST List of data sets



#### 8.1.23 MEMLIST – member list dialog service

### 8.2 Data set query services

- 8.2.1 LMDLIST Data set list service
- 8.2.2 DSINFO ISPF service which provides data set information
- 8.2.3 LISTDSI REXX function to list data set information
- 8.2.4 QBASELIB Query DSN information
- 8.2.5 QLIBDEF Query LIBDEF Information
- 8.2.6 QUERYENQ ENQs determination

# 9 Messages – Definition, setting, output

### 9.1 Error handling in ISPF

- 9.1.1 Returning error messages
- 9.1.2 Output of error messages
- 9.1.3 SETMSG Set next message
- 9.1.4 Definition of ISPF messages
- 9.1.5 Naming convention of the ISPF message IDs
- 9.1.6 Definition of messages
- 9.1.7 The standard message member ISRZ00

### ≡ 10 Panels – create and use

- 10.1 The Dynamic Tag Language (DTL)
- 10.2 Panel types in ISPF
- 10.3 Definition of panels
  - 10.3.1 The structure of a panel
  - 10.3.2 Creation of panels and their call
  - 10.3.3 The panel definition sections
  - 10.3.4 Variables in panel definitions
  - 10.3.5 Panel processing
  - 10.3.6 Help panels
  - 10.3.7 Panels to display ISPF tables



- 11.1 Creating skeletons
- 11.2 Steps to use the file-tailoring service



### 12 Tables - Create and edit

- 12.1 Locations for tables
- 12.2 Reading ISPF tables
- 12.3 Writing ISPF tables
- 12.4 Commands of the table services
- 12.5 Example of working with tables



# 13 Variables – Definition and using

- 13.1 Variables pools
  - 13.1.1 Function pool
  - 13.1.2 Shared pool
  - 13.1.3 Profile pool
- 13.2 Saving the profile members
- 13.3 Creating profile members
- 13.4 Display of actually used profile member
- 13.5 The System Profile Pool
  - 13.5.1 Frequently used ISPF variables
  - 13.5.2 Process ISPF variables



# 14 Edit macros – Create and apply

- 14.1 What is an edit macro?
  - 14.1.1 Naming conventions for edit macros
  - 14.1.2 Example of two very useful edit macros
- 14.2 Table of edit macro commands
- 14.3 Operands and abbreviations used in the edit macro commands
- 14.4 Test aids in the creating macros
  - 14.4.1 Prototyping





- 14.5 System variables of the ISPF editor
- 14.6 Passing parameters to macros
- 14.7 Examples for editing and SUBMIT batch jobs
- 14.8 Mnemonics for macro programming

### ij

### 15 The SMART ISPF utilities

- 15.1 Naming conventions
- 15.2 The dynamic panel concept
- 15.3 List of executable programs
- 15.4 Program descriptions
  - 15.4.1 Edit macro ## Execute a currently edited REXX procedure
  - 15.4.2 Edit macro #ALTXT Realign line parts
  - 15.4.3 Edit macro #EDMEM Edit of a member
  - 15.4.4 Edit macro #IMACROA General ISPF edit macro
  - 15.4.5 Edit macro #IMACRO1 Initial edit macro
  - 15.4.6 Edit macro #IMACRO2 Edit session end macro
  - 15.4.7 Edit macro #ISPFB Submit an ISPF batch job
  - 15.4.8 Edit macro #LCH Perform long edit change commands
  - 15.4.9 Edit macro #SPLJ SPLIT and JOIN lines
  - 15.4.10 Edit macro #SSS Clear SCHFOR lists
  - 15.4.11 Edit macro #SSSCH Mass update of members
  - 15.4.12 Edit macro #SU Submit JCL without a JOB statement
  - 15.4.13 Edit macro #TSOB Submit a TSO batch job
  - 15.4.14 Edit macro #VERASE Erase ISPF profile variables
  - 15.4.15 Program SCURSOR Calling a data set from an ISPF screen
  - 15.4.16 Program SDOC Produce documentation members
  - 15.4.17 Program SLE Display last edited data sets
  - 15.4.18 SLOGDSN Data member containing DSNs for logon
  - 15.4.19 Program SLOGON Personal logon procedure
  - 15.4.20 Program SPROFEDT Store users ISPF profile variables



- 15.4.22 Program SSC Super clone for data sets
- 15.4.23 Program SSS Perform a Super-Search

### 15.5 Programming aids

- 15.5.1 Edit macro #C Compile and execute a REXX program
- 15.5.2 Edit macro #RO Online compile of a REXX program
- 15.5.3 Edit macro #RC Compile a REXX procedure with a batch job
- 15.5.4 Edit macro #RCLOAD Produce a load or a call module
- 15.5.5 Edit macro #IE Insert a call to ISPF\_ERROR
- 15.5.6 Subroutine ISPF\_ERROR Display ISPF error messages
- 15.5.7 Edit macro #PAN Execute a panel source code
- 15.5.8 Subroutine DAYDIFF Calculate number of days
- 15.5.9 Subroutine ENDDAY Calculate a target date
- 15.5.10 Subroutine JULDATE Translate a date to Julian and vise versa
- 15.5.11 Subroutine LEAPYEAR Return the leap year information
- 15.5.12 REXX subroutine SCHANGE REXX change function
- 15.5.13 Program SDYNPAN Convert a panel source code

#### 15.6 Installation of SMART ISPF utilities

- 15.6.1 Download and unzip
- 15.6.2 Installation
- 15.6.3 ALTLIB command
- 15.6.4 Make the SMART ISPF utilities ready to run
- **E** List of programs
- **E** List of tables
- **Bibliography**
- **¡** Index



Terms of Service / Privacy Policy

