

Multimodal in Groq:

1. Llama 4 Scout:
 - Vision (Image-to-Text)
 - Function Calling / Tool Use
 - Text to Text
 - Multilingual
2. Qwen 3 32B:
 - Reasoning
 - Function Calling / Tool Use
3. Whisper Large V3
 - Speech to text
 - Multilingual
4. Orpheus English
 - Text to Speech
5. GPT OSS 120B
 - Reasoning
 - Function Calling / Tool Use
 - Text to Text
 - Multilingual

Multimodal in OPENAI:

1. GPT-4.1:
 - Text input/output
 - Image input
2. Whisper
 - Speech to text
 - Audio transcription
 - Multilingual
3. TTS-1 / TTS-1-HD
 - Text to Speech
 - Natural Voice Output
 - Multilingual
4. gpt-image-1-mini
 - Text to Image
 - Image to Image
 - Image Editing
 - Multimodal Image Understanding
5. gpt-realtime
 - Real-time Voice Conversation
 - Audio Input / Output
 - Speech to Speech
 - Function Calling / Tool Use
 - Multilingual

OPEN AI Model	Context window	Input	Output	Input token cost	Cached token cost	Output token cost
GPT-4.1	1M	Text, Image	Text	\$2.00 per 1M	\$0.50 per 1M	\$8.00 per 1M
gpt-4.1-mini	1M	Text, Image	Text	\$0.40 per 1M	\$0.10 per 1M	\$1.60 per 1M
gpt-realtime	32K	Text, audio, image	Text, audio	Text tokens: \$4.00 per 1M	Text tokens: \$0.40 per 1M	Text tokens: \$16.00 per 1M

3) use the Tokenizer with different prompt and see how the tokens are generated

<https://platform.openai.com/tokenizer>

Prompt 1:

Write a Selenium automation framework using Java and TestNG.

Tokens	Characters
11	60

Write a Selenium automation framework using Java and TestNG.

Prompt 2:

Write a Selenium automation frame work using Java and TestNG.

Tokens	Characters
12	61

Write a Selenium automation frame work using Java and TestNG.

Prompt 3:

Write a Selenium automation framework using Java and TestNG

Tokens	Characters
10	59

Write a Selenium automation framework using Java and TestNG