

Home Workspaces API Network

Search Postman Ctrl + K

Invite Upgrade No environment

Aravindh's Workspace New Import Overview POST http://localhost:8082/i • GET http://localhost:8086/pi • POST http://localhost:8082/e • +

Collections

Environments

Flows

History

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

My first collection

- First folder inside collection
 - GET
 - POST
 - PUT
- Second folder inside collection
 - GET
 - PUT

Save Share

Send

http://localhost:8086/products/5

GET http://localhost:8086/products/5

Params Authorization Headers (8) Body Scripts Tests Settings Cookies Beautify

Body (raw JSON)

```
1: {  
2:   "name": "Note Books",  
3:   "quantity": 50,  
4:   "stock": "AVAILABLE"  
5: }  
6:
```

Body Cookies Headers (5) Test Results

200 OK 1.30 s 330 B

{} JSON Preview Visualize

```
1: {  
2:   "productId": 5,  
3:   "name": "Note Books",  
4:   "quantity": 50,  
5:   "stock": "AVAILABLE",  
6:   "createdTimestamp": "2025-11-19T11:00:54.528655",  
7:   "updatedTimestamp": "2025-11-19T11:05:32.352718"  
8: }  
9:
```

Online Find and replace Console

Runner Start Proxy Cookies Vault Trash

ENG IN 1115 19-11-2025

Home Workspaces API Network

Search Postman Ctrl + K

Invite Upgrade No environment

Aravindh's Workspace New Import Overview POST http://localhost:8082/i • GET http://localhost:8086/pi • POST http://localhost:8082/t • +

Collections

Environments

Flows

History

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

My first collection

- First folder inside collection
 - GET
 - POST
 - PUT
- Second folder inside collection
 - GET
 - PUT

Save Share

Send

http://localhost:8086/products/3

GET http://localhost:8086/products/3

Params Authorization Headers (8) Body Scripts Tests Settings Cookies Beautify

Body (raw JSON)

```
1: {  
2:   "name": "Note Books",  
3:   "quantity": 50,  
4:   "stock": "AVAILABLE"  
5: }  
6:
```

Body Cookies Headers (5) Test Results

200 OK 17 ms 333 B

{} JSON Preview Visualize

```
1: {  
2:   "productId": 3,  
3:   "name": "Note Books",  
4:   "quantity": 50,  
5:   "stock": "NOT AVAILABLE",  
6:   "createdTimestamp": "2025-11-19T10:59:41.461941",  
7:   "updatedTimestamp": "2025-11-19T11:05:03.954284"  
8: }  
9:
```

Online Find and replace Console

Runner Start Proxy Cookies Vault Trash

ENG IN 11:15 19-11-2025

Home Workspaces API Network

Search Postman Ctrl + K

Invite Upgrade No environment

Aravindh's Workspace New Import Overview POST http://localhost:8082/i PUT http://localhost:8086/pi POST http://localhost:8082/c +

Collections

Environments

Flows

History

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

My first collection

- First folder inside collection
 - GET
 - POST
 - PUT
- Second folder inside collection
 - GET
 - PUT

PUT http://localhost:8086/products/5

Params Authorization Headers (8) Body Scripts Tests Settings

Body (raw JSON)

```
1 {  
2   "name": "Note Books",  
3   "quantity": 60,  
4   "stock": "AVAILABLE"  
5 }  
6
```

Send Cookies Beautify

Body Cookies Headers (5) Test Results

200 OK - 244 ms - 331 B -

{} JSON Preview Visualize

```
1 {  
2   "productId": 5,  
3   "name": "Note Books",  
4   "quantity": 60,  
5   "stock": "AVAILABLE",  
6   "createdTimestamp": "2025-11-19T11:00:54.528655",  
7   "updatedTimestamp": "2025-11-19T11:16:09.1169441"  
8 }
```

Online Find and replace Console

Runner Start Proxy Cookies Vault Trash

ENG IN 11:16 19-11-2025

Home Workspaces API Network

Search Postman Ctrl + K

Invite Upgrade No environment

Aravindh's Workspace New Import Overview POST http://localhost:8082/ POST http://localhost:8086/ POST http://localhost:8082/ +

Collections + Search collections

Environments My first collection First folder inside collection POST POST POST Second folder inside collection POST POST

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

POST http://localhost:8086/products

Params Authorization Headers (8) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1: {  
2:   "name": "english book",  
3:   "quantity": 20,  
4:   "stock": "AVAILABLE"  
5: }
```

Body Cookies Headers (5) Test Results

200 OK 22 ms 333 B

Body JSON Preview Visualize

```
1: {  
2:   "productId": 22,  
3:   "name": "english book",  
4:   "quantity": 20,  
5:   "stock": "AVAILABLE",  
6:   "createdTimestamp": "2025-11-19T11:18:25.573367",  
7:   "updatedTimestamp": "2025-11-19T11:18:25.573367"  
8: }
```

Online Find and replace Console

Runner Start Proxy Cookies Vault Trash ENG IN 11:18 19-11-2025