

12/11/

2021

Program no: 1 , col 1

Aim : Model a simple HTML file to demonstrate the use of different tags.

Program:

```
<html>
  <head>
    <title> HTML Page </title>
  </head>
  <body>
    <h1> Some HTML Tags </h1>
    <h1> Heading tag </h1>
    <b> <h1> Bold tag </h1> </b>
    <i> <h1> Italic tag </h1> </i>
    <u> <h1> Underline tag </h1> </u>
    <p> Paragraph tag </p>
    <label> Unordered List </label>
    <ul>
      <li> First element </li>
      <li> Second element </li>
      <li> Third element </li>
    </ul>
```


<label> Ordered List </label>

 First element

 Second element

 Third element

<label> Hyper Link </label>

 Click

<label> Image tag </label>

<label> Form and Input tag </label>

<form>

<input type = "text">

<input type = "submit">

</form>

<label> Table tag </label>

<table border = "1"> <tr> <th> Heading 1 </th>

<th> Heading 2 </th> </tr> <tr> <td> Column 1 </td>

<td> Column 2 </td> </tr>

</table> </html>

Result :

The program has been executed and the output was verified.

Output :

HTML Page

Some HTML Tags

Heading tag

Bold Tag

Italic tag

Underline tag

Paragraph tag

Unordered List

- First element
- Second element
- Third element

Ordered List

1. First element
2. Second element
3. Third element

Hyper Link

click

Form and Input tag

Table tag

Heading 1	Heading 2
Column 1	Column 2