Assignment -2

Python-flask Programming

ASSIGNMENT NUMBER	2
STUDENT NAME	Guru Deepa . K
STUDENT ROLL NUMBER	723920104024
COLLEGE NAME	ARJUN COLLEGE OF TECHNOLOGY

Question-1:

- 1. Create a Flask App
- 2. Add the Home page, About Page
- 3. Add the Bootstrap 4.Add the Sign in page and App the Signup Page + database connectivity

app.py:

```
from site import USER_BASE
from flask import Flask, render_template, url_for, request, redirect
import sqlite3 assql
defsignin():
    returnrender_template('signin.html')app=Flask(__name__)
app.secret_key = 'zxyuhg'
@app.route('/') Defhome(): con
=sql.connect('user_base.db')
con.row_factory=sql.Row
cur=con.cursor()
cur.execute('select *from user')
    users= cur.fetchall()
con.close()
    returnrender_template('index.html',users=users)
@app.route('/about')
defabout():
    returnrender_template('about.html')
@app.route('/signin')
@app.route('/signup')
defsingup():
```

```
returnrender_template('signup.html')
@app.route('/user/<id>') defuser_page(id):
withsql.connect('user_base.db') as con:
con.row factory=sql.Row
=con.cursor()
        cur.execute(f'SELECT * FROM user WHERE email="{id}"')
user = cur.fetchall()
    returnrender_template("user_info.html", user=user[0])
@app.route('/accessbackend', methods=['POST','GET'])
defaccessbackend():
                      ifrequest.method == "POST":
                firstname=request.form['firstname']
try:
lastname=request.form['lastname']
e_mail= request.form['email']
phone=request.form['phone']
password=request.form['password']
dob=request.form['dob']
            withsql.connect('user base.db') as con:
cur =con.cursor()
                cur.execute('INSERT INTO user (firstname, lastname, email,
phone, password, dob ) VALUES(?,?,?,?,?,?)',
(str(firstname), str(lastname), str(e_mail), str(phone), str(password), str(dob))
                con.commit()
                msg='u r resgistered!'
            except:
con.rollback()
            msg='some error'
        finally:
            print(msg)
                                  return
redirect(url for('home')) else:
try:
            tue=request.args.get('email')
tup=request.args.get('password')
print(tue,tup)
withsql.connect('user base.db') as con:
con.row_factory=sql.Row
                                       cur=con.cursor()
                cur.execute(f'SELECT password FROM user
WHERE email="{tue}"')
                                     user= cur.fetchall()
except:
            print('error')
                                      con.rollback()
finally:
                    iflen(user) >0:
                                                    iftup ==
user[0][0]:
                               return
redirect(url_for("user_page",id=tue))
print(user[0][0])
```

```
return redirect(url_for('signin'))
```

About.html:

Base.html

```
<!DOCTYPEhtml>
<htmllang="en">
        <metacharset="utf-8">
        <metaname="viewport"content="width=device-width, initial-scale=1">
<linkhref="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min</pre>
.css"rel="stylesheet"integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"crossorigin="
anonymous">
<scriptsrc="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bun</pre>
dle.min.js"integrity="sha384-
MrcW6ZMFY1zcLA8N1+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"crossorigin="
anonymous"></script>
filename='css/style.css')}}"> --> {% block head%}{%
endblock %}
</head>
<bodystyle="background: linear-gradient(70deg, blue 10%, pink);">
    <navclass="navbarnavbar-expand-lgnavbar-light bg-light">
        <divclass="container-fluid">
          <aclass="navbar-brand"href="#">Navbar</a>
          <buttonclass="navbar-toggler"type="button"data-</pre>
bstoggle="collapse"data-bs-target="#navbarSupportedContent"aria-
controls="navbarSupportedContent"aria-expanded="false"aria-label="Toggle
navigation">
           <spanclass="navbar-toggler-icon"></span>
```

```
</button>
         <divclass="collapse navbar-collapse"id="navbarSupportedContent">
           <ulclass="navbar-nav me-auto mb-2 mb-lg-0">
             <liclass="nav-item">
               <aclass="nav-link active"aria-current="page"href="/">Home</a>
<liclass="nav-item">
               <aclass="nav-link"href="/signin">signin</a>
             <liclass="nav-item">
               <aclass="nav-link"href="/signup">signup</a>
             <liclass="nav-item">
               <aclass="nav-link"href="/about">about</a>
             <liclass="nav-item dropdown">
<aclass="nav-link dropdown-
toggle"href="#"id="navbarDropdown"role="button"data-bs-
toggle="dropdown"ariaexpanded="false">
                 Dropdown
               </a>
               <ulclass="dropdown-menu"aria-labelledby="navbarDropdown">
                 <aclass="dropdown-item"href="#">Action</a>
                 <aclass="dropdown-item"href="#">Another action</a>
                 <hrclass="dropdown-divider">
                 <aclass="dropdown-item"href="#">Something</a>
                                                                        else
here</a>
               <formclass="d-flex">
              <inputclass="form-control me-</pre>
2"type="search"placeholder="Search"aria-label="Search">
             <buttonclass="btnbtn-</pre>
outlinesuccess"type="submit">Search</button>
           </form>
         </div>
       </div>
     </nav>
    <divclass="container mt-5">
        {% block body %} {% endblock %}
    </div>
</body>
</html>
```

Index.html

```
{% extends 'base.html '%}
{% block head %}
```

```
<title>home page</title> {% endblock%}
{%block body%}
<mainclass="container mx-auto my-4 bg-light border border-2"style="width:</pre>
70%;">
<divclass="p-4">
   <h1>Welcome to the flask app</h1>
    <h2>register user list </h2>
<div>{% for user in users%}
               style="background: linear-gradient(to top,rgb(51,204,255), 20%,
cyan);"class="border rounded fs-4 p-1 px-2 mb-3"style="width: 40%;">
            {{ user["firstname"] + " " +user['lastname'] }}
        </div>
{% endfor %}
    </div>
</div>
</main>
{% endblock%}
```

Signin.html

```
{% extends 'base.html '%}
{% block head %}
<title>Sigin page</title>
{% endblock%}
{%block body%}
<mainclass="container">
    <divclass="mx-auto mt-5 border bg-light"style="width:500px;">
    <h2class='mx-4 mt-2'>SINGIN</h2>
    <formaction="{{url for('accessbackend') }}"method="get">
        <divclass="my-2 mx-4">
            <labelfor="email">Email</label>
<inputtype="email"class="form-</pre>
control"placeholder="adc@gmail.com"name="email"required/>
        </div>
        <divclass="my-2 mx-4">
            <labelfor="password">password</label>
<inputtype="password"class="formcontrol"</pre>
name="password"required/>
        </div>
        <inputtype="submit"value="submit"class="btnbtn-primary my-4 mt-2 "/>
    </form></div>
</main>
{% endblock%}
```

Signup:

```
{% extends 'base.html '%}
{% block head %}
<title>Signup page</title>
{% endblock%}
{%block body%}<mainclass="container">
    <divclass="mx-auto mt-5 border bg-light"style="width: 500px;">
    <h2class="mx-4 mt-2">SIGNUP</h2>
    <formaction="{{url_for('accessbackend') }}"method="post">
        <divclass="my-2 mx-4">
            <labelfor="firstname">first name</label>
            <inputtype="text"class="form-</pre>
control"placeholder="Ram"name="firstname"required/>
        </div>
        <divclass="my-2 mx-4">
            <labelfor="lastname">last name</label>
            <inputtype="text"class="form-</pre>
control"placeholder="kumar"name="lastname"required/>
        </div>
        <divclass="my-2 mx-4">
            <labelfor="email">email</label>
<inputtype="text"class="form-</pre>
control"placeholder="abc@gmail.com"name="email"required/>
        </div>
        <divclass="my-2 mx-4">
            <labelfor="phone">phone</label>
<inputtype="text"class="form-</pre>
control"placeholder="0987654321"name="phone"required/>
        </div>
        <divclass="my-2 mx-4">
            <labelfor="password">password</label>
<inputtype="password"class="form-</pre>
control"placeholder="password"name="password"required/>
        </div>
        <divclass="my-2 mx-4">
            <labelfor="dob">date of brith</label>
            <inputtype="date"class="form-control"name="dob"required/>
</div>
        <inputtype="submit"value="submit"class="btnbtn-primary my-4 my-2</pre>
mt2"/>
    </form>
    </div>
</main>
{% endblock%}
```

```
Information database: {% extends 'base.html '%}
{% block head %}
<title>home page</title>
{% endblock%}
```

Database setup:


```
import sqlite3
conn =sqlite3.connect('user_base.db') print('successfully
database opened')

conn.execute(' CREATE TABLE user(firstname TEXT, lastname TEXT, email TEXT,
phone TEXT, password TEXT, dob TEXT);')


print("table created")
conn.close()
```

output:


Signup:




Singin:



About:



Home page:



Database connectivity:

