



SENSE VARUN ENVIRONMENTAL LABORATORY PVT. LTD.

Accredited Organisation by National Accreditation Board for Testing and Calibration Laboratories (NABL)

CIN : U37003MP2024PTC072692



TEST REPORT

Sample Number:	SVEL/W/C/126	Report Dispatch No.	SVEL/2026/514
Name & Address of Party:	M/s Gosalpur Iron Ore, Laterite, Manganese Ore & Ochre Mine (Lease area 39.44 Hectare) Tehsil:- Sihora, District:- Jabalpur, M.P.	Report No.	R/C/126
		Party Reference No.:	-
Sample Description:	Ground Water	Reporting Date :	14-02-2026
Sampling Location :	Ground Water of M/s Gosalpur Iron Ore, Laterite, Manganese Ore & Ochre Mine (Lease area 39.44 Hectare), Tehsil:- Sihora, District:- Jabalpur, M.P.	Receipt Date	06/02/2026
		Sampling Date :	05/02/2026
Client Representative (Name & Designation) :	-	Analysis Duration	06/02/2026 To 12/02/2026
Sample collected by (Name & Designation) :	Shri Ayush Ninave	Type of Sampling:	Grab
Sampling Protocol:	As per APHA 24 th edition	Sample Quantity:	2 Litre
Preservation :	Cool at < 6°C	Sample Received By :	R. P. Tiwari
Environmental Conditions:- Temperature 24 °C, Humidity 53%			

TEST RESULTS

S. No.	Parameter	Test Protocol	Result	Unit	Limits of IS: 10500-2012 Amen. 01, 2015	
					Desirable Limit (Max)	Permissible Limit in the Absence of Alternate Source (Max)
1.	pH	APHA (24 th edition) 4500-H+ : 2023	7.42 @ 25°C	-	6.5-8.5	No relaxation
2.	Turbidity	APHA (24 th edition) 2130 B:2023	3.0	NTU	1	5
3.	Odour	APHA (24 th edition) 2150 B:2023	Agreeable	-	Agreeable	Agreeable
4.	Taste	APHA (24 th edition) 2160 C:2023	Agreeable	-	Agreeable	Agreeable
5.	Total Hardness as CaCO ₃	APHA (24 th edition) 2340 C : 2023	328.00	mg/l	200	600
6.	Magnesium as Mg	APHA (24 th edition) 3500-Mg-B :2023	33.04	mg/l	30	100
7.	Calcium as Ca	APHA (24 th edition) 3500 Ca-B:2023	76.95	mg/l	75	200
8.	Total Dissolve Solids	APHA (24 th edition) 2540 C:2023	568.00	mg/l	500	2000
9.	Chloride as Cl ⁻	APHA (24 th edition) 4500-Cl-B:2023	118.96	mg/l	250	1000
10.	Sulphate as SO ₄ ²⁻	APHA (24 th edition) SO ₄ -2E :2023	71.50	mg/l	200	400
11.	Nitrate Nitrogen (as NO ₃ -N)	APHA (24 th edition) NO ₃ B :2023	3.89	mg/l	45	No relaxation

8226023925



Scheme No. 14, Plot No. 160, Ghari Chowk,
Main Road, Vijay Nagar, Jabalpur (M.P.) 482002

Page 1 of 2



senseenvlab@gmail.com



https://sense-varunlabs.com/

GSTIN : 23ABOCS2052C1Z0



SENSE VARUN ENVIRONMENTAL LABORATORY PVT. LTD.

Accredited Organisation by National Accreditation Board for Testing and Calibration Laboratories (NABL)

CIN : U37003MP2024PTC072692



12.	Fluoride as F ⁻	APHA (24 th edition) 4500 F D :2023	BDL (<0.05 mg/l)	mg/l	1.0	1.5
13.	Iron as Fe	APHA (24 th edition) 3500 Fe B :2023	BDL (<0.10 mg/l)	mg/l	0.3	No relaxation

Note:-

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 days.
4. The above results are related to the tested sample only.

Reviewed by:

Name: V.K. Baghel

Designation:- Technical Manager

Signature:-


Authorized Signatory:

Name:- Mahendra Singh

Designation: Quality Manager

Signature:-

*****End of the Report*****





SENSE VARUN ENVIRONMENTAL LABORATORY PVT. LTD.

Accredited Organisation by National Accreditation Board for Testing and Calibration Laboratories (NABL)

CIN : U37003MP2024PTC072692



TEST REPORT

Sample Number:	SVEL/SW/C/127	Report Dispatch No.	SVEL/K026/514
Name & Address of Party:	M/s Gosalpur Iron Ore, Laterite, Manganese Ore & Ochre Mine (Lease area 39.44 Hectare) Tehsil:- Sihora, District:- Jabalpur, M.P.	Report No.	R/C/127
		Party Reference No.:	-
Sample Description:	Surface Water	Reporting Date :	14-02-2026
Sampling Location :	Mines Pit Water of Gosalpur Iron Ore, Laterite, Manganese Ore & Ochre Mine (Lease area 39.44 Hectare), Tehsil:- Sihora, District:- Jabalpur, M.P.	Receipt Date	06/02/2026
		Sampling Date :	05/02/2026
Client Representative (Name & Designation) :	-	Analysis Duration	06/02/2026 To 12/02/2026
Sample collected by (Name & Designation) :	Shri Ayush Ninave	Type of Sampling:	Grab
Sampling Protocol:	As per APHA 24 th edition	Sample Quantity:	2 Litre
Preservation :	Cool at < 6°C	Sample Received By :	R. P. Tiwari
Environmental Conditions:- Temperature 24 °C, Humidity 53%			

TEST RESULTS

S. No.	Parameter	Test Protocol	Result	Unit	Limits of IS: 10500-2012 Amen. 01, 2015	
					Desirable Limit (Max)	Permissible Limit in the Absence of Alternate Source (Max)
1.	pH	APHA (24 th edition) 4500-H+ : 2023	7.23 @ 25°C	-	6.5-8.5	No relaxation
2.	Turbidity	APHA (24 th edition) 2130 B:2023	3.40	NTU	1	5
3.	Odour	APHA (24 th edition) 2150 B:2023	Agreeable	-	Agreeable	Agreeable
4.	Total Hardness as CaCO ₃	APHA (24 th edition) 2340 C : 2023	248.00	mg/l	200	600
5.	Magnesium as Mg	APHA (24 th edition) 3500-Mg-B :2023	34.50	mg/l	30	100
6.	Calcium as Ca	APHA (24 th edition) 3500 Ca-B:2023	42.48	mg/l	75	200
7.	Total Dissolve Solids	APHA (24 th edition) 2540 C:2023	638.00	mg/l	500	2000
8.	Chloride as Cl ⁻	APHA (24 th edition) 4500-Cl-B:2023	115.96	mg/l	250	1000
9.	Sulphate as SO ₄ ²⁻	APHA (24 th edition) SO ₄ -2E :2023	55.26	mg/l	200	400
10.	Nitrate Nitrogen (as NO ₃ -N)	APHA (24 th edition) NO ₃ B :2023	4.39	mg/l	45	No relaxation

8226023925

senseenvlab@gmail.com

https://sense-varunlabs.com/

GSTIN : 23ABOCS2052C1Z0



SENSE VARUN ENVIRONMENTAL LABORATORY PVT. LTD.

Accredited Organisation by National Accreditation Board for Testing and Calibration Laboratories (NABL)

CIN : U37003MP2024PTC072692



11.	Fluoride as F ⁻	APHA (24 th edition) 4500 F D :2023	BDL (<0.05 mg/l)	mg/l	1.0	1.5
12.	Iron as Fe	APHA (24 th edition) 3500 Fe B :2023	0.23	mg/l	0.3	No relaxation

Note:-

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 days.
4. The above results are related to the tested sample only.

Reviewed by:

Name: V.K. Baghel

Designation:- Technical Manager

Signature:-


Authorized Signatory:

Name:- Mahendra Singh

Designation: Quality Manager

Signature:-

*****End of the Report*****





SENSE VARUN ENVIRONMENTAL LABORATORY PVT. LTD.

Accredited Organisation by National Accreditation Board for Testing and Calibration Laboratories (NABL)

CIN : U37003MP2024PTC072692



TEST REPORT

TEST REPORT NO: R-C-123

DATE OF REPORT: 14-02-2026

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name & Address of Customer

M/s Gosalpur Iron Ore, Laterite, Manganese Ore &
Ochre Mine (Lease area 39.44 Hectare)
Tehsil:- Sihora, District:- Jabalpur, M.P.

Date of Monitoring

: 04/02/2026 To 05/02/2026

Analysis Start Date

: 06/02/2026

Analysis End Date

: 12/02/2026

Time of Monitoring

: 08:00 AM To 08:00 AM

Sample ID No.

: SVEL/A/C/123

Sampling Done by

: Ayush Ninave

Sampling Location

: Buffer Zone

Sampling Method

: As per CPCB Guideline

Sampling Machine Placed at Height

: 1.5 Meter from ground level

Weather Condition

: Clear

Wind Direction

: Intermediately Change

Ambient Temperature

: 22 °C

Equipment Used

: R.D.S. & F.P.S.

Environment Conditions

: Temperature 24 °C, Humidity 52%

S. No.	Test Parameter	Unit	Result	Specification/Limit	Test Method
				(As per CPCB)	
1.	Particulate Matter (PM10)	µg/m ³	65.88	For 24 Hrs = 100	IS 5182:Part 23:2006 (RA:2022)
2.	Particulate Matter (PM 2.5)	µg/m ³	48.33	For 24 Hrs = 60	IS 5182:Part 24:2019
3.	Sulphur Dioxide (SO ₂)	µg/m ³	24.48	For 24 Hrs = 80	IS 5182 : Part 2 : 2018 (RA : 2023)
4.	Nitrogen Dioxide (NO ₂)	µg/m ³	31.95	For 24 Hrs = 80	IS 5182 : Part 6 : 2006 (RA: 2022)

Note:-

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 days.
4. The above results are related to the tested sample only.

Reviewed by:

Name: V.K. Baghel

Designation:- Technical Manager

Signature:-

Authorized Signatory:

Name:- Mahendra Singh

Designation:- Quality Manager

Signature:-

*****End of the Report*****



SENSE VARUN ENVIRONMENTAL LABORATORY PVT. LTD.

Accredited Organisation by National Accreditation Board for Testing and Calibration Laboratories (NABL)

CIN : U37003MP2024PTC072692



TEST REPORT

TEST REPORT NO: R-C-124

DATE OF REPORT: 14-02-2026

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name & Address of Customer

M/s Gosalpur Iron Ore, Laterite, Manganese Ore &
Ochre Mine (Lease area 39.44 Hectare)
Tehsil:- Sihora, District:- Jabalpur, M.P.

Date of Monitoring

: 04/02/2026 To 05/02/2026

Analysis Start Date

: 06/02/2026

Analysis End Date

: 12/02/2026

Time of Monitoring

: 08:00 AM To 08:00 AM

Sample ID No.

: SVEL/A/C/124

Sampling Done by

: R. P. Tiwari

Sampling Location

: Core Zone

Sampling Method

: As per CPCB Guideline

Sampling Machine Placed at Height

: 1.5 Meter from ground level

Weather Condition

: Clear

Wind Direction

: Intermediately Change

Ambient Temperature

: 22 °C

Equipment Used

: R.D.S. & F.P.S.

Environment Conditions

: Temperature 24 °C, Humidity 52%

S. No.	Test Parameter	Unit	Result	Specification/Limit	Test Method
				(As per CPCB)	
1.	Particulate Matter (PM10)	µg/m ³	67.28	For 24 Hrs = 100	IS 5182:Part 23:2006 (RA:2022)
2.	Particulate Matter (PM 2.5)	µg/m ³	45.00	For 24 Hrs = 60	IS 5182:Part 24:2019
3.	Sulphur Dioxide (SO ₂)	µg/m ³	21.82	For 24 Hrs = 80	IS 5182 : Part 2 : 2018 (RA : 2023)
4.	Nitrogen Dioxide (NO ₂)	µg/m ³	33.79	For 24 Hrs = 80	IS 5182 : Part 6 : 2006 (RA: 2022)

Note:-

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 days.
4. The above results are related to the tested sample only.

Reviewed by:

Name: V.K. Baghel

Designation: Technical Manager

Signature:

Authorized Signatory:

Name:- Mahendra Singh

Designation: Quality Manager

Signature:-

*****End of the Report*****



8226023925



senseenvlab@gmail.com



https://sense-varunlabs.com/

GSTIN : 23ABOCS2052C120



SENSE VARUN ENVIRONMENTAL LABORATORY PVT. LTD.

Accredited Organisation by National Accreditation Board for Testing and Calibration Laboratories (NABL)

CIN : U37003MP2024PTC072692



TEST REPORT

TEST REPORT NO: R-C-128

DATE OF REPORT: 14-02-2026

NOISE MONITORING REPORT

Name & Address of Customer M/s Gosalpur Iron Ore, Laterite, Manganese Ore & Ochre Mine (Lease area 39.44 Hectare), Tehsil:- Sihora, District:- Jabalpur, M.P.

Date of Monitoring 04/02/2026

Monitoring Start Date 04/02/2026

Monitoring End Date 05/02/2026

Duration of Monitoring 24 hrs.

Monitoring Done By P. Choukhe

Sampling Method As per CPCB Guideline

Category of Area Industrial Area

Test Parameter Ambient Noise Level

Test Method IS 9989 – 1981: (RA: 2023)

Environmental Condition Temperature 24 °C, Humidity 53%

Day Time Monitoring

S.No.	Sampling Location	Sample ID	Unit	Result
01.	Buffer Zone	SVEL/AN/C/128	dB (A) Leq	61.4

Night Time Monitoring

S.No.	Sampling Location	Sample ID	Unit	Result
01.	Buffer Zone	SVEL/AN/C/128	dB (A) Leq	42.6

Note: -

- 1.This report is not be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 days.
4. The above results are related to the tested sample only.

Reviewed by:

Name: V.K. Baghel

Designation: Technical Manager

Signature: 

Authorized Signatory:

Name:- Mahendra Singh

Designation: Quality Manager

Signature: 

*****End of the Report*****



SENSE VARUN ENVIRONMENTAL LABORATORY PVT. LTD.

Accredited Organisation by National Accreditation Board for Testing and Calibration Laboratories (NABL)

CIN : U37003MP2024PTC072692



TEST REPORT

TEST REPORT NO: R-C-125

DATE OF REPORT: 14-02-2026

NOISE MONITORING REPORT

Name & Address of Customer M/s Gosalpur Iron Ore, Laterite, Manganese Ore & Ochre Mine (Lease area 39.44 Hectare), Tehsil:- Sihora, District:- Jabalpur, M.P.

Date of Monitoring 04/02/2026

Monitoring Start Date 04/02/2026

Monitoring End Date 05/02/2026

Duration of Monitoring 24 hrs.

Monitoring Done By P. Choukhe

Sampling Method As per CPCB Guideline

Category of Area Industrial Area

Test Parameter Ambient Noise Level

Test Method IS 9989 – 1981: (RA: 2023)

Environmental Condition Temperature 24 °C, Humidity 53%

Day Time Monitoring

S.No.	Sampling Location	Sample ID	Unit	Result
01.	Near Project Site	SVEL/AN/C/125	dB (A) Leq	65.3

Night Time Monitoring

S.No.	Sampling Location	Sample ID	Unit	Result
01.	Near Project Site	SVEL/AN/C/125	dB (A) Leq	48.7

Note: -

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 days.
4. The above results are related to the tested sample only.

Reviewed by:

Name: V.K. Baghel


Designation:- Technical Manager

Signature: 

Authorized Signatory:

Name:- Mahendra Singh

Designation: Quality Manager

Signature:- 

*****End of the Report*****



8226023925



senseenvlab@gmail.com



<https://sense-varunlabs.com/>

GSTIN : 23ABOCS2052C1Z0