

DESIGN CODE NS 03

NOVALITY STORE

Designed by Novality Crochet Studio



Axel the Axolotl

A soft pink axolotl with six fluffy gills, a round head and a shell-edged paddle tail. Head, neck, body and tail are worked as one continuous spiral – no neck seam to sew.

US terms

Advanced beginner

2.5 - 3 hours

FINISHED SIZE

About 11.5 cm (4.5 in) tall seated · about 10 cm (4 in) wide gill tip to gill tip · 4.3 cm (1.7 in) tail. Head is a near-true sphere at 52 mm wide x 51.6 mm tall.

Before You Begin

SAFETY - READ THIS FIRST

Axel has two 6 mm safety eyes. Safety eyes are small parts. Lock the washers firmly from the inside before stuffing, and pull-test every eye on the finished toy – a properly locked washer will not come off by hand.

The gills, arms, feet and tail fin are all sewn on. Sew each seam twice and weave every end in for at least 5 cm, then trim close. A loose gill is the first thing a child will pull.

This pattern has not been tested to a toy-safety standard such as ASTM F963 or EN 71, so please do not describe finished Axels as "baby-safe" or "suitable from birth". For children under 3, embroidered eyes are the safer choice: skip the safety eyes and stitch the eyes with black floss instead.

Materials

- **Main yarn** Worsted #4, pale pink, about 15 g. Cotton or acrylic, smooth matte finish. One 25 g ball covers the whole axolotl with plenty to spare.
- **Gill yarn** Fuzzy / eyelash / fur yarn, dark pink, about 8 g. Essential: worsted will not give fluffy gills, and the gills are the whole look.
- **Fin yarn** Worsted #4, dark pink, about 3 g. Smooth yarn, so the shell edging stays crisp.
- **Hook** 3.5 mm (US E-4). A tight gauge so stuffing cannot show through.
- **Eyes** 2 x 6 mm safety eyes. 9 mm reads as buggy on this head.
- **Also needed** Polyester filling about 8 g; tapestry needle; black embroidery floss; pink pastel or chalk; stitch marker.

Gauge & finished size

Gauge: 36 sc around measures about 52 mm in diameter when stuffed (4.5 mm per stitch, 4.3 mm per round). Check before you start: crochet 36 sc in the round for 3 rounds, stuff and measure across. Wider than 55 mm? Drop to a 3.0 mm hook. Under 48 mm? Go up to a 4.0 mm hook. Finished size: about 11.5 cm (4.5 in) tall seated.

Abbreviations

MR magic ring

sc single crochet

inc increase (2 sc in one st)

sl st slip stitch

FO fasten off

ch chain

dc double crochet

invdec invisible decrease

st(s) stitch(es)

(n) stitch count at round end

Core Techniques

These are the five techniques Axel uses, in the order you will meet them.

- 1 The magic ring** Every piece begins with a magic ring. Wrap the yarn once around two fingers, insert the hook, pull up a loop and work your first round into the ring, then pull the tail to close it tight once the first round is complete.
- 2 Work in a spiral** Do not join and do not chain 1 between rounds - just keep going round after round. Keep a stitch marker in the first stitch of every round and move it up each time; there is no join to count from.
- 3 The invisible decrease** Insert the hook through the front loops only of the next two stitches, yarn over and pull through both, then yarn over and pull through the remaining two loops. It leaves no ridge, which matters on the head and neck where decreases are visible.
- 4 Closing through both layers** To close a flat opening, fold the piece flat so the front and back layers lie together, then work one sc through both layers at a time. Axel's 6-stitch tail tip closes as 3 clean pairs.
- 5 The shell (scallop)** Work all the stitches of the group into one stitch, then slip stitch into the next stitch to anchor it. The group fans into a cup. Working the dc loosely makes each scallop cup outward instead of lying flat.

1. Head, Neck, Body & Tail - one piece

Worked in a single spiral from the top of the head straight through to the tail tip. Head and body are both 36 stitches around; the neck at R13 is the only waist. Three straight rounds at the head keep it spherical rather than egg-shaped.

RND	INSTRUCTION	STS	NOTE
R1	6 sc in MR	(6)	start at top of head
R2	inc in each st around	(12)	
R3	[1 sc, inc] x 6	(18)	
R4	[2 sc, inc] x 6	(24)	
R5	[3 sc, inc] x 6	(30)	
R6	[4 sc, inc] x 6	(36)	head at full width
R7	sc in each st around	(36)	eyes between R7 / R8
R8	sc in each st around	(36)	
R9	sc in each st around	(36)	smile on R8 - R9
R10	[4 sc, invdec] x 6	(30)	
R11	[3 sc, invdec] x 6	(24)	STUFF HEAD FIRMLY
R12	[2 sc, invdec] x 6	(18)	
R13	sc in each st around	(18)	NECK - narrowest point
R14	[2 sc, inc] x 6	(24)	body flares out
R15	[3 sc, inc] x 6	(30)	
R16	[4 sc, inc] x 6	(36)	body at full width
R17	sc in each st around	(36)	arms attach at R17 - R18
R18	sc in each st around	(36)	
R19	sc in each st around	(36)	
R20	sc in each st around	(36)	
R21	sc in each st around	(36)	
R22	sc in each st around	(36)	

Head, Body & Tail - rounds 23 to 36

RND	INSTRUCTION	STS	NOTE
R23	[4 sc, invdec] x 6	(30)	
R24	[3 sc, invdec] x 6	(24)	FEET attach at R24 - R25
R25	[2 sc, invdec] x 6	(18)	stuff body LIGHTLY
R26	[1 sc, invdec] x 6	(12)	
R27	sc in each st around	(12)	tail begins
R28	[2 sc, invdec] x 3	(9)	
R29	sc in each st around	(9)	
R30	sc in each st around	(9)	
R31	sc in each st around	(9)	
R32	[1 sc, invdec] x 3	(6)	light stuffing to here
R33	sc in each st around	(6)	
R34	sc in each st around	(6)	
R35	sc in each st around	(6)	
R36	sc in each st around	(6)	taper to tip

Finish

Flatten the tip and work 3 sc through both layers - 6 stitches closes as 3 clean pairs. FO. Weave the final yarn end back through the tail tip and out along the top ridge; you will crochet the fin directly onto that ridge in step 4. The tail runs R27-R36, ten rounds = about 43 mm, giving the fin a long enough ridge to sit on.



The shell-edged paddle tail - five loose dc scallops worked along the tail ridge.

2. Arms & Feet - make separately, then sew

Arms and feet are sewn on, not worked into the body – bobbles will not give you rounded limbs.

RND	ARM - make 2 (pale pink)	
R1	6 sc in MR	(6)
R2	sc around	(6)
R3	sc around	(6)
R4	sc around	(6)
R5	sc around	(6)
R6	sc around	(6)

RND	FOOT - make 2 (pale pink)	
R1	6 sc in MR	(6)
R2	[1 sc, inc] x 3	(9)
R3	sc around	(9)
R4	sc around	(9)
R5	[1 sc, invdec] x 3	(6)

Arms: FO with a long tail, do not stuff. Flatten the open end and sew it closed as you attach, so the arms hang softly. Feet: FO, cinch closed round with a long tail and stuff lightly – do not flatten them, they are plump little balls; sew the cinched nub toward the body.

3. Gills - make 6 (3 per side)

Use the fuzzy yarn here. This is the single biggest visual difference between a flat-looking axolotl and a real one.

RND	GILL - make 6 (fuzzy dark pink)	
R1	6 sc in MR	(6)
R2	inc in each st around	(12)
R3	sc around	(12)
R4	sc around	(12)
R5	[1 sc, invdec] x 4	(8)

Working with fuzzy yarn

You cannot see the stitches. Hold a thin strand of matching smooth yarn together with the fur yarn so you can find the stitches, or count by feel with the hook tip and trust the round count. Small errors are invisible in the finished fluff.

Finish gills: FO with a long tail. The open edge sewn straight to the head disappears in the fluff – simply whip-stitch the 8-st opening flat against the head (or cinch the front loops first if you prefer a rounded lobe).

4. Tail fin - shell edging

With smooth dark pink yarn, join with a sl st to the top ridge of the tail at the very tip (join into the tip end-closure corner). Working along the ridge back toward the body:

- * 5 dc in the next ridge stitch, sl st in the next ridge stitch. Repeat from * a total of 5 times (5 scallops).
- * FO and weave in.

Each scallop uses 2 ridge stitches, so the fin spans 10 stitches. The tail from R27 to R36 gives a ridge of about 10 workable stitches along one side, so 5 scallops fit it exactly – start at the tip and work back toward the body, then anchor the last sl st into the body junction. Work the dc groups loosely so each scallop cups outward. For a fuller paddle, work a second identical 5-scallop row along the underside ridge rather than stretching one row around the tip.



Three fluffy gills fan behind each eye – upper angled up, middle out, lower down.

5. Face & Assembly

- **Eyes** Insert the 6 mm safety eyes between R7 and R8, 6 stitches apart, centered on the front of the head. Six stitches spans about 27 mm on the 52 mm head – about half the width. Fix the washers before stuffing, and pull-test each eye once it is locked.
- **Smile** With black floss, embroider a wide shallow U across R8-R9, centered between the eyes and about 5 stitches wide. Keep it shallow; a deep curve reads as a frown.
- **Blush** Brush soft pink pastel or chalk in a small circle directly under each eye, just outside the eye line.
- **Gills** Sew 3 lobes to each side of the head, behind the eyes, anchored at about R6 (upper), R7-R8 (middle) and R9 (lower). Angle the top lobe upward, the middle one straight out and the bottom one downward so they fan. Then tease the fibers apart with a slicker brush or your fingers.
- **Arms** Sew one arm to each side at R17-R18, about 6 stitches out from the center front, angled slightly forward.
- **Feet** Sew one foot to each side of the center front at R24-R25, about 4 stitches out from center, so Axel sits flat and upright.


Before you sew - lay every component out and check:

1 body · 2 arms · 2 feet · 6 gills · 1 fin. Check each against the pattern before attaching anything.


Troubleshooting

- **Head firm, body soft.** Stuff the head hard at R11 so it holds a sphere and the eyes stay level. Keep the body light so Axel stays squishy and sits down.
- **Neck collapsing.** The 18-stitch neck is deliberately narrow. First pack a little more stuffing into the neck through the body opening before closing R25. For a permanently sturdier neck, work R13 as [7 sc, inc] x 2, 2 sc (20), then change R14 to [4 sc, inc] x 4 (24) so it consumes all 20 stitches; R15 onward is unchanged.
- **Fin runs out of tail.** The ridge holds 10 stitches and 5 scallops need exactly 10. If you shortened the tail, work fewer scallops rather than crowding them.
- **Want a wider gill span?** As written the gills give about 10 cm tip to tip. Work each gill two rounds longer – add 2 plain rounds at 12 stitches before R5 – for a span of about 12 cm.
- **Stuffing shows through.** Go down to a 3.0 mm hook. Loose gauge on a 3.5 mm hook is the usual cause.
- **Axel will not sit.** Move the feet one round lower and make sure the R23–R26 decreases are centered on the underside, not the back.


Colorways




Classic pink




White leucistic



Melanoid black



Mint



Lavender

Terms of Use

Copyright & ownership

This crochet pattern – including all instructions, stitch counts, photography and design elements – is the original work and intellectual property of Novality Store, designed by Novality Crochet Studio. Design Code NS 03. Copyright (c) 2026 Novality Store. All rights reserved.

You may

Make as many finished Axel plushies as you like for yourself, gifts, or charity. Sell physical finished items made from this pattern in small batches, in shops, markets and online, provided credit is given to "Novality Store" (a link or tag is always appreciated).

You may not

Do not resell, share, redistribute, translate, rewrite, publish or upload this digital PDF or its contents in any form. Do not alter, copy or recolor the pattern and claim it as your own. Do not use the Novality Store name, logo or photos in your own listings beyond crediting the pattern. Do not mass-produce finished items commercially without written permission.

Safety reminder

This pattern has not been tested to a toy-safety standard (ASTM F963 / EN 71). Finished items made for sale must be assessed by the seller against local toy-safety laws. For children under 3, use embroidered eyes and reinforce all sewn-on parts.

Happy crocheting!

Tag your makes with [#NovalityStore](#) and [#AxelTheAxolotl](#) – we love seeing your Axels. Thank you for supporting an independent pattern designer.