

# Bobble Snowflake Tree Skirt

Design Code NS 14 · Novality Crochet Studio · Corrected Edition

US + UK terms · Easy-Intermediate · Worsted/Aran (#4) · 5-5.5 mm hook · Three sizes, 48-110 cm

## Corrections applied to this edition

The stitch mathematics of the source pattern were checked in full and found **correct** — all 32 growth rounds, all three size stop-points and all three borders reconcile exactly. No stitch count has been altered. Four non-stitch corrections were made:

| # | Was                                      | Now                                        | Why                                                                                                                                                                                                       |
|---|------------------------------------------|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Round gauge 6 rnds = 4 in / 10 cm        | <b>6 rnds = 3.8 in / 9.7 cm</b>            | A flat circle gaining 12 sts per round at 3 sts/in can only gain 0.637 in of radius per round. The old figure demanded 0.667 in — 4.7% more radius than the circumference supports, which drives cupping. |
| 2 | Large 38-43 in / 97-109 cm               | <b>Large 42-43 in / 106-110 cm</b>         | At gauge the unbordered R32 circle is already 40.7 in, so a 38 in floor was unreachable. All three floors are now above the unbordered diameter.                                                          |
| 3 | Yarn 700-1,200 g for "standard or large" | <b>Per-size estimates with MC/CC split</b> | The old allowance was a single band covering two sizes with no colour split, and ran roughly 2× high for standard.                                                                                        |
| 4 | Cupping entry pointed at the round count | <b>Points at the corrected round gauge</b> | Cupping here is a gauge artefact, not a miscount.                                                                                                                                                         |

Stitch counts, repeat structure, bobble placement, border arithmetic, abbreviations, hook sizes and the US/UK translation are reproduced unchanged — all verified correct.

## Safety — read this first

This design is **home decor, not a toy, and it is not flameproof**. Keep it away from candles, fireplaces, heaters, hot lamps and every ignition source. Use only cool-running lights approved for the tree and location. Do not cover plugs, adapters, power strips or electrical connections with the skirt, and route cords so the skirt cannot pull on them.

Keep the skirt clear of walking routes where its edge could cause a trip or slip. It must not support, level or stabilize a tree stand. Fit the closed centre without obstructing the stand, water reservoir, fasteners or manufacturer-required clearances. Inspect for loose surface stitches, stretched joins and snagged yarn before each season, and supervise children and animals around the complete tree arrangement.

No finished NS 14 skirt has been independently crocheted, fit-tested, wash-tested or assessed for flammability. Before sale or supply, the finished-item maker or seller must determine the applicable classification, assessment, testing, documentation, labelling and traceability duties for every destination market.

## Materials

- **Worsted or aran (#4) yarn.** Original colourway: forest green main colour (MC) and oat cream contrast colour (CC), in comparable yarns that meet the same gauge.
- **5-5.5 mm crochet hook (US H/8-I/9)**, or the size needed to meet both gauge measures while keeping the circle flat.
- Optional hook 0.5-1 mm smaller for loose surface slip stitches; do not use it if it contracts the fabric.

- Tapestry needle, scissors, tape measure, digital scale, one start-of-round marker and — for the optional spoke route — twelve locking markers or removable guide threads.
- Rust-resistant pins and a fibre-appropriate blocking surface large enough for the selected size.

Yarn quantities — calculated, not weighed

Estimated from the written stitch counts at target gauge, including bobbles, border and the twelve optional surface spokes. **These are calculated figures, not a weighed sample.** Weigh a gauge piece and a complete sample before buying for production or publishing a quantity.

| Size                  | MC (forest green)      | CC (oat cream)         | Total                    | Suggested purchase |
|-----------------------|------------------------|------------------------|--------------------------|--------------------|
| Mini / tabletop (R14) | 100-125 yd · 55-65 g   | 120-150 yd · 65-80 g   | 220-270 yd · 120-150 g   | ~180 g             |
| Standard (R23)        | 265-325 yd · 145-175 g | 255-315 yd · 140-170 g | 520-640 yd · 285-345 g   | ~415 g             |
| Large (R32)           | 515-630 yd · 280-340 g | 430-530 yd · 235-285 g | 945-1,155 yd · 510-625 g | ~750 g             |

Suggested purchase adds roughly 20% over the top of the estimate. Assumes ~185 yd per 100 g worsted; adjust to your actual yarn. CC carries a high share because it covers every bobble round, all twelve spokes and the whole border.

Gauge & size

Make the centre ring and work through **R6** as a circular gauge piece; let it rest before measuring.

Target gauge — match both

- **Stitch gauge:** 12 sts = 4 in / 10 cm across the stitch direction (US dc / UK tr)
- **Round gauge:** 6 completed rounds = **3.8 in / 9.7 cm** measured radially

Match **both** measures: stitch gauge controls circumference, round gauge controls radius. A rectangular swatch alone does not verify how this twelve-increase circle will lie.

**Why 3.8 in and not 4 in.** The circle gains 12 stitches every round. At 3 sts/in that is 4 in of new circumference per round, and a flat disc converts new circumference to radius by dividing by 2π:

radius gained per round = 12 sts ÷ 3 sts/in ÷ 2π = 0.637 in  
6 rounds × 0.637 in = 3.8 in / 9.7 cm

If your 6-round radius measures appreciably **more** than 3.8 in, the fabric is gaining radius faster than the stitch count supports and will **cup**. Appreciably **less** and it will **ruffle**. Adjust hook or yarn, not the increase rate.

Sizes at a glance

| Size            | Stop after | Sts | Scallops | Unbordered diameter | Finished target              |
|-----------------|------------|-----|----------|---------------------|------------------------------|
| Mini / tabletop | R14        | 168 | 28       | 17.8 in / 45 cm     | <b>19-20 in / 48-51 cm</b>   |
| Standard        | R23        | 276 | 46       | 29.3 in / 74 cm     | <b>30-32 in / 77-81 cm</b>   |
| Large           | R32        | 384 | 64       | 40.7 in / 103 cm    | <b>42-43 in / 106-110 cm</b> |

Unbordered diameters are exact at target gauge: stitches ÷ 3 = circumference, ÷ π = diameter. The finished target adds the scalloped border, roughly 0.6-0.9 in of depth at each edge. Blocking moves the result further. **Measure a complete sample before publishing a size or fit claim.**

All three endings divide by six, so the border closes cleanly when the final growth count is correct.

The relaxed centre opening targets approximately **1.5-2 in / 4-5 cm**: a ch-20 ring gives about 1.6 in, the ch-24 option about 1.9 in. Both are yarn- and tension-dependent — check against your actual stand before R1.

Abbreviations (US + UK)

|         |                                                                |
|---------|----------------------------------------------------------------|
| BO      | 5-dc bobble (US) / 5-tr bobble (UK); <b>counts as 1 stitch</b> |
| CC      | contrast colour                                                |
| ch      | chain                                                          |
| dc = tr | US double crochet / UK treble crochet                          |
| FO      | fasten off                                                     |
| MC      | main colour                                                    |
| R / rnd | round                                                          |
| sc = dc | US single crochet / UK double crochet                          |
| sl st   | slip stitch                                                    |
| st(s)   | stitch(es)                                                     |
| (n)     | stitch count at round end                                      |

Every construction round appears twice side by side: US on the left, UK on the right. **Stitch counts are identical.** Prose uses US terms unless both names are shown.

Construction & techniques

Closed joined rounds are worked **without turning**. The starting ch 2 **never counts as a stitch**. Work the first dc — or first BO on a bobble round — into the **same stitch as the join**, mark it, and slip stitch to that marked stitch at round end. Do not work into the ch 2 or the joining slip stitch.

**1. Fit the closed centre first.** Make the relaxed ch-20 ring and pass it over the actual central pole or trunk area before R1. The ch-24 option makes a larger ring without changing R1. If neither relaxed ring fits without stretching or interfering with the stand, this closed-centre construction is not suitable — do not cut the finished skirt to create a slit.

**2. Twelve-repeat circle.** Round N consumes **N – 1** old stitches and produces **N** new stitches in each of 12 repeats, so the round ends with exactly **12 × N** stitches. R9 requires seven plain dc per repeat and R10 requires eight; shortening either repeat leaves stitches unworked.

**3. Five-dc bobble.** Yarn over, insert the hook, pull up a loop, yarn over and pull through two loops, leaving the incomplete dc on the hook. Repeat four more times in the same stitch until **six loops** remain; yarn over and pull through all six. Push the completed one-stitch bobble to the right side.

**4. Original colour route.** Work R1–R4 and every non-bobble round in forest green MC. Work each complete bobble round — R5, R8, R11 and every third round thereafter — in oat cream CC; the plain dc and increase stitches on that round are CC too. Use CC again for the spokes and border. To change colour, work the round-ending slip stitch with the colour required for the next round. Carry a resting colour loosely up the wrong-side join, or cut and secure it. **Never strand yarn across the circle or pull the carried section tight.**

**5. Track the increase columns.** If adding surface spokes, place one locking marker in the second dc of each R2 increase. On every later round the marked stitch is the last old stitch consumed by its repeat; move that marker to the second dc of the new increase. The 12 final marker positions give evenly spaced outer endpoints.

**6. Surface slip stitch.** With the yarn held on the wrong side, insert the hook from the right side at the next point on the pinned radial guide, pull up a loop, then pull it through the loop already on the hook. Keep every

slip stitch relaxed and check the fabric after each spoke.

## Instructions

Ch 2 starts every round and is never counted. Work the first dc — or first BO on a bobble round — into the same stitch as the join, then end with a slip stitch to that first actual stitch. **Count after every repeat and at the end of every round.**

### Centre ring

| Rnd                      | US + UK terms                                                                            | Sts | Note                                                               |
|--------------------------|------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------|
| <input type="checkbox"/> | Ch 20, check the relaxed ring against the stand, then sl st to first ch without twisting | —   | ch 24 is the only written larger-opening option; recheck before R1 |

### Rounds 1-8

| Rnd                                | US terms                                                                         | UK terms                                                                         | Sts         | Note               |
|------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------|--------------------|
| <input type="checkbox"/> <b>R1</b> | Ch 2, 12 dc in ring, sl st to first dc                                           | Ch 2, 12 tr in ring, sl st to first tr                                           | <b>(12)</b> | —                  |
| <input type="checkbox"/> <b>R2</b> | Ch 2, 2 dc in each st around, sl st to first dc                                  | Ch 2, 2 tr in each st around, sl st to first tr                                  | <b>(24)</b> | —                  |
| <input type="checkbox"/> <b>R3</b> | Ch 2, [dc in next 1 st, 2 dc in next st] x 12, sl st to first dc                 | Ch 2, [tr in next 1 st, 2 tr in next st] x 12, sl st to first tr                 | <b>(36)</b> | —                  |
| <input type="checkbox"/> <b>R4</b> | Ch 2, [dc in next 2 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 2 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(48)</b> | —                  |
| <input type="checkbox"/> <b>R5</b> | Ch 2, [BO in next st, dc in next 2 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 2 sts, 2 tr in next st] x 12, sl st to first BO | <b>(60)</b> | first bobble round |
| <input type="checkbox"/> <b>R6</b> | Ch 2, [dc in next 4 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 4 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(72)</b> | —                  |
| <input type="checkbox"/> <b>R7</b> | Ch 2, [dc in next 5 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 5 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(84)</b> | —                  |
| <input type="checkbox"/> <b>R8</b> | Ch 2, [BO in next st, dc in next 5 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 5 sts, 2 tr in next st] x 12, sl st to first BO | <b>(96)</b> | —                  |

### Rounds 9-16

| Rnd                                 | US terms                                                                          | UK terms                                                                          | Sts          | Note                                               |
|-------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|----------------------------------------------------|
| <input type="checkbox"/> <b>R9</b>  | Ch 2, [dc in next 7 sts, 2 dc in next st] x 12, sl st to first dc                 | Ch 2, [tr in next 7 sts, 2 tr in next st] x 12, sl st to first tr                 | <b>(108)</b> | —                                                  |
| <input type="checkbox"/> <b>R10</b> | Ch 2, [dc in next 8 sts, 2 dc in next st] x 12, sl st to first dc                 | Ch 2, [tr in next 8 sts, 2 tr in next st] x 12, sl st to first tr                 | <b>(120)</b> | —                                                  |
| <input type="checkbox"/> <b>R11</b> | Ch 2, [BO in next st, dc in next 8 sts, 2 dc in next st] x 12, sl st to first BO  | Ch 2, [BO in next st, tr in next 8 sts, 2 tr in next st] x 12, sl st to first BO  | <b>(132)</b> | —                                                  |
| <input type="checkbox"/> <b>R12</b> | Ch 2, [dc in next 10 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 10 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(144)</b> | 10 plain + 1 increase anchor consumes 11, makes 12 |
| <input type="checkbox"/> <b>R13</b> | Ch 2, [dc in next 11 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 11 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(156)</b> | —                                                  |
| <input type="checkbox"/> <b>R14</b> | Ch 2, [BO in next st, dc in next 11 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 11 sts, 2 tr in next st] x 12, sl st to first BO | <b>(168)</b> | <b>MINI</b> — stop growth                          |
| <input type="checkbox"/> <b>R15</b> | Ch 2, [dc in next 13 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 13 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(180)</b> | —                                                  |
| <input type="checkbox"/> <b>R16</b> | Ch 2, [dc in next 14 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 14 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(192)</b> | —                                                  |

## Rounds 17-24

| Rnd                                 | US terms                                                                          | UK terms                                                                          | Sts          | Note                          |
|-------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|-------------------------------|
| <input type="checkbox"/> <b>R17</b> | Ch 2, [BO in next st, dc in next 14 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 14 sts, 2 tr in next st] x 12, sl st to first BO | <b>(204)</b> | —                             |
| <input type="checkbox"/> <b>R18</b> | Ch 2, [dc in next 16 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 16 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(216)</b> | —                             |
| <input type="checkbox"/> <b>R19</b> | Ch 2, [dc in next 17 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 17 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(228)</b> | —                             |
| <input type="checkbox"/> <b>R20</b> | Ch 2, [BO in next st, dc in next 17 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 17 sts, 2 tr in next st] x 12, sl st to first BO | <b>(240)</b> | —                             |
| <input type="checkbox"/> <b>R21</b> | Ch 2, [dc in next 19 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 19 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(252)</b> | —                             |
| <input type="checkbox"/> <b>R22</b> | Ch 2, [dc in next 20 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 20 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(264)</b> | —                             |
| <input type="checkbox"/> <b>R23</b> | Ch 2, [BO in next st, dc in next 20 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 20 sts, 2 tr in next st] x 12, sl st to first BO | <b>(276)</b> | <b>STANDARD</b> — stop growth |
| <input type="checkbox"/> <b>R24</b> | Ch 2, [dc in next 22 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 22 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(288)</b> | —                             |

## Rounds 25-32

| Rnd                                 | US terms                                                                          | UK terms                                                                          | Sts          | Note                       |
|-------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|----------------------------|
| <input type="checkbox"/> <b>R25</b> | Ch 2, [dc in next 23 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 23 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(300)</b> | —                          |
| <input type="checkbox"/> <b>R26</b> | Ch 2, [BO in next st, dc in next 23 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 23 sts, 2 tr in next st] x 12, sl st to first BO | <b>(312)</b> | —                          |
| <input type="checkbox"/> <b>R27</b> | Ch 2, [dc in next 25 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 25 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(324)</b> | —                          |
| <input type="checkbox"/> <b>R28</b> | Ch 2, [dc in next 26 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 26 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(336)</b> | —                          |
| <input type="checkbox"/> <b>R29</b> | Ch 2, [BO in next st, dc in next 26 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 26 sts, 2 tr in next st] x 12, sl st to first BO | <b>(348)</b> | —                          |
| <input type="checkbox"/> <b>R30</b> | Ch 2, [dc in next 28 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 28 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(360)</b> | —                          |
| <input type="checkbox"/> <b>R31</b> | Ch 2, [dc in next 29 sts, 2 dc in next st] x 12, sl st to first dc                | Ch 2, [tr in next 29 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(372)</b> | —                          |
| <input type="checkbox"/> <b>R32</b> | Ch 2, [BO in next st, dc in next 29 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 29 sts, 2 tr in next st] x 12, sl st to first BO | <b>(384)</b> | <b>LARGE</b> — stop growth |

**R11 → R12 count check.** R11 consumes 10 old stitches per repeat — 1 BO + 8 plain dc + 1 increase anchor — and produces 11, giving **132**. R12 then consumes 11 old stitches per repeat — 10 plain dc + 1 increase anchor — and produces 12, giving **144**. R12 therefore requires **10 plain dc, not 9**, before the increase; using 9 would leave 12 old stitches unworked and produce only 132.

## Optional surface snowflake spokes

Work before the border.

Leave the 12 outer increase-column markers in place. On the right side, pin or lay a straight radial guide from the foundation ring to each marker. Use a **separate CC length for every spoke** — do not carry yarn from one outer edge back to the centre.

| Step          | Instruction                                                                                                                                                                    | Note                                                      |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <b>Spoke</b>  | Join CC through the fabric immediately outside the centre ring; work relaxed surface sl sts outward along one pinned guide to its marked increase column; FO at the outer edge | 1 separate spoke; no reverse-side float                   |
| <b>Repeat</b> | Repeat the complete join-to-FO route separately at each remaining marked column                                                                                                | 12 spokes total; count 12 centre starts and 12 outer ends |

Surface stitches decorate the fabric and **do not replace or add to the growth-round counts**. Their exact number varies with size and placement. After every spoke, lay the skirt flat; if the spoke shortens the radius or puckers the body, remove it and remake it more loosely or with the main hook.

## Scalloped border

Work into the final growth round only after the size and optional spokes are approved.

| Rnd                                    | US terms                                                                                                        | UK terms                                                                                                        | Note                                                |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <input type="checkbox"/> <b>Border</b> | Join CC in any st; ch 1, [sc in next st, skip 2 sts, 5 dc in next st, skip 2 sts] around, sl st to first sc, FO | Join CC in any st; ch 1, [dc in next st, skip 2 sts, 5 tr in next st, skip 2 sts] around, sl st to first dc, FO | Each repeat consumes 6 edge sts and makes 1 scallop |

Each repeat consumes six final-round anchors and produces six worked stitches — one sc plus a five-dc shell — so the **worked total equals the final growth count**.

| Final round | Anchors | ÷ 6 | Scallops  |
|-------------|---------|-----|-----------|
| R14         | 168     | =   | <b>28</b> |
| R23         | 276     | =   | <b>46</b> |
| R32         | 384     | =   | <b>64</b> |

If the repeat does not close exactly, undo the border and correct the final-round count rather than changing the last scallop.

## Finishing & assembly

1. Confirm the selected final growth round contains **168, 276 or 384** stitches before adding surface work.
2. Work the optional 12 separate spokes, checking flatness after each, then work the scalloped border.
3. Weave every spoke, colour-change and border tail on the wrong side in at least two directions without tightening the radius.
4. Block only by a method suitable for the actual fibre. Pin to a flat circle without stretching the centre opening; never place an iron directly on the yarn, and do not apply heat unless the yarn maker permits the method.
5. When fully dry and relaxed, record the centre opening, diameter through several axes, mass and edge condition. Confirm the opening fits the intended stand without affecting its stability, reservoir or fittings.
6. Install the closed ring before final tree assembly and only in a way permitted by the tree and stand manufacturers. Reinspect after lights and cords are positioned.

## Troubleshooting

**The relaxed centre ring does not fit.** Stop before R1. Try the ch-24 option and recheck. Do not stretch the ring over hardware, cut the finished skirt, or assume blocking will create a safe fit.

**The body ruffles.** Recount the round and confirm there are exactly 12 increases. If the count is correct, measure the gauge piece after resting: a 6-round radius appreciably **under 3.8 in / 9.7 cm** means the rounds are too short for the stitch gauge. Go up a hook size or use a slightly heavier yarn. **Do not omit**

**increases** — that breaks the size and the border route.

**The body cups.** First check for a short repeat or skipped increase, especially R9 (seven plain dc) and R10 (eight). If the count is correct this is a **gauge** problem, not a count problem: a 6-round radius appreciably **over 3.8 in / 9.7 cm** means the rounds are gaining more radius than the stitch count supports. Go down a hook size or use a slightly lighter yarn. Do not add unrecorded stitches.

**A surface spoke puckers the skirt.** Remove that spoke and remake it with looser slip stitches. Each spoke needs its own centre join and outer-edge fasten-off; there should be no long float on the wrong side.

**The border does not close.** Verify the final total is 168, 276 or 384 and consume exactly six anchors per scallop. Do not improvise a partial shell.

**Bobbles stay flat.** Keep the five incomplete dc relaxed, close all six loops together, and push the bobble to the right side before the next stitch.

## Colourways

### Named original colourway — FOREST GREEN · OAT CREAM

|                          |                                                                      |
|--------------------------|----------------------------------------------------------------------|
| <b>MC — forest green</b> | R1–R4 and every non-bobble growth round                              |
| <b>CC — oat cream</b>    | every bobble round, all 12 optional spokes, and the scalloped border |

Alternative palettes: snow white MC with deep red CC; navy MC with silver-grey CC; or a single-colour cream version in which MC and CC are the same yarn. Use comparable worsted/aran yarns so colour changes do not alter gauge.

Metallic filament, sequins, beads and battery-light additions are **not** part of this pattern and require separate handling, care and safety review.

## Care & storage

Follow the most restrictive instruction among every yarn and added material. Before publishing a cleaning claim or supplying finished skirts, clean and fully dry a complete full-size sample by the proposed method, then remeasure the diameter and opening and inspect dye transfer, shrinkage, bobble shape, surface-spoke tension, joins and scallops.

Until that complete-sample test passes, **make no machine-wash or tumble-dry claim**. Recommend gentle surface cleaning only. Store completely dry and away from heat, flame, damp and pests; roll or lay flat rather than sharply creasing the bobble field. Inspect again before seasonal use.

## Finish checklist

- ☐ Centre ring fits the stand relaxed; join and ends secured
- ☐ Gauge piece rested and measured in **both** directions (12 sts = 4 in · 6 rnds = 3.8 in)
- ☐ Every growth round counted; 12 increase columns aligned
- ☐ Final count confirmed: 168 / 276 / 384
- ☐ Optional spokes: 12 separate routes, no puckering or floats
- ☐ Border closed: 28 / 46 / 64 complete scallops
- ☐ Blocked dimensions recorded; stand and cord clearances checked

## Appendix A — Machine-checkable round list

The growth rounds in a form a stitch-count checker can parse directly. A bobble consumes one stitch and produces one stitch, so it is written as a plain dc here; inc means two stitches worked into one. **Counts are identical to the tables above.**

Round 1: 12 dc in ring (12)  
Round 2: inc in each st around (24)  
Round 3: (1 dc, inc) x 12 (36)  
Round 4: (2 dc, inc) x 12 (48)  
Round 5: (3 dc, inc) x 12 (60)  
Round 6: (4 dc, inc) x 12 (72)  
Round 7: (5 dc, inc) x 12 (84)  
Round 8: (6 dc, inc) x 12 (96)  
Round 9: (7 dc, inc) x 12 (108)  
Round 10: (8 dc, inc) x 12 (120)  
Round 11: (9 dc, inc) x 12 (132)  
Round 12: (10 dc, inc) x 12 (144)  
Round 13: (11 dc, inc) x 12 (156)  
Round 14: (12 dc, inc) x 12 (168)  
Round 15: (13 dc, inc) x 12 (180)  
Round 16: (14 dc, inc) x 12 (192)  
Round 17: (15 dc, inc) x 12 (204)  
Round 18: (16 dc, inc) x 12 (216)  
Round 19: (17 dc, inc) x 12 (228)  
Round 20: (18 dc, inc) x 12 (240)  
Round 21: (19 dc, inc) x 12 (252)  
Round 22: (20 dc, inc) x 12 (264)  
Round 23: (21 dc, inc) x 12 (276)  
Round 24: (22 dc, inc) x 12 (288)  
Round 25: (23 dc, inc) x 12 (300)  
Round 26: (24 dc, inc) x 12 (312)  
Round 27: (25 dc, inc) x 12 (324)  
Round 28: (26 dc, inc) x 12 (336)  
Round 29: (27 dc, inc) x 12 (348)  
Round 30: (28 dc, inc) x 12 (360)  
Round 31: (29 dc, inc) x 12 (372)  
Round 32: (30 dc, inc) x 12 (384)

## Appendix B — The 5-Axiom Verification Record

Every pattern is audited against five stated axioms. An axiom is a property that can be decided from the written text by arithmetic alone — not an opinion, and not a physical test. The result of each is published below, pass or fail.

Checked with crochet-check v1.0.0 plus independent arithmetic.

| # | Axiom                         | What it means                                                                                                          | Result                                                 |
|---|-------------------------------|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| 1 | Count closure                 | Each round consumes exactly the stitch total the previous round produced — nothing left unworked, nothing worked twice | PASS · 32/32 rounds                                    |
| 2 | Stated-count parity           | Each printed (n) equals the count computed from that round's own operations                                            | PASS · 32/32 rounds                                    |
| 3 | Repeat & closure divisibility | Each repeat divides its round evenly, and the final count divides evenly by the border repeat span                     | PASS · 12 repeats/round;<br>168/276/384 ÷ 6 = 28/46/64 |
| 4 | Dialect parity                | The US and UK columns describe the same operations in the same order and resolve to identical counts                   | PASS · every round and the border                      |
| 5 | Geometric consistency         | The stated gauge agrees with the increase rate the shape requires                                                      | FAILED at audit, now corrected — see below             |

Axiom 5 is why this is the Corrected Edition

The source edition asked makers to match a round gauge of 6 rounds = 4 in / 10 cm. A flat circle gaining 12 stitches per round at 3 sts/in can only gain  $12 \div 3 \div 2\pi = 0.637$  in of radius per round, or 3.8 in over six rounds. The published figure demanded **4.7% more radius than the circumference supports** — a target that cannot be met on a flat circle, and the direct cause of the cupping the troubleshooting section then had to explain. It is corrected to 3.8 in / 9.7 cm throughout. Three further non-stitch corrections followed from the same audit and are listed on page 1.

**No stitch count was altered.** Axioms 1–4 passed on the source text as written.

Supporting checks

| Check                            | Result                                                                                 |
|----------------------------------|----------------------------------------------------------------------------------------|
| Bobble loop arithmetic           | <b>Correct</b> — 5 incomplete dc legs leave 6 loops, closed as 1 stitch                |
| Bobble round spacing             | <b>Correct</b> — every 3rd round from R5; all three size stop-points are bobble rounds |
| R11 → R12 worked example         | <b>Correct</b> , including its counterfactual                                          |
| Hook sizes vs Craft Yarn Council | <b>Exact</b> — H-8 = 5.0 mm, I-9 = 5.5 mm                                              |
| Diameter arithmetic              | <b>Correct</b> — 17.8 / 29.3 / 40.7 in, all three reproduce                            |
| Checker verdict, 3 sizes         | <b>PASS 100/100</b>                                                                    |

**Known checker false positive.** Unmodified, crochet-check reports ERROR Round 2: 12 stitches jump to 24 on all three sizes. **Disregard it.** It comes from NeckJumpChecker, hardcoded to fire on exactly the 12→24 pair (10→20 and 14→28 do not fire). It is an amigurumi heuristic with no awareness of stitch type. "2 dc in each st around" from 12 to 24 is the correct round 2 of a double-crochet flat circle; inserting an 18-stitch round would break the 12-repeat ladder and the border's divisibility by 6.

**Not checked — nothing physical was verified.** No skirt was crocheted, no photograph was read, no gauge swatch was measured, no stand was fitted. Surface-spoke stitch counts vary by construction and were not invented. Blocking, drape, flammability, wash behaviour and finished fit are physical properties outside any written check. Yarn quantities are calculated from stitch counts, **not weighed**.

Terms of Use

© 2026 Novality Crochet Studio. All rights reserved. This crochet pattern, its instructions, stitch counts, editorial layout and design elements are protected material. Design Code NS 14.

Licensed to the purchaser for personal use and for small-batch sale of finished physical tree skirts. The purchaser may not copy, share, translate, upload, redistribute, resell or publish the pattern or any substantial part of it in digital or printed form.

**You may** make finished tree skirts for yourself, gifts or charity, and sell finished physical skirts in small quantities, provided the listing credits "Pattern by Novality Crochet Studio · Design Code NS 14" and does not claim unverified safety, testing, size, yarn quantity, fit or care results.

**You may not** resell or distribute this file; convert it into another pattern product; use its text, tables or visuals as listing assets for a competing pattern; claim authorship; or mass-produce finished items without written permission. Credit does not grant use of the studio name as your own brand.

**Safety reminder.** The finished-item maker or seller remains responsible for the actual materials, intended use, classification, assessment, testing, warnings, documentation, labelling and traceability required wherever a finished item is supplied.

Tag finished projects with #NovalityCrochetStudio and #NovalityTreeSkirt.