

DESIGN CODE NS 01

HAMISH

the Highland Cow

A shaggy, sturdy Highland character with a broad oat-cream muzzle and a weather-beaten ginger fringe.

- **US TERMS**
- **INTERMEDIATE**
- **6-8 HOURS**
- **ABOUT 15 CM**

ORIGINAL COLOURWAY

Ginger · oat · chocolate · rust
Worsted / aran · 3.5 mm hook



FIRST EDITION · 2026

DIGITAL CROCHET PATTERN

ILLUSTRATIVE COVER ART · ORIGINAL GINGER COLOURWAY · WRITTEN INSTRUCTIONS CONTROL

Pattern profile

NS 01 is the permanent identity of this pattern. Keep the design code with every revision, tester note, photograph and customer-support message.

TERMINOLOGY US crochet terms	SKILL LEVEL Intermediate	ACTIVE TIME 6–8 hours	FINISHED SIZE About 15 cm / 6 in
---------------------------------	-----------------------------	--------------------------	-------------------------------------

Original colourway

YARN A · GINGER body + fringe · about 25 g	YARN B · OAT CREAM muzzle + horns + inner ears · 12 g	YARN C · DARK CHOCOLATE hooves + nostrils · about 5 g	YARN D · RUST / TARTAN optional scarf · about 6 g

COLOUR GUIDE · Ginger, oat cream, dark chocolate and optional rust/tartan are the named original colours. Screen appearance and dye lots vary.



FIGURE 1 · Materials visual: ginger, oat-cream and dark-chocolate yarn; rust tartan; 3.5 mm hook; two eyes with washers; fibre fill; needle, pins, scissors and marker. Follow the written quantities below.

Read before making

Use a stitch marker and work in a continuous spiral unless a round explicitly says otherwise. Read each component through before starting; complete eyes, embroidery and internal knots while the relevant opening remains accessible.

Safety: plastic eyes and attached pieces can become small parts if a component or surrounding fabric fails. This pattern does not claim toy-standard compliance. Follow the full Safety section and obtain the market-specific assessment required for any finished item supplied to another person.

Copyright notice

© 2026 Novality Crochet Studio. All rights reserved. Licensed to the purchaser under the Terms of Use in this document. Cover and materials visuals are illustrative; the written materials, counts and construction directions control.

Contents

Headings are bookmarked in the PDF. Table headers repeat after page breaks, and the design code appears on every page.

Safety — read this first	4
Materials	4
Gauge & size	4
Abbreviations (US terms)	5
Techniques used, in the order you will meet them	5
Instructions	5
Finishing & assembly	10
Troubleshooting	10
Colourways	11
Three sizes, one pattern	11
Designer notes	11
Care	11
Terms of Use	12

How to use this pattern

Read each component and its finishing note before beginning. Mark completed rows as you work, use the stitch count at the end of every round, and stop if your count differs. Diagrams support orientation only; the numbered written directions control construction.

Three checkpoints: lock both eye washers while the head is open; match all 18 neck stitches one-for-one; and make two complete passes on structural seams.

US terms · Intermediate · 6 - 8 hours — Design Code NS 01

A shaggy, sturdy Highland cow with a flattened brow, a wide cream muzzle and a weather-beaten fringe. Worked in pieces so every proportion can be pinned and checked before sewing.

FINISHED SIZE About 15 cm (6 in) sitting in worsted weight. A 70 mm wide body and a 70 x 67 mm head. A low, sprawling Highland sit.

Safety — read this first

Hamish uses two 12 mm plastic safety eyes. If an eye, washer or surrounding stitch fails, it can release a small part: reach through the open head and lock each washer firmly from the inside **BEFORE** stuffing and closing the head (Rnd 16), then check the eye and fabric by hand. The horns, ears, muzzle, legs and tail are sewn on, and the fringe and tail are knotted yarn: sew every seam twice, weave ends in at least 5 cm, and secure every knot.

No finished Hamish has been shown by Novality Crochet Studio to comply with ASTM F963, EN 71 or another toy-safety regime; do not describe one as “baby-safe” or compliant. Embroidered eyes remove the plastic-eye detachment hazard but do not by themselves establish suitability for any age. Before supplying a finished item, its maker or seller must determine all classification, assessment, testing, documentation, labelling and traceability duties for the intended and reasonably foreseeable use in every destination market.

Materials

- Yarn A - Ginger: worsted / aran (#4), about 25 g used. Caramel, toffee or ginger gold. One 80 g / 150 m ball covers about three cows at the stated gauge, including normal seaming tails.
- Yarn B - Oat cream: worsted / aran (#4), about 12 g. Muzzle, horns, inner ears, optional belly patch.
- Yarn C - Dark chocolate: worsted / aran (#4), about 5 g. Hooves and nostrils.
- Yarn D - Rust (optional): about 6 g for the scarf, or 28 cm of 12 mm tartan ribbon.
- Hook: 3.5 mm (US E-4) - smaller than the ball band so stuffing cannot show.
- Eyes: 2 x 12 mm black safety eyes, or black floss for an embroidered-eye version.
- Stuffing & notions: polyester fibre fill about 30 g (buy 50 g to over-stuff the base); stitch marker, tapestry needle, pins, scissors.

Gauge & size

Gauge in Yarn A: 11 sc x 12 rounds = 5 cm / 2 in. Not critical, but loose tension lets stuffing show - drop half a millimetre if your fabric is gappy.

Finished size: about 15 cm / 6 in sitting.

Abbreviations (US terms)

MR - magic ring · ch - chain
sl st - slip stitch · sc - single crochet
hdc - half double crochet · inc - increase (2 sc in one st)
dec - invisible decrease · BLO - back loop only
FO - fasten off · st(s) - stitch(es) · Rnd(s) - round(s)
(n) - stitch count at round end

Work in a continuous spiral unless a round says join. Mark the first stitch of every round. Leave 30-40 cm tails on every piece you will sew.

Techniques used, in the order you will meet them

1. The magic ring - Wrap yarn around two fingers, insert the hook, pull up a loop and work the first round into the ring; pull the tail tight once the round is complete.
2. Working in a spiral - Do not join and do not chain 1 between rounds. Move the marker up each time - there is no join to count from.
3. The invisible decrease - Insert the hook through the FRONT loops only of the next two stitches, yarn over and pull through both, then yarn over and pull through the remaining two. Every dec is worked this way - no ridge on visible rounds.
4. Back loop only (BLO) - Work into the far loop only, leaving the near loop unused; the unused loops form a raised ridge. Hamish's hoof line is one BLO round.
5. Working around a chain - For the belly patch, crochet into both sides of a starting chain: across the front, corner increases into the last chain, then back along the opposite side - turning a chain into a flat oval.
6. The lark's head knot - Fold a strand in half, push the folded loop under a stitch with the hook, pull the two loose ends through the loop and cinch. Used for every fringe strand and the tail.
7. Ladder stitch - The invisible seam: out on one side, pick up one bar on the opposite side, then one bar back, alternating, pulling snug every few stitches. The head-to-body join needs two full passes.

Instructions

1. Head - Yarn A

Worked from the crown down toward the neck. One straight round only - that is what keeps the brow flat and wide instead of egg-shaped. Close to 6 stitches at the end.

Rnd	Instruction	Sts	Note
R1	6 sc in MR	(6)	-
R2	inc in each st around	(12)	-
R3	[sc, inc] x 6	(18)	-
R4	[2 sc, inc] x 6	(24)	-
R5	[3 sc, inc] x 6	(30)	-
R6	[4 sc, inc] x 6	(36)	fringe row 3
R7	[5 sc, inc] x 6	(42)	fringe row 2 / horns
R8	[6 sc, inc] x 6	(48)	fringe row 1 / ears

Rnd	Instruction	Sts	Note
R9	sc in each st around	(48)	eyes at R9 - R10
R10	[6 sc, dec] x 6	(42)	-
R11	[5 sc, dec] x 6	(36)	-
R12	[4 sc, dec] x 6	(30)	lock eye washers, then stuff firmly
R13	[3 sc, dec] x 6	(24)	-
R14	[2 sc, dec] x 6	(18)	-
R15	[sc, dec] x 6	(12)	last pinch of stuffing
R16	dec x 6	(6)	close the hole

Eyes & head size: place the 12 mm eyes between Rnds 9 and 10, 7 stitches apart and a touch low on the face (7 sts is about 32 mm, just under half the head width). LOCK THE WASHERS at about Rnd 12, while you can still reach the inside: press each washer on until it clicks. The head stays open until Rnd 16 closes it - after that the washers are unreachable. Finished head about 70 mm wide x 67 mm tall.

2. Muzzle & nostrils - Yarn B

Rnd	Instruction	Sts	Note
R1	6 sc in MR	(6)	-
R2	inc in each st around	(12)	-
R3	[sc, inc] x 6	(18)	-
R4	[2 sc, inc] x 6	(24)	-
R5	sc in each st around	(24)	face at full width, 35 mm
R6	sc in each st around	(24)	-
R7	sc in each st around	(24)	-
R8	[2 sc, dec] x 6	(18)	rim = 26 mm across

Finish: FO with a 40 cm tail and stuff lightly. The muzzle FACE is about 35 mm across (the wide cream patch you see); the RIM it sews by is about 26 mm, spanning roughly six rounds of head. Pin the top edge just under the eyes at Rnd 10 and let the lower edge fall at Rnds 15-16 near the chin. Centre it, let the face sit a little wider than the eye spacing, and sew about three quarters of the rim with small whip stitches. Add a whisper more stuffing, then embroider the nostrils and mouth; knot their ends inside the muzzle through the remaining opening before finishing the seam.

Nostrils (Yarn C): two short vertical satin stitches, 3 stitches apart, on the lower third. Mouth: one tiny horizontal stitch or a shallow V below them. Secure both before the last quarter of the muzzle seam is closed. (The eye washers were already locked before the head was closed at Rnd 16.)

The wide cream muzzle, low-set eyes and shaggy fringe give the Highland stare.

3. Body - Yarn A

Worked bottom up. The neck is left open at 18 stitches for the head join.

Rnd	Instruction	Sts	Note
R1	6 sc in MR	(6)	-
R2	inc in each st around	(12)	-

Rnd	Instruction	Sts	Note
R3	[sc, inc] x 6	(18)	-
R4	[2 sc, inc] x 6	(24)	-
R5	[3 sc, inc] x 6	(30)	-
R6	[4 sc, inc] x 6	(36)	-
R7	[5 sc, inc] x 6	(42)	-
R8	[6 sc, inc] x 6	(48)	front legs join R8 - R9
R9	sc in each st around	(48)	-
R10	sc in each st around	(48)	body at full width, 70 mm
R11	sc in each st around	(48)	-
R12	sc in each st around	(48)	-
R13	sc in each st around	(48)	-
R14	[6 sc, dec] x 6	(42)	-
R15	sc in each st around	(42)	-
R16	[5 sc, dec] x 6	(36)	-
R17	[4 sc, dec] x 6	(30)	stuff firmly, pack the base
R18	[3 sc, dec] x 6	(24)	-
R19	[2 sc, dec] x 6	(18)	leave neck OPEN

Finish: FO with a 40 cm tail; do not close. Body is about 19 rounds (79 mm); with the head seated on the neck ring the finished sitting height is about 15 cm / 6 in.

4. Belly patch - Yarn B (optional)

A flat oval worked around a chain, sewn on last.

Rnd	Instruction	Sts	Note
Found.	ch 9	-	-
R1	sc in 2nd ch, sc in next 6, 3 sc in last ch, sc in next 6, 2 sc in last loop	(18)	-
R2	inc, 6 sc, inc x 3, 6 sc, inc x 2	(24)	-
R3	sc, inc, 6 sc, [sc, inc] x 3, 6 sc, [sc, inc] x 2	(30)	-
R4	2 sc, inc, 6 sc, [2 sc, inc] x 3, 6 sc, [2 sc, inc] x 2	(36)	-

Sl st, FO with a long tail; sew centred on the front with the lower edge about 3 rounds up from the base. Skip it for a plain ginger front - both are correct.

5. Legs - start with Yarn C, change to Yarn A (make 4)

All four identical; the sitting pose comes from where and at what angle you sew them. Sixteen rounds = a 67 mm leg.

Rnd	Instruction	Sts	Note
R1	6 sc in MR (Yarn C)	(6)	hoof
R2	inc in each st around	(12)	-

Rnd	Instruction	Sts	Note
R3	[sc, inc] x 6	(18)	-
R4	sc in each st around	(18)	-
R5	sc in each st around	(18)	-
R6	BLO sc around	(18)	change to Yarn A - ridge
R7	sc in each st around	(18)	-
R8	[sc, dec] x 6	(12)	stuff hoof firmly
R9	sc in each st around	(12)	-
R10	sc in each st around	(12)	-
R11	sc in each st around	(12)	-
R12	sc in each st around	(12)	-
R13	sc in each st around	(12)	upper leg light
R14	[2 sc, dec] x 3	(9)	-
R15	sc in each st around	(9)	-
R16	sc in each st around	(9)	leave top open

Leg length - read before you sew. A 67 mm leg joins much lower than it is long, so it splays: front about 55 degrees from vertical, back about 68-70 degrees (near horizontal) - that is the low Highland sit. For a tidier upright sit, work the FRONT pair only to Rnd 10 (42 mm); leave the back pair at 16 rounds as haunches.

6. Ears - make 2 of each layer

INNER ear - Yarn B (make 2) & OUTER ear - Yarn A (make 2)

Rnd	Instruction	Sts	Note
R1	6 sc in MR	(6)	-
R2	[sc, inc] x 3	(9)	-
R3	[2 sc, inc] x 3	(12)	-
R4	sc in each st around	(12)	-
R5	sc in each st around	(12)	-
R6	[2 sc, dec] x 3	(9)	-
R7	sc in each st around	(9)	OUTER ear only

Work the INNER ear through Rnd 6 only and the OUTER ear through Rnd 7; do not stuff either layer. Both openings have 9 stitches, but the one-round-shorter inner cup nests without bunching. If your cream yarn is thicker, use a 3.0 mm hook for the inner layer only. FO the inner ear with a short tail and the outer with a long tail. Push the inner cup inside the outer cup, aligning the magic-ring tips and the two 9-stitch openings, with cream visible at the front. Tack the two tips together with the inner-ear tail so the layers cannot shift. Join the openings stitch-for-stitch with 9 whip stitches (or 9 sc through one opening stitch from each layer) in Yarn A. Flatten the joined opening and pinch it with 2-3 stitches so the ear cups forward.

7. Horns - Yarn B (make 2)

Rnd	Instruction	Sts	Note
R1	4 sc in MR	(4)	-
R2	[sc, inc] x 2	(6)	-
R3	sc in each st around	(6)	-
R4	sc in each st around	(6)	-
R5	[2 sc, inc] x 2	(8)	-
R6	sc in each st around	(8)	-
R7	sc in each st around	(8)	stuff tip only

FO with a tail; stuff the tip only. Short and slightly curved - tilt each horn out and a little back when you sew.

8. Tail - Yarn A

Cut 6 strands of Yarn A, each 22 cm / 8.5 in. Fold the bundle in half and attach with a lark's head at the centre-back just above the last increase round: pull the folded loop through a stitch, then the tails through the loop. Folding gives 12 hanging ends; divide into 3 groups of 4, braid 4 cm, knot firmly and trim into a small tassel.

9. Fringe - Yarn A

Attach AFTER the horns and ears so you can part the hair around them. Cut 45 strands, each 14 cm / 5.5 in (43 to use plus 2 spares; swap up to 6 for Yarn C for depth). Attach 43 strands with lark's head knots in a horseshoe from one ear, across the brow, to the other, filling three rows across the front of the head: every stitch along the front of Rnd 8 (24 knots), then every other stitch along the front of Rnd 7 (about 10 knots) and Rnd 6 (about 9 knots) - 24 + 10 + 9 = 43 knots.

Tousle, then trim so the fringe grazes the eyes and breaks into uneven points. Highland hair is weather-beaten, not a salon fringe.

10. Tartan scarf - Yarn D (optional)

Rnd	Instruction	Sts	Note
Found.	ch 61	-	-
Row 1	hdc in 2nd ch from hook and in each ch across	(60)	-
Row 2	ch 1, turn, hdc across	(60)	-

FO; add a 3-strand tassel at each end or weave a second colour as a slip-stitch stripe to hint at tartan, then tie loosely under the muzzle. Ribbon shortcut: 28 cm of 12 mm rust tartan ribbon, knotted once.

Finishing & assembly




FIGURE 2 · Visual sequence only. The numbered written assembly directions below control placement and seam construction.

Assembly - work in this order:

1. Muzzle & face sewn (section 2) - the eye washers were locked before the head was closed at Rnd 16.
2. Horns between Rnds 5 and 7, 6 stitches apart, angled out and slightly back.
3. Ears just outside and below each horn, centred on Rnds 8-9, cupped forward.
4. Fringe attached and trimmed (section 9), parting around horns and ears.
5. Head to body: seat the head's small Rnds 15-16 closing nub **INSIDE** the body's open 18-stitch neck. Match the 18 body Rnd-19 stitches one-for-one to the 18 head stitches of Rnd 14, forming a full circular seam around the nub; do not bunch all 18 neck stitches into the 6-stitch closure. Pack the neck firmly, ladder-stitch around **TWICE** and tilt the muzzle slightly down.
6. Back legs: lower sides across Rnds 3-6, almost on the base, splayed near horizontal.
7. Front legs: **FRONT** across Rnds 8-9, about 8 sts apart, angled forward about 55 degrees.
8. Belly patch - only if you made it.
9. Tail & scarf: attach the tassel tail, tie the scarf, weave in every end and fluff the fringe.

Troubleshooting

- He will not sit. Restuff the body base firmly and sew the back legs lower and wider - closer to horizontal than you think.
- Front hooves float. Sewn too high - they belong on Rnds 8-9, not under the neck. If they still float, the legs are too long; work the front pair to Rnd 10.
- Stuffing shows. Drop half a hook size, or hold a matching thread with the yarn on visible rounds.
- Face looks blank. The eyes are too high. Low eyes plus a wide muzzle is the Highland stare.

- Fringe is sparse. Add a fourth row behind the horns and mix in one darker shade.
- Horns flop. Under-stuffed at the tip, or sewn only at the edge - stitch a full round into the head fabric.
- Head tips forward. Check that the 18-stitch neck is sewn around all 18 stitches of head Rnd 14, with the Rnds 15-16 nub tucked inside rather than used as the seam. Pack the neck and make the second ladder-stitch pass tight.

Colourways

YARN A · GINGER body + fringe · about 25 g	YARN B · OAT CREAM muzzle + horns + inner ears · 12 g	YARN C · DARK CHOCOLATE hooves + nostrils · about 5 g	YARN D · RUST / TARTAN optional scarf · about 6 g

ORIGINAL COLOURWAY · Yarn A Ginger · Yarn B Oat Cream · Yarn C Dark Chocolate · Yarn D Rust / Tartan (optional).

Optional body-tone variations: Ginger · Caramel · Highland black · Cream · Roan red

Three sizes, one pattern

Version	Yarn / hook	Eyes	Height
Wee Hamish	DK / #3 - 2.75 mm	8-9 mm	~12 cm
Classic	Worsted / #4 - 3.5 mm	12 mm	~15 cm
Cuddle Hamish	Bulky chenille / #5 - 5.0 mm	16-18 mm	~21 cm

Stitch counts stay the same; only yarn, hook and stuffing change. Yarn scales with the square of the height and stuffing with the cube - buy generously for the big chenille version.

Designer notes

- Why the legs join so low: back legs (16 rnd, 67 mm, sewn to Rnds 3-6) and front legs (sewn to Rnds 8-9) splay at the checked angles so all four hooves land level. This low join is the most common failure on sitting Highland cows.
- Bottom-heavy by design: stuff the lower body firmly and keep the shape squat. Hamish is meant to settle onto his base and stare.

Care

Follow the labels for every yarn and component used. Before publishing a care claim or supplying finished Hamishes, clean and dry a complete sample by the proposed method, then remeasure it and inspect for dye transfer, fibre change, stuffing migration, loosened fringe, shifted eyes and opened seams. Until that sample test passes, recommend gentle surface cleaning with a damp cloth and drying flat away from heat. Check all eyes, knots and attachments again after cleaning.

Terms of Use

Copyright & ownership

This crochet pattern - including all instructions, stitch counts, editorial layout and design elements - is the original work and intellectual property of Novality Crochet Studio, designed by Novality Crochet Studio. Design Code NS 01.

© 2026 Novality Crochet Studio. All rights reserved.

This pattern is licensed to the purchaser for personal use and for the small-batch sale of finished physical items under the terms below. You may not copy, redistribute, resell, share, translate, reproduce, or claim the pattern itself as your own. The pattern itself may not be uploaded, reproduced, or distributed in digital or printed form without permission from Novality Crochet Studio.

You may

Make as many finished Hamishes as you like for yourself, gifts, or charity. Sell physical finished items made from this pattern in small batches, in shops, markets and online, provided credit is given to "Novality Crochet Studio".

You may not

Do not resell, share, redistribute, translate, rewrite, publish or upload this digital PDF or its contents in any form. Do not alter, copy or recolor the pattern and claim it as your own. Do not use the Novality Crochet Studio name, logo or photos beyond crediting the pattern. Do not mass-produce finished items commercially without written permission.

Safety reminder

No finished item made from this pattern has been shown by Novality Crochet Studio to comply with ASTM F963, EN 71 or another toy-safety regime. Plastic eyes and knotted fringe require particular attention; embroidery removes the plastic-eye component but is not proof of overall compliance. The finished-item maker or seller is responsible for applicable assessment, evidence, labelling and traceability before supply.



NS 01

HAPPY CROCHETING

Make it slowly. Check every seam. Make it yours.

SHARE YOUR FINISHED HAMISH

#NovalityCrochetStudio · #HamishTheHighlandCow

Keep this design code with support questions and pattern revisions.

NOVALITY CROCHET STUDIO

© 2026 Novality Crochet Studio · ALL RIGHTS RESERVED · NS 01