



CROCHET PATTERN · FULL-COLOUR EDITION

Bobble Snowflake

Tree Skirt

US + UK TERMS

EASY-INTERMEDIATE

3 SIZES

46-109 CM

5-5.5 MM HOOK

NAMED ORIGINAL COLOURWAY



FOREST GREEN · MC



OAT CREAM · CC

One verified ladder, three stopping points.

Mini 46-53 cm · Standard 74-84 cm · Large 97-109 cm — each ends on a count divisible by six, so the exact scalloped border closes with 28, 46 or 64 complete scallops and no partial shell.

Welcome to Bobble Snowflake

A closed-centre, twelve-spoke double-crochet circle with a contrast bobble round every third round from R5. Choose the mini, standard or large stopping point, add twelve optional surface-crochet spokes, then finish with an exact scalloped border. Every construction row carries a printable **[]** progress box and a stated count — tick the box only after the count matches.



Oat cream five-dc bobbles and the scalloped shell edge, worked over forest green dc. Artwork is illustrative of the written design.

What is inside this pattern

Written directions in US and UK terms side by side · a verified count ladder from the 12-dc centre ring to 384 stitches · three stopping sizes · an optional twelve-spoke surface route · an exact scalloped border · gauge, blocking, finishing, troubleshooting, four colourways, care and the full licence.

Pattern profile

Format	US + UK terms, side by side
Skill level	Easy-intermediate
Active time	Unverified — record your own sample time
Finished size (target, verify)	Mini 46-53 cm · Standard 74-84 cm · Large 97-109 cm
Yarn	Worsted / aran (#4): forest green MC, oat cream CC
Hook	5-5.5 mm (US H/8-I/9), or size to meet gauge
Construction	Closed joined rounds, worked without turning

FOREST GREEN

MC · every non-bobble growth round

OAT CREAM

CC · bobble rounds, spokes + border

How to work from this edition

Tick each **[]** box only after the row's stated count matches your work. The US instruction sits on the left of every row and its UK equivalent on the right — work from one column only. If a count differs, stop and recount the round before continuing; do not add or drop stitches to force a number.

Contents

Welcome to Bobble Snowflake	2
Pattern profile	2
Contents	3
Safety — read this first	5
Materials	6
Gauge & size	7
Abbreviations (US + UK)	8
Construction & techniques	9
Instructions	10
Centre ring	10
Rounds 1–8	10
Rounds 9–16	11
Rounds 17–24	11
Rounds 25–32	12
Optional surface snowflake spokes	13
Scalloped border	14
Sizes at a glance	15
Finishing & assembly	16
Troubleshooting	17
Colourways	18
Care & storage	19
Terms of Use	20
Copyright & ownership	20
You may	20
You may not	20
Safety reminder	20
Finish checklist	21
Project notes	21

Read before making

Read every component and finishing note before beginning. Mark completed rows, confirm the count at each row end, and stop immediately if your count differs. Complete the centre-ring join, the optional surface spokes and the border in that order, and weave every tail while the centre opening is still open and accessible.

Diagrams and illustrations support orientation only; the numbered written directions control construction. Artwork in this edition is illustrative and was not photographed from a completed sample.

Safety — read this first

This design is home decor, not a toy

It is not flameproof. Keep it away from candles, fireplaces, heaters, hot lamps and every ignition source. Use only cool-running lights approved for the tree and location. Do not cover plugs, adapters, power strips or electrical connections with the skirt, and route cords so the skirt cannot pull on them.

Fit and placement

Keep the skirt clear of walking routes where its edge could cause a trip or slip. It must not support, level or stabilize a tree stand. Fit the closed centre without obstructing the stand, water reservoir, fasteners or manufacturer-required clearances. Inspect the skirt for loose surface stitches, stretched joins and snagged yarn before each season, and supervise children and animals around the complete tree arrangement.

No certified claim is made

No finished NS 14 skirt has been independently crocheted, fit-tested, wash-tested, assessed for flammability or shown by Novality Crochet Studio to comply with a product-safety regime. Before sale or supply, the finished-item maker or seller must determine the applicable classification, assessment, testing, documentation, labelling and traceability duties for every destination market.

Materials

- Worsted or aran (#4) yarn. Original colourway: forest green main colour (MC) and oat cream contrast colour (CC), in comparable yarns that meet the same gauge.
- Planning quantities — estimate, not a weighed result**

Planning quantities below are estimates derived from the written stitch counts, not weighed results. The source planning allowance of 700–1,200 g was never measured, is far above what the stitch counts imply, and supplied neither a mini figure nor a colour split. Estimated total yarn at about 200 yd / 100 g of worsted and 3–4 in of yarn per US dc (a 5-dc bobble uses five dc of yarn but counts as one stitch, and the estimate includes the spokes and border): **mini 70-95 g · standard 165-225 g · large 305-410 g**. Because every bobble round is worked entirely in CC and CC also covers the spokes and border, plan a near-even split: **CC about 44-52 % of the total, MC the remainder**, with the CC share highest in the mini. Make and weigh a gauge piece and a complete sample before buying for production or publishing a quantity, and buy both colours from one dye lot.
- 5–5.5 mm crochet hook (US H/8–I/9), or the size needed to meet the target stitch gauge while keeping the circle flat.
 - Optional hook 0.5–1 mm smaller for loose surface slip stitches; do not use it if it contracts the fabric.
 - Tapestry needle, scissors, tape measure, digital scale, one start-of-round marker and, for the optional spoke route, twelve locking markers or removable guide threads.
 - Rust-resistant pins and a fibre-appropriate blocking surface large enough for the selected size.

Estimated yarn by size (3–4 in of worsted per US dc; a 5-dc bobble uses five dc of yarn while counting as one stitch; spokes and border included):

Size	Stop	Growth stitches	Est. total yarn	Plan CC share
Mini / tabletop	R14	1,260	70-95 g	about 52 %
Standard	R23	3,312	165-225 g	about 47 %
Large	R32	6,336	305-410 g	about 44 %

Gauge & size

Make the centre ring and work through R6 as a circular gauge piece; let it rest before measuring. Target gauge in US double crochet / UK treble crochet is **12 stitches = 4 in / 10 cm** across the stitch direction.

Why the radial gauge is derived, not independent

The radial figure is derived from that stitch gauge, not independent of it: each round adds 12 stitches, so the circumference grows 4 in / 10 cm per round and the radius of a flat circle must grow $4 \div 2\pi = \mathbf{0.64\ in / 1.6\ cm\ per\ round}$ — **about 6¼ completed rounds = 4 in / 10 cm radially**. A rounded "6 rounds = 4 in" makes every round roughly 5 % taller than flat geometry wants, so the circle carries a mild cupping tendency that blocking removes; do not treat a small cup as a count error. Match the stitch gauge first, then confirm the circle lies flat. Stitch gauge controls circumference; the increase rate controls flatness. A rectangular swatch alone does not verify how this twelve-increase circle will lie.

At the target stitch gauge, the unbordered circumference and derived diameter are approximately:

- **R14** 168 stitches ÷ 3 stitches per inch = 56 in circumference; $56 \div \pi = 17.8\ in / 45\ cm$ diameter.
- **R23** 276 ÷ 3 = 92 in circumference; $92 \div \pi = 29.3\ in / 74\ cm$ diameter.
- **R32** 384 ÷ 3 = 128 in circumference; $128 \div \pi = 40.7\ in / 103\ cm$ diameter.

Border depth and the mini target

The scallops add an unverified amount at the edge, and blocking can move the result within or beyond the source target ranges. Note the mini's unbordered derived diameter (17.8 in / 45 cm) sits just under the bottom of its own 18–21 in / 46–53 cm target, so that target depends on border depth plus blocking; record a blocked sample before repeating the range. Measure the relaxed centre opening, unbordered body and finished blocked skirt. Do not force-block severe cupping or ruffling into a claimed size.

Circular gauge swatch

Make the centre ring and work through R6 as a circular gauge piece; let it rest before measuring. Match 12 stitches = 4 in / 10 cm across the stitch direction first, then confirm the circle lies flat. A rectangular swatch alone does not verify how this twelve-increase circle will lie.

Abbreviations (US + UK)

Abbreviation	Meaning
BO	5-dc bobble in US terms / 5-tr bobble in UK terms; counts as 1 stitch
CC	contrast colour
ch	chain
dc = tr	US double crochet / UK treble crochet
FO	fasten off
MC	main colour
R / rnd	round
sc = dc	US single crochet / UK double crochet
sl st	slip stitch
st(s)	stitch(es)
(n)	stitch count at round end

How to read the two columns

Every construction round appears twice side by side: the US instruction on the left, its UK equivalent on the right. Stitch counts are identical. Prose explanations use US terms unless both names are shown.

Construction & techniques

Joined rounds without turning

The starting ch 2 never counts as a stitch. Work the first dc or BO into the SAME stitch as the join, mark it, and slip stitch to that marked stitch at round end. Do not work into the ch 2 or joining slip stitch.

1

Fit the closed centre first

make the relaxed ch-20 ring and pass it over the actual central pole or trunk area before R1. The written ch-24 option makes a larger ring without changing R1, but its finished opening is still yarn- and tension-dependent. If neither relaxed ring fits without stretching or interfering with the stand, this closed-centre construction is not suitable; do not cut the finished skirt to create a slit.

2

Twelve-repeat circle

Round N consumes $N - 1$ old stitches and produces N new stitches in each of 12 repeats. The round therefore ends with exactly $12 \times N$ stitches. R9 requires seven plain dc per repeat and R10 requires eight; shortening either repeat leaves stitches unworked.

3

Five-dc bobble

yarn over, insert the hook, pull up a loop, yarn over and pull through two loops, leaving the incomplete dc on the hook. Repeat four more times in the same stitch until six loops remain; yarn over and pull through all six. Push the completed one-stitch bobble to the right side.

4

Original colour route

work R1–R4 and every non-bobble round in forest green MC. Work each complete bobble round — R5, R8, R11 and every third round thereafter — in oat cream CC; the plain dc and increase stitches on that round are CC too. Use CC again for the optional spokes and border. To change colour, work the round-ending slip stitch with the colour required for the next round. Carry a resting colour loosely up the wrong-side join across the intervening round or rounds, or cut and secure it; never strand yarn across the circle or pull the carried section tight.

5

Track the increase columns

if adding surface spokes, place one locking marker in the second dc of each R2 increase — R2 has exactly 12 increases, so this gives exactly 12 markers. On every later round, the marked stitch is the last old stitch consumed by its repeat; move that marker to the second dc of the new increase. The 12 final marker positions provide evenly spaced outer endpoints.

6

Surface slip stitch

hold the yarn behind the work, then insert the hook from the front of the fabric at the next point on the pinned radial guide, pull up a loop, and pull it through the loop already on the hook. The bobbles mark the front; the yarn supply stays behind it for the whole spoke. Keep every slip stitch relaxed and check the fabric after each spoke.

Instructions

1 · Skirt — centre ring and growth rounds. Ch 2 starts every round and is never counted. Work the first dc — or first BO on a bobble round — into the same stitch as the join, then end with a slip stitch to that first actual stitch. Count after every repeat and at the end of every round.

Legend: cream rows = bobble round worked in CC · green rows = plain round worked in MC · the outlined square in the first column is your printable progress box.

Centre ring

	Rnd	US terms	UK terms	Sts	Note
	Ring	Ch 20, check the relaxed ring against the stand, then sl st to first ch without twisting	Ch 20, check the relaxed ring against the stand, then sl st to first ch without twisting	-	ch 24 is the only written larger-opening option; recheck before R1

Rounds 1-8

	Rnd	US terms	UK terms	Sts	Note
	R1	Ch 2, 12 dc in ring, sl st to first dc	Ch 2, 12 tr in ring, sl st to first tr	(12)	-
	R2	Ch 2, 2 dc in each st around, sl st to first dc	Ch 2, 2 tr in each st around, sl st to first tr	(24)	12 increases; +12 every round from here
	R3	Ch 2, [dc in next st, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next st, 2 tr in next st] x 12, sl st to first tr	(36)	-
	R4	Ch 2, [dc in next 2 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 2 sts, 2 tr in next st] x 12, sl st to first tr	(48)	last MC round before the first bobble round
	R5	Ch 2, BO in next st , dc in next 2 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 2 sts, 2 tr in next st] x 12, sl st to first BO	(60)	first bobble round · CC
	R6	Ch 2, [dc in next 4 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 4 sts, 2 tr in next st] x 12, sl st to first tr	(72)	-
	R7	Ch 2, [dc in next 5 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 5 sts, 2 tr in next st] x 12, sl st to first tr	(84)	-
	R8	Ch 2, BO in next st , dc in next 5 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 5 sts, 2 tr in next st] x 12, sl st to first BO	(96)	bobble round · CC

Rounds 9-16

	Rnd	US terms	UK terms	Sts	Note
	R9	Ch 2, [dc in next 7 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 7 sts, 2 tr in next st] x 12, sl st to first tr	(108)	seven plain dc per repeat
	R10	Ch 2, [dc in next 8 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 8 sts, 2 tr in next st] x 12, sl st to first tr	(120)	eight plain dc per repeat
	R11	Ch 2, [BO in next st , dc in next 8 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 8 sts, 2 tr in next st] x 12, sl st to first BO	(132)	bobble round · CC
	R12	Ch 2, [dc in next 10 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 10 sts, 2 tr in next st] x 12, sl st to first tr	(144)	10 plain + 1 increase anchor consumes 11 and makes 12
	R13	Ch 2, [dc in next 11 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 11 sts, 2 tr in next st] x 12, sl st to first tr	(156)	-
	R14	Ch 2, [BO in next st , dc in next 11 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 11 sts, 2 tr in next st] x 12, sl st to first BO	(168)	MINI SIZE — stop growth; optional spokes, then border
	R15	Ch 2, [dc in next 13 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 13 sts, 2 tr in next st] x 12, sl st to first tr	(180)	-
	R16	Ch 2, [dc in next 14 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 14 sts, 2 tr in next st] x 12, sl st to first tr	(192)	-

Count check for the R11-to-R12 step

R11 consumes 10 old stitches per repeat — 1 BO + 8 plain dc + 1 increase anchor — and produces 11, giving 132 stitches. R12 then consumes 11 old stitches per repeat — 10 plain dc + 1 increase anchor — and produces 12, giving 144 stitches. R12 therefore requires 10 plain dc, not 9, before the increase; using 9 would leave 12 old stitches unworked and produce only 132 stitches.

Rounds 17-24

	Rnd	US terms	UK terms	Sts	Note
	R17	Ch 2, [BO in next st , dc in next 14 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 14 sts, 2 tr in next st] x 12, sl st to first BO	(204)	bobble round · CC
	R18	Ch 2, [dc in next 16 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 16 sts, 2 tr in next st] x 12, sl st to first tr	(216)	-
	R19	Ch 2, [dc in next 17 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 17 sts, 2 tr in next st] x 12, sl st to first tr	(228)	-
	R20	Ch 2, [BO in next st , dc in next 17 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 17 sts, 2 tr in next st] x 12, sl st to first BO	(240)	bobble round · CC
	R21	Ch 2, [dc in next 19 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 19 sts, 2 tr in next st] x 12, sl st to first tr	(252)	-
	R22	Ch 2, [dc in next 20 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 20 sts, 2 tr in next st] x 12, sl st to first tr	(264)	-
	R23	Ch 2, [BO in next st , dc in next 20 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 20 sts, 2 tr in next st] x 12, sl st to first BO	(276)	STANDARD SIZE — stop growth; optional spokes, then border · CC
	R24	Ch 2, [dc in next 22 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 22 sts, 2 tr in next st] x 12, sl st to first tr	(288)	-

Rounds 25-32

	Rnd	US terms	UK terms	Sts	Note
	R25	Ch 2, [dc in next 23 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 23 sts, 2 tr in next st] x 12, sl st to first tr	(300)	–
	R26	Ch 2, [BO in next st , dc in next 23 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 23 sts, 2 tr in next st] x 12, sl st to first BO	(312)	bobble round · CC
	R27	Ch 2, [dc in next 25 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 25 sts, 2 tr in next st] x 12, sl st to first tr	(324)	–
	R28	Ch 2, [dc in next 26 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 26 sts, 2 tr in next st] x 12, sl st to first tr	(336)	–
	R29	Ch 2, [BO in next st , dc in next 26 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 26 sts, 2 tr in next st] x 12, sl st to first BO	(348)	bobble round · CC
	R30	Ch 2, [dc in next 28 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 28 sts, 2 tr in next st] x 12, sl st to first tr	(360)	–
	R31	Ch 2, [dc in next 29 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 29 sts, 2 tr in next st] x 12, sl st to first tr	(372)	–
	R32	Ch 2, [BO in next st , dc in next 29 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 29 sts, 2 tr in next st] x 12, sl st to first BO	(384)	LARGE SIZE — stop growth; optional spokes, then border · CC

Optional surface snowflake spokes

Work before the border. Leave the 12 outer increase-column markers in place. On the right side, pin or lay a straight radial guide from the foundation ring to each marker. Use a separate CC length for every spoke; do not carry yarn from one outer edge back to the centre.

	Rnd	US terms	UK terms	Sts	Note
	Spoke	Join CC through the fabric immediately outside the centre ring; work relaxed surface sl sts outward along one pinned guide to its marked increase column; FO at the outer edge	Join CC through the fabric immediately outside the centre ring; work relaxed surface sl sts outward along one pinned guide to its marked increase column; FO at the outer edge	-	1 separate spoke; no reverse-side float
	Repeat	Repeat the complete join-to-FO spoke route separately at each remaining marked column	Repeat the complete join-to-FO spoke route separately at each remaining marked column	-	12 spokes total; count 12 centre starts and 12 outer ends

Surface stitches decorate the fabric and do not replace or add to the growth-round counts. Their exact number varies with size and placement. After every spoke, lay the skirt flat; if the spoke shortens the radius or puckers the body, remove it and remake it more loosely or with the main hook.

Scalloped border

Work the border into the final growth round only after the size and optional spokes are approved.

	Rnd	US terms	UK terms	Sts	Note
	Border	Join CC in any st; ch 1, [sc in next st, skip 2 sts, 5 dc in next st, skip 2 sts] around, sl st to first sc, FO	Join CC in any st; ch 1, [dc in next st, skip 2 sts, 5 tr in next st, skip 2 sts] around, sl st to first dc, FO	same worked-st total as the final growth round	each repeat consumes 6 edge sts and makes 1 scallop

Why it closes exactly

Each repeat consumes six final-round anchors and produces six worked stitches: one sc plus a five-dc shell. R14 gives $168 \div 6 = 28$ scallops; R23 gives $276 \div 6 = 46$; R32 gives $384 \div 6 = 64$. The stitch you join into is taken by the final skip of the last repeat, so the closing slip stitch lands one stitch past the join — that is correct and it is what makes the repeat close. If the repeat does not close exactly, undo the border and correct the final-round count rather than changing the last scallop.

Sizes at a glance

Size	Stop after round	Stitches	Border scallops	Unverified finished target
Mini / tabletop	R14	168	28	18-21 in / 46-53 cm
Standard	R23	276	46	29-33 in / 74-84 cm
Large	R32	384	64	38-43 in / 97-109 cm

The count rule

Round N always consumes N – 1 existing stitches and produces N stitches in each of 12 repeats. On a plain round that is N – 2 plain dc plus one increase; on a bobble round, one of those plain dc is replaced by one BO. This rule verifies the printed ladder but does not authorize untested extra sizes or altered increase rates.

Bobble rounds

R5, R8, R11, R14, R17, R20, R23, R26, R29 and R32 — every third round from R5. All three size stops land on a bobble round, so the final growth round is always worked in CC and the border joins into CC.

No active-time claim is supplied. Record hands-on time separately for the selected size, optional spokes, border, finishing and blocking before publishing an estimate.

Finishing & assembly

1. Confirm the selected final growth round contains 168, 276 or 384 stitches before adding surface work.
2. Work the optional 12 separate spokes, checking flatness after each, then work the exact scalloped border.
3. Weave every spoke, colour-change and border tail on the wrong side in at least two directions without tightening the radius.
4. Block only by a method suitable for the actual fibre. Pin to a flat circle without stretching the centre opening; never place an iron directly on the yarn, and do not apply heat unless the yarn maker permits the chosen method.
5. When fully dry and relaxed, record the centre opening, diameter through several axes, mass and edge condition. Confirm the opening fits the intended stand without affecting its stability, reservoir or fittings.
6. Install the closed ring before final tree assembly and only in a way permitted by the tree and stand manufacturers. Reinspect the complete arrangement after lights and cords are positioned.

Troubleshooting

The relaxed centre ring does not fit

stop before R1. Try the written ch-24 option and recheck it. Do not stretch the ring over hardware, cut the finished skirt or assume blocking will create a safe fit.

The body ruffles

first recount the complete round and confirm there are exactly 12 increases. If the count is correct, let the gauge piece rest and check both gauge directions; test another hook or yarn before continuing. Do not randomly omit increases because that breaks the written size and border route.

The body cups

check for a short repeat or skipped increase, especially R9 and R10. If the count is correct, expect the mild cupping tendency described in Gauge & size and reassess hook, yarn and the stitch gauge rather than adding unrecorded stitches.

A surface spoke puckers the skirt

remove that spoke and remake it with looser slip stitches. Each spoke needs its own centre join and outer-edge fasten-off; there should be no long float on the wrong side.

The border does not close

verify the final total is 168, 276 or 384 and consume exactly six anchors per scallop. Do not improvise a partial shell.

Bobbles stay flat

keep the five incomplete dc relaxed, close all six loops together and push the bobble to the right side before the next stitch.

Colourways

FOREST GREEN MC · every non-bobble growth round	OAT CREAM CC · bobble rounds, spokes + border
---	---

Original colourway: forest green MC for R1-R4 and all later non-bobble growth rounds; oat cream CC for each complete bobble round, all 12 optional surface spokes and the scalloped border. Use comparable worsted/aran yarns so colour changes do not alter gauge.

Alternative palettes

SNOW WHITE + DEEP RED white MC · red CC	NAVY + SILVER-GREY navy MC · silver CC	SINGLE-COLOUR CREAM MC and CC, same yarn
---	--	--

Metallic filament, sequins, beads and battery-light additions are not part of this pattern and require separate handling, care and safety review.

Care & storage

Follow the most restrictive instruction among every yarn and added material. Before publishing a cleaning claim or supplying finished skirts, clean and fully dry a complete full-size sample by the proposed method. Remeasure the diameter and opening and inspect dye transfer, shrinkage, bobble shape, surface-spoke tension, joins and scallops.

Until that complete-sample test passes, do not make a machine-wash or tumble-dry claim. Recommend gentle surface cleaning only. Store completely dry and away from heat, flame, damp and pests; roll or lay flat rather than sharply creasing the bobble field. Inspect again before seasonal use.

Terms of Use

Copyright & ownership

You may

You may not

Safety reminder

Credit your finished makes

Listings for finished skirts must credit "Pattern by Novality Crochet Studio · Design Code NS 14" and must not claim unverified safety, testing, size, yarn quantity, fit or care results. Tag your projects with #NovalityCrochetStudio and #NovalityTreeSkirt.

Finish checklist

	Centre ring fits the stand relaxed; join and ends secured
	Every growth round counted; 12 increase columns aligned
	Final count confirmed: 168 / 276 / 384
	Optional spokes: 12 separate routes, no puckering or floats
	Border closed: 28 / 46 / 64 complete scallops
	Blocked dimensions recorded; stand and cord clearances checked

Project notes

Novality Crochet Studio · NS 14 · keep this page with your project notes.

Thank you for making with us

Every NS 14 pattern is checked row by row before release.
Counts, repeats and closures are verified against the written rule.

PATTERN BY NOVALITY CROCHET STUDIO · DESIGN CODE NS 14

Written directions in US + UK terms · a verified count ladder · printable progress boxes
Three sizes · optional twelve surface spokes · an exact scalloped border



Tag your make: #NovalityCrochetStudio #NovalityTreeSkirt