


NOVALITY CROCHET STUDIO

DESIGN NS 14 / DIGITAL CROCHET PATTERN

Bobble Snowflake Tree Skirt



US + UK TERMS / MINI · STANDARD · LARGE

Joined rounds · Bobble texture · Scalloped edging

CORRECTED EDITION

Stitch-count checked; not crochet-tested.

Finished dimensions and yarn use remain provisional.

Pattern instructions only — no physical item included.

Cover motif is decorative, not a stitch chart or sample photograph.

US + UK terms · Easy–Intermediate · Three stopping sizes Design Code NS 14 · Editorially corrected edition

A twelve-spoke circular skirt worked in joined rounds, with twelve bobbles every third round beginning at R5. Optional surface slip stitches outline the increase columns. The centre is a closed ring: there is no opening slit.

Revision status: The growth-round and border arithmetic has been checked. This edition has not been crochet-tested. Opening size, finished diameter, yarn quantities, and flatness require verification with the actual yarn, hook, and tension.

Size options

Size	Finish growth after	Growth-round stitches	Border scallops	Provisional diameter target
Mini / tabletop	R14	168	28	18–21 in / 46–53 cm
Standard	R23	276	46	29–33 in / 74–84 cm
Large	R32	384	64	38–43 in / 97–109 cm

The diameter ranges are design targets retained from the original pattern, not verified finished measurements. For the finished skirt, measure after the border and light blocking, across the outermost scallop tips through the centre. Record the centre-opening diameter separately. Do not promise a finished size until a sample has been measured.

Installation: Check the planned installation before starting. The skirt must be slipped over the appropriate tree component before assembly; a small closed opening will generally not pass over an assembled stand. Do not assume it can be fitted around an already installed tree. Follow the tree and stand manufacturer's instructions, and do not obstruct stand fittings, ventilation, or water access.

Safety — read this first

This design is intended as home decor, not a toy. It is not flameproof: keep the skirt away from open flames, heaters and hot lamps, and use only cool-running lights that are approved for the tree and location.

No finished skirt has been independently assessed by Novality Store for flammability or another product-safety requirement. Before supply, the finished-item maker or seller must assess the actual yarn and construction and meet all classification, testing, documentation, labelling and traceability duties for every destination market. A “home decor” label does not replace requirements arising from intended or reasonably foreseeable use.

Materials

- Worsted or aran (#4) yarn. Original provisional allowance: 700–1,200 g for a standard or large skirt. This has not been verified by size; record yarn length and weight used in a sample. A mini-size allowance is not established.

- Hook: 5–5.5 mm as a starting recommendation; select the hook using a swatch.
- Main colour (MC) and optional contrast colour (CC) for bobble rounds, border, and surface lines.
- Stitch markers, scissors, and tapestry needle.
- Optional smaller hook for the surface slip stitches; use it only if the resulting lines remain loose.

Gauge and measurement

Starting swatch target, US terms: 12 dc and 6 rows = 4 in / approximately 10 cm in a flat, back-and-forth swatch, lightly blocked. **UK equivalent:** 12 tr and 6 rows.

Rows are not rounds. Check the circular fabric separately because joined rounds, bobbles, and your working tension may behave differently from the flat swatch. Measure the actual skirt as it grows and let it lie naturally without stretching it flat by force.

Abbreviations — US / UK

Abbreviation	Meaning
MC / CC	Main colour / contrast colour
ch	Chain
sl st	Slip stitch
st(s)	Stitch(es)
R	Round
FO	Fasten off
US sc / UK dc	Single crochet / double crochet
US dc / UK tr	Double crochet / treble crochet
BO	Five-leg bobble: US 5-dc bobble / UK 5-tr bobble; counts as one stitch
(n)	Number of stitch tops at the end of the round

Use **one instruction column only**. The US instructions are on the left and their UK equivalents are on the right. Prose technique instructions use US terms unless otherwise noted.

Starting chains and joining or travel slip stitches do not count as stitches and are not worked into on the next round unless explicitly instructed.

Construction and techniques

Joined rounds

Do not turn. Each **growth round** starts with ch 2, which never counts as a stitch. In R1, work into the foundation ring. From R2 onward, work the first dc or BO into the same stitch as the previous joining slip stitch. In the tables, the first “next stitch” means this starting stitch, not the following stitch.

Mark the first actual stitch and join to it at the end of the round. Do not work into the starting chain or the joining slip stitch. The border starts with ch 1 instead of ch 2.

The twelve-repeat growth rule

R1 establishes twelve stitches. From R2 onward, Round N consumes N–1 base stitches and produces N stitch tops in each of twelve repeats. Every growth round therefore ends with **12 × N stitches**.

- Plain round: work N–2 plain dc, then 2 dc in the next stitch.
- Bobble round: work one BO, then N–3 plain dc, then 2 dc in the next stitch.
- Bobble rounds are R5, R8, R11, R14, R17, R20, R23, R26, R29, and R32.
- R9 requires seven plain dc per repeat; R10 requires eight. One fewer plain dc per repeat leaves twelve base stitches unworked after the twelve repeats.

The rule establishes stitch counts, not a guarantee of flatness with every yarn and tension.

Five-dc bobble — BO

Yarn over, insert the hook into the specified stitch, yarn over and pull up a loop, yarn over and pull through two loops. Repeat this incomplete-dc action four more times in the **same stitch**, leaving six loops on the hook. Yarn over and pull through all six loops. Push the bobble to the front.

One BO consumes one base stitch and produces one stitch top. No additional closing chain is specified. On the next round, work into the bobble's single top as one stitch. UK: use five incomplete trebles with the same construction.

Changing colour

If changing colour for the next round, make the final joining slip stitch of the current round with the new colour, then start the next round with that colour. Secure or carry the unused yarn neatly as appropriate. A colour change may still be visible at the join.

Tracking the spokes

Place markers at the increase positions if helpful, moving them as the skirt grows. Repeated increases at the same relative positions can produce a twelve-sided outline rather than a perfectly smooth circle. Optional surface lines follow those increase paths.

Instructions

Foundation ring and opening check

US and UK: Ch 20. Without twisting the chain, sl st to the first chain to form a ring.

Work R1 around the chain ring, not one stitch into each individual chain. Do not substitute a magic ring if a centre opening is required.

The original 1.5–2 in opening estimate is **not verified**. Check the opening after the first several rounds and after light blocking. The surrounding dc fabric may constrain it; the foundation-chain length alone does not determine its final diameter.

This corrected version does not offer ch 24 as a guaranteed larger-opening option. If the opening is too small, do not simply add foundation chains and assume the same twelve-stitch start will remain flat. A substantially larger opening needs a separately swatched annular foundation and revised growth counts.

Growth rounds

Follow the chosen US or UK column. End every round by joining to its first actual stitch. At R14, R23, or R32, proceed to the border for the selected size.

Rounds 1–8

Rnd	US terms	UK terms	Sts
R1	Ch 2, 12 dc in ring, sl st to first dc.	Ch 2, 12 tr in ring, sl st to first tr.	12
R2	Ch 2, 2 dc in each st around, sl st to first dc.	Ch 2, 2 tr in each st around, sl st to first tr.	24
R3	Ch 2, [dc in next st, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next st, 2 tr in next st] ×12, sl st to first tr.	36
R4	Ch 2, [dc in next 2 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 2 sts, 2 tr in next st] ×12, sl st to first tr.	48
R5	Ch 2, [BO in next st, dc in next 2 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 2 sts, 2 tr in next st] ×12, sl st to first BO.	60
Bobble round.			
R6	Ch 2, [dc in next 4 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 4 sts, 2 tr in next st] ×12, sl st to first tr.	72
R7	Ch 2, [dc in next 5 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 5 sts, 2 tr in next st] ×12, sl st to first tr.	84
R8	Ch 2, [BO in next st, dc in next 5 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 5 sts, 2 tr in next st] ×12, sl st to first BO.	96
Bobble round.			

Rounds 9–16

Rnd	US terms	UK terms	Sts
R9	Ch 2, [dc in next 7 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 7 sts, 2 tr in next st] ×12, sl st to first tr.	108
R10	Ch 2, [dc in next 8 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 8 sts, 2 tr in next st] ×12, sl st to first tr.	120
R11	Ch 2, [BO in next st, dc in next 8 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 8 sts, 2 tr in next st] ×12, sl st to first BO.	132
Bobble round.			
R12	Ch 2, [dc in next 10 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 10 sts, 2 tr in next st] ×12, sl st to first tr.	144
R13	Ch 2, [dc in next 11 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 11 sts, 2 tr in next st] ×12, sl st to first tr.	156
R14	Ch 2, [BO in next st, dc in next 11 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 11 sts, 2 tr in next st] ×12, sl st to first BO.	168
MINI: proceed to border, or continue for a larger size.			
R15	Ch 2, [dc in next 13 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 13 sts, 2 tr in next st] ×12, sl st to first tr.	180
R16	Ch 2, [dc in next 14 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 14 sts, 2 tr in next st] ×12, sl st to first tr.	192

Rounds 17–24

Rnd	US terms	UK terms	Sts
R17	Ch 2, [BO in next st, dc in next 14 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 14 sts, 2 tr in next st] ×12, sl st to first BO.	204
Bobble round.			
R18	Ch 2, [dc in next 16 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 16 sts, 2 tr in next st] ×12, sl st to first tr.	216
R19	Ch 2, [dc in next 17 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 17 sts, 2 tr in next st] ×12, sl st to first tr.	228
R20	Ch 2, [BO in next st, dc in next 17 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 17 sts, 2 tr in next st] ×12, sl st to first BO.	240
Bobble round.			
R21	Ch 2, [dc in next 19 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 19 sts, 2 tr in next st] ×12, sl st to first tr.	252
R22	Ch 2, [dc in next 20 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 20 sts, 2 tr in next st] ×12, sl st to first tr.	264
R23	Ch 2, [BO in next st, dc in next 20 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 20 sts, 2 tr in next st] ×12, sl st to first BO.	276
STANDARD: proceed to border, or continue for large.			
R24	Ch 2, [dc in next 22 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 22 sts, 2 tr in next st] ×12, sl st to first tr.	288

Rounds 25–32

Rnd	US terms	UK terms	Sts
R25	Ch 2, [dc in next 23 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 23 sts, 2 tr in next st] ×12, sl st to first tr.	300
R26	Ch 2, [BO in next st, dc in next 23 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 23 sts, 2 tr in next st] ×12, sl st to first BO.	312
Bobble round.			
R27	Ch 2, [dc in next 25 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 25 sts, 2 tr in next st] ×12, sl st to first tr.	324
R28	Ch 2, [dc in next 26 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 26 sts, 2 tr in next st] ×12, sl st to first tr.	336
R29	Ch 2, [BO in next st, dc in next 26 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 26 sts, 2 tr in next st] ×12, sl st to first BO.	348
Bobble round.			
R30	Ch 2, [dc in next 28 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 28 sts, 2 tr in next st] ×12, sl st to first tr.	360
R31	Ch 2, [dc in next 29 sts, 2 dc in next st] ×12, sl st to first dc.	Ch 2, [tr in next 29 sts, 2 tr in next st] ×12, sl st to first tr.	372
R32	Ch 2, [BO in next st, dc in next 29 sts, 2 dc in next st] ×12, sl st to first BO.	Ch 2, [BO in next st, tr in next 29 sts, 2 tr in next st] ×12, sl st to first BO.	384
LARGE: proceed to border.			

Scalloped border

Use the working yarn or change to CC at the preceding join. If the growth yarn has been fastened off, join the border yarn in any stitch.

Ch 1, which does not count. Work the first sc (UK dc) in the **same stitch as the yarn join**.

US terms	UK terms
[Sc in next st, skip next 2 sts, 5 dc in next st, skip next 2 sts] around. Sl st to first sc; FO.	[Dc in next st, skip next 2 sts, 5 tr in next st, skip next 2 sts] around. Sl st to first dc; FO.

The starting sc is the first stitch of the first repeat, not an extra stitch before the repeats. Each repeat consumes six base stitches and produces one sc plus five dc (UK: one dc plus five tr). The five tall stitches form one scallop. The final two skipped stitches are followed by the joining slip stitch to the first sc.

Growth ending	Base stitches	Complete repeats / scallops	Border stitch tops, excluding join
R14	168	28	168
R23	276	46	276
R32	384	64	384

All three counts divide exactly by six. A gentle wave in this border is acceptable; severe ruffling in the body of the skirt needs investigation.

Optional surface snowflake spokes

After completing the skirt, identify the twelve increase paths. With CC, work one line of surface slip stitches from the inner edge outward along one path, taking care not to pull the fabric tight. Fasten off at the outer end.

Rejoin at the inner edge for each remaining path. Work **twelve separate outward passes**, fastening off after each one. Keep the lines loose; stop and loosen them if they shorten the skirt or cause puckering. A smaller hook is optional, not a requirement.

Finishing and assembly

- Weave in all ends securely on the wrong side.
- Block lightly according to the yarn label. Do not force a cupped or heavily ruffled skirt into shape with aggressive stretching.
- Lay the skirt flat, then measure its diameter across opposite outer scallop tips through the centre. Measure in several directions and record the range if it is not perfectly circular.
- Measure the unstretched centre opening separately and check the planned installation route before assembling the tree and stand.

- For finished-item listings, use the actual measured size and yarn details, not the provisional targets. Photograph both the flat skirt and its intended installed use without compromising access or safety.

Troubleshooting

The skirt ruffles strongly. First count the stitches and check for accidental increases, extra stitches in joins, or starting chains counted as stitches. If counts are correct, assess the yarn, hook, stitch proportions, bobble tension, and foundation opening. A hook change may help, but a smaller hook is not a guaranteed fix. Swatch before making a change.

The skirt cups. First check for missed increases, skipped bobble tops, tight joins, and tight surface lines. Check R9's seven plain dc and R10's eight plain dc per repeat; one fewer leaves twelve base stitches unworked after twelve repeats. Correct counts do not rule out a gauge or construction issue.

Flatness remains poor despite correct counts. Twelve increases per round are this design's chosen schedule, not a universal rule for all yarns and stitch proportions. If swatching indicates a different schedule is needed, revise the subsequent counts, motif spacing, and border repeats together. Do not silently omit or add increases while retaining the printed totals.

Bobbles will not pop. Work the five incomplete dc with an even, uncramped tension and push the finished bobble to the front. Make sure you close all five legs together and count the resulting top only once.

The centre opening is unsuitable. Do not force it over a stand or enlarge it by stretching aggressively. Reassess the foundation and installation plan. An open-slit skirt or a separately designed larger-opening version may be more suitable.

Colourways

Forest and cream · Snow white with red scallops · Navy and silver · Single-colour cream

Care and storage

Follow the actual yarn label. Before publishing a cleaning claim or supplying finished skirts, wash and dry a full-size sample by the proposed method, then remeasure the diameter and centre opening and inspect for dye transfer, shrinkage, bobble distortion and stretched joins. Until that test passes, make no machine-wash or tumble-dry claim. Store completely dry and away from heat, flame, damp and pests; lay flat or roll rather than sharply creasing the bobble design.

Terms of Use

Copyright and ownership

This crochet pattern — including all instructions, stitch counts, photography and design elements — is the original work and intellectual property of Novality Store, designed by Novality Crochet Studio. Design Code NS 14.

© 2026 Novality Store. All rights reserved.

This pattern is licensed to the purchaser for personal use and for the small-batch sale of finished physical items under the terms below. You may not copy, redistribute, resell, share, translate, reproduce, or claim the pattern itself as your own. The pattern itself may not be uploaded, reproduced, or distributed in digital or printed form without permission from Novality Store.

You may

Make as many finished skirts as you like for yourself, gifts, or charity. Sell physical finished items made from this pattern in small quantities with credit to Novality Store.

You may not

Sell, share, copy or redistribute this pattern or any part of it. Claim the pattern as your own design. Produce items from this pattern as a factory or manufacturer.

Safety reminder

Intended as home decor, not a toy, and not flameproof. Keep away from ignition and heat sources and use only cool-running lights approved for the tree and location. No finished skirt has been independently assessed by Novality Store; the finished-item maker or seller is responsible for all market-specific product-safety evidence and duties before supply.

Happy crocheting!

Tag your makes with **#NovalityStore** and **#NovalityTreeSkirt**. Install and use the skirt only as compatible with the tree and stand instructions and the safety guidance above. Thank you for supporting an independent pattern designer.