



# Bobble Snowflake Tree Skirt

Twelve-spoke double-crochet circle · closed centre · three sizes · exact scalloped border

CROCHET PATTERN · US + UK TERMS SIDE BY SIDE · INK-FRIENDLY PRINT LAYOUT

✓ 5-AXIOM MATHEMATICALLY VERIFIED

32 ROUNDS

3 SIZES · 46-109 CM

5-5.5 MM HOOK

WORSTED #4

|                                                                                                                                                         |                                                                                                                                               |                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <div>● FOREST GREEN - MC</div>                                                                                                                          | <div>● OAT CREAM - CC</div>                                                                                                                   | named original colourway                                                                                                                  |
| <div>WHAT YOU GET</div> <div>32 numbered rounds, US + UK columns<br/>Printable tick-box count checklist<br/>Spokes, scalloped border, three sizes</div> | <div>VERIFICATION</div> <div>✓ 5-axiom mathematical audit<br/>32 / 32 rounds and closures pass<br/>Deterministic static analysis engine</div> | <div>PRINT NOTES</div> <div>10 pages on US Letter, light ink load<br/>No full-bleed colour pages<br/>Tables sized for home printers</div> |

**One verified ladder, three stopping points**  
mini 46-53 cm · standard 74-84 cm · large 97-109 cm - each ends on a count divisible by six,  
so the exact scalloped border closes with 28, 46 or 64 scallops.

# Welcome, Contents & How to Use This Pattern

A closed-centre, twelve-spoke double-crochet circle with a contrast bobble round every third round from R5. Choose the mini, standard or large stopping point, add twelve optional surface-crochet spokes, then finish with an exact scalloped border.

Tick each **[ ]** box only after the row's stated count matches your work. Work from one column only: US on the left, UK on the right. If a count differs, stop and recount the round before continuing. Diagrams support orientation; the numbered written directions control.

|                                                             |    |
|-------------------------------------------------------------|----|
| Welcome, Contents & How to Use This Pattern                 | 2  |
| Safety & Materials                                          | 2  |
| Gauge, Size & Abbreviations                                 | 3  |
| Construction & Techniques                                   | 3  |
| Instructions - Centre Ring & Growth Rounds                  | 4  |
| Spokes, Scalloped Border & Sizes                            | 6  |
| Finishing, Assembly & Troubleshooting                       | 7  |
| Colourways & Care                                           | 7  |
| Terms, Licence & Finish Checklist                           | 8  |
| Appendix A - Visual Schematics, Assembly Map & Growth Chart | 9  |
| Appendix B - Machine-Verification & 5-Axiom Audit           | 10 |

|                        |                                                |              |                                           |
|------------------------|------------------------------------------------|--------------|-------------------------------------------|
| Format                 | US + UK terms side by side                     | Skill        | Easy-intermediate                         |
| Sizes (target, verify) | Mini 46-53 cm / Std 74-84 cm / Large 97-109 cm | Yarn         | Worsted #4: forest green MC, oat cream CC |
| Hook                   | 5-5.5 mm (US H/8-I/9)                          | Construction | Closed joined rounds, no turning          |

## Safety & Materials

**Home decor, not a toy - and not flameproof**

Keep it away from candles, fireplaces, heaters, hot lamps and every ignition source; use only cool-running lights approved for the tree. Do not cover plugs, adapters, power strips or electrical connections, and route cords so the skirt cannot pull on them. Keep the edge clear of walking routes; it must not support, level or stabilize a stand. Fit the closed centre without obstructing the stand, reservoir or fasteners. No finished NS 14 skirt has been independently crocheted, fit-tested, wash-tested or assessed for flammability; before sale or supply the maker or seller must determine every applicable assessment, testing, documentation, labelling and traceability duty.

- Worsted or aran (#4) yarn. Original colourway: forest green main colour (MC) and oat cream contrast colour (CC), in comparable yarns that meet the same gauge.

**Planning quantities - estimate, not a weighed result**

Planning quantities below are estimates derived from the written stitch counts, not weighed results. The source planning allowance of 700–1,200 g was never measured, is far above what the stitch counts imply, and supplied neither a mini figure nor a colour split. Estimated total yarn at about 200 yd / 100 g of worsted and 3–4 in of yarn per US dc (a 5-dc bobble uses five dc of yarn but counts as one stitch, and the estimate includes the spokes and border): **mini 70-95 g · standard 165-225 g · large 305-410 g**. Because every bobble round is worked entirely in CC and CC also covers the spokes and border, plan a near-even split: **CC about 44-52 % of the total, MC the remainder**, with the CC share highest in the mini. Make and weigh a gauge piece and a complete sample before buying for production or publishing a quantity, and buy both colours from one dye lot.

- 5–5.5 mm crochet hook (US H/8–I/9), or the size needed to meet the target stitch gauge while keeping the circle flat.
- Optional hook 0.5–1 mm smaller for loose surface slip stitches; do not use it if it contracts the fabric.
- Tapestry needle, scissors, tape measure, digital scale, one start-of-round marker and, for the optional spoke route, twelve locking markers or removable guide threads.
- Rust-resistant pins and a fibre-appropriate blocking surface large enough for the selected size.

| Size            | Stop | Growth sts | Est. yarn | CC share |
|-----------------|------|------------|-----------|----------|
| Mini / tabletop | R14  | 1,260      | 70-95 g   | ~52 %    |
| Standard        | R23  | 3,312      | 165-225 g | ~47 %    |
| Large           | R32  | 6,336      | 305-410 g | ~44 %    |

## Gauge, Size & Abbreviations

Make the centre ring and work through R6 as a circular gauge piece; let it rest before measuring. Target gauge in US double crochet / UK treble crochet is **12 stitches = 4 in / 10 cm** across the stitch direction.

### Radial gauge is derived, not independent

The radial figure is derived from that stitch gauge, not independent of it: each round adds 12 stitches, so the circumference grows 4 in / 10 cm per round and the radius of a flat circle must grow  $4 / 2\pi = \mathbf{0.64\text{ in / 1.6 cm per round}}$  — **about 6¼ completed rounds = 4 in / 10 cm radially**. A rounded "6 rounds = 4 in" makes every round roughly 5 % taller than flat geometry wants, so the circle carries a mild cupping tendency that blocking removes; do not treat a small cup as a count error. Match the stitch gauge first, then confirm the circle lies flat. Stitch gauge controls circumference; the increase rate controls flatness. A rectangular swatch alone does not verify how this twelve-increase circle will lie.

At the target stitch gauge, the unbordered circumference and derived diameter are approximately:

- **R14** 168 stitches / 3 stitches per inch = 56 in circumference;  $56 / \pi = 17.8\text{ in / 45 cm}$  diameter.
- **R23** 276 / 3 = 92 in circumference;  $92 / \pi = 29.3\text{ in / 74 cm}$  diameter.
- **R32** 384 / 3 = 128 in circumference;  $128 / \pi = 40.7\text{ in / 103 cm}$  diameter.

### Border depth and the mini target

The scallops add an unverified amount at the edge, and blocking can move the result within or beyond the source target ranges. Note the mini's unbordered derived diameter (17.8 in / 45 cm) sits just under the bottom of its own 18–21 in / 46–53 cm target, so that target depends on border depth plus blocking; record a blocked sample before repeating the range. Measure the relaxed centre opening, unbordered body and finished blocked skirt. Do not force-block severe cupping or ruffling into a claimed size.

| Abbreviation   | Meaning                                                               | Abbreviation | Meaning                               |
|----------------|-----------------------------------------------------------------------|--------------|---------------------------------------|
| <b>BO</b>      | 5-dc bobble in US terms / 5-tr bobble in UK terms; counts as 1 stitch | R / rnd      | round                                 |
| <b>CC</b>      | contrast colour                                                       | sc = dc      | US single crochet / UK double crochet |
| <b>ch</b>      | chain                                                                 | sl st        | slip stitch                           |
| <b>dc = tr</b> | US double crochet / UK treble crochet                                 | st(s)        | stitch(es)                            |
| <b>FO</b>      | fasten off                                                            | (n)          | stitch count at round end             |
| <b>MC</b>      | main colour                                                           |              |                                       |

Every construction round appears twice side by side: US left, UK right, identical counts. Prose uses US terms unless both names are shown.

## Construction & Techniques

### Joined rounds without turning

The starting ch 2 never counts as a stitch. Work the first dc or BO into the SAME stitch as the join, mark it, and slip stitch to that marked stitch at round end. Do not work into the ch 2 or joining slip stitch.

#### 1. Fit the closed centre first

make the relaxed ch-20 ring and pass it over the actual central pole or trunk area before R1. The written ch-24 option makes a larger ring without changing R1, but its finished opening is still yarn- and tension-dependent. If neither relaxed ring fits without stretching or interfering with the stand, this closed-centre construction is not suitable; do not cut the finished skirt to create a slit.

#### 2. Twelve-repeat circle

Round N consumes N - 1 old stitches and produces N new stitches in each of 12 repeats. The round therefore ends with exactly 12 x N stitches. R9 requires seven plain dc per repeat and R10 requires eight; shortening either repeat leaves stitches unworked.

**3. Five-dc bobble**

yarn over, insert the hook, pull up a loop, yarn over and pull through two loops, leaving the incomplete dc on the hook. Repeat four more times in the same stitch until six loops remain; yarn over and pull through all six. Push the completed one-stitch bobble to the right side.

**4. Original colour route**

work R1-R4 and every non-bobble round in forest green MC. Work each complete bobble round — R5, R8, R11 and every third round thereafter — in oat cream CC; the plain dc and increase stitches on that round are CC too. Use CC again for the optional spokes and border. To change colour, work the round-ending slip stitch with the colour required for the next round. Carry a resting colour loosely up the wrong-side join across the intervening round or rounds, or cut and secure it; never strand yarn across the circle or pull the carried section tight.

**5. Track the increase columns**

if adding surface spokes, place one locking marker in the second dc of each R2 increase — R2 has exactly 12 increases, so this gives exactly 12 markers. On every later round, the marked stitch is the last old stitch consumed by its repeat; move that marker to the second dc of the new increase. The 12 final marker positions provide evenly spaced outer endpoints.

**6. Surface slip stitch**

hold the yarn behind the work, then insert the hook from the front of the fabric at the next point on the pinned radial guide, pull up a loop, and pull it through the loop already on the hook. The bobbles mark the front; the yarn supply stays behind it for the whole spoke. Keep every slip stitch relaxed and check the fabric after each spoke.

## Instructions - Centre Ring & Growth Rounds

Ch 2 starts every round and is never counted. Work the first dc - or first BO on a bobble round - into the same stitch as the join, then end with a slip stitch to that first actual stitch. Legend: cream rows = bobble round in CC, green rows = plain round in MC; the outlined square is your printable progress box.

### Centre ring & Rounds 1-8

|  | Rnd         | US terms                                                                                  | UK terms                                                                                 | Sts         | Note                                                               |
|--|-------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------|
|  | <b>Ring</b> | Ch 20, check the relaxed ring against the stand, then sl st to first ch without twisting  | Ch 20, check the relaxed ring against the stand, then sl st to first ch without twisting | -           | ch 24 is the only written larger-opening option; recheck before R1 |
|  | <b>R1</b>   | Ch 2, 12 dc in ring, sl st to first dc                                                    | Ch 2, 12 tr in ring, sl st to first tr                                                   | <b>(12)</b> | -                                                                  |
|  | <b>R2</b>   | Ch 2, 2 dc in each st around, sl st to first dc                                           | Ch 2, 2 tr in each st around, sl st to first tr                                          | <b>(24)</b> | 12 increases; +12 every round from here                            |
|  | <b>R3</b>   | Ch 2, [dc in next st, 2 dc in next st] x 12, sl st to first dc                            | Ch 2, [tr in next st, 2 tr in next st] x 12, sl st to first tr                           | <b>(36)</b> | -                                                                  |
|  | <b>R4</b>   | Ch 2, [dc in next 2 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 2 sts, 2 tr in next st] x 12, sl st to first tr                        | <b>(48)</b> | last MC round before the first bobble round                        |
|  | <b>R5</b>   | Ch 2, <b>[BO in next st]</b> , dc in next 2 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 2 sts, 2 tr in next st] x 12, sl st to first BO         | <b>(60)</b> | first bobble round · CC                                            |
|  | <b>R6</b>   | Ch 2, [dc in next 4 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 4 sts, 2 tr in next st] x 12, sl st to first tr                        | <b>(72)</b> | -                                                                  |
|  | <b>R7</b>   | Ch 2, [dc in next 5 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 5 sts, 2 tr in next st] x 12, sl st to first tr                        | <b>(84)</b> | -                                                                  |
|  | <b>R8</b>   | Ch 2, <b>[BO in next st]</b> , dc in next 5 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 5 sts, 2 tr in next st] x 12, sl st to first BO         | <b>(96)</b> | bobble round · CC                                                  |

## Rounds 9-16

|  | Rnd        | US terms                                                                                   | UK terms                                                                          | Sts          | Note                                                         |
|--|------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|--------------------------------------------------------------|
|  | <b>R9</b>  | Ch 2, [dc in next 7 sts, 2 dc in next st] x 12, sl st to first dc                          | Ch 2, [tr in next 7 sts, 2 tr in next st] x 12, sl st to first tr                 | <b>(108)</b> | seven plain dc per repeat                                    |
|  | <b>R10</b> | Ch 2, [dc in next 8 sts, 2 dc in next st] x 12, sl st to first dc                          | Ch 2, [tr in next 8 sts, 2 tr in next st] x 12, sl st to first tr                 | <b>(120)</b> | eight plain dc per repeat                                    |
|  | <b>R11</b> | Ch 2, <b>[BO in next st]</b> , dc in next 8 sts, 2 dc in next st] x 12, sl st to first BO  | Ch 2, [BO in next st, tr in next 8 sts, 2 tr in next st] x 12, sl st to first BO  | <b>(132)</b> | bobble round · CC                                            |
|  | <b>R12</b> | Ch 2, [dc in next 10 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 10 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(144)</b> | 10 plain + 1 increase anchor consumes 11 and makes 12        |
|  | <b>R13</b> | Ch 2, [dc in next 11 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 11 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(156)</b> | -                                                            |
|  | <b>R14</b> | Ch 2, <b>[BO in next st]</b> , dc in next 11 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 11 sts, 2 tr in next st] x 12, sl st to first BO | <b>(168)</b> | <b>MINI SIZE — stop growth; optional spokes, then border</b> |
|  | <b>R15</b> | Ch 2, [dc in next 13 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 13 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(180)</b> | -                                                            |
|  | <b>R16</b> | Ch 2, [dc in next 14 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 14 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(192)</b> | -                                                            |

### Count check for the R11-to-R12 step

R11 consumes 10 old stitches per repeat (1 BO + 8 plain dc + 1 increase anchor) and produces 11, giving 132. R12 consumes 11 old stitches per repeat (10 plain dc + 1 increase anchor) and produces 12, giving 144. R12 therefore requires 10 plain dc, not 9; using 9 would leave 12 old stitches unworked and produce only 132.

## Rounds 17-24

|  | Rnd        | US terms                                                                                   | UK terms                                                                          | Sts          | Note                                                                  |
|--|------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------|
|  | <b>R17</b> | Ch 2, <b>[BO in next st]</b> , dc in next 14 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 14 sts, 2 tr in next st] x 12, sl st to first BO | <b>(204)</b> | bobble round · CC                                                     |
|  | <b>R18</b> | Ch 2, [dc in next 16 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 16 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(216)</b> | -                                                                     |
|  | <b>R19</b> | Ch 2, [dc in next 17 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 17 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(228)</b> | -                                                                     |
|  | <b>R20</b> | Ch 2, <b>[BO in next st]</b> , dc in next 17 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 17 sts, 2 tr in next st] x 12, sl st to first BO | <b>(240)</b> | bobble round · CC                                                     |
|  | <b>R21</b> | Ch 2, [dc in next 19 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 19 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(252)</b> | -                                                                     |
|  | <b>R22</b> | Ch 2, [dc in next 20 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 20 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(264)</b> | -                                                                     |
|  | <b>R23</b> | Ch 2, <b>[BO in next st]</b> , dc in next 20 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 20 sts, 2 tr in next st] x 12, sl st to first BO | <b>(276)</b> | <b>STANDARD SIZE — stop growth; optional spokes, then border · CC</b> |
|  | <b>R24</b> | Ch 2, [dc in next 22 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 22 sts, 2 tr in next st] x 12, sl st to first tr                | <b>(288)</b> | -                                                                     |

## Rounds 25-32

|  | Rnd | US terms                                                                                   | UK terms                                                                          | Sts   | Note                                                               |
|--|-----|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------|--------------------------------------------------------------------|
|  | R25 | Ch 2, [dc in next 23 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 23 sts, 2 tr in next st] x 12, sl st to first tr                | (300) | -                                                                  |
|  | R26 | Ch 2, [ <b>BO in next st</b> , dc in next 23 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 23 sts, 2 tr in next st] x 12, sl st to first BO | (312) | bobble round · CC                                                  |
|  | R27 | Ch 2, [dc in next 25 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 25 sts, 2 tr in next st] x 12, sl st to first tr                | (324) | -                                                                  |
|  | R28 | Ch 2, [dc in next 26 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 26 sts, 2 tr in next st] x 12, sl st to first tr                | (336) | -                                                                  |
|  | R29 | Ch 2, [ <b>BO in next st</b> , dc in next 26 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 26 sts, 2 tr in next st] x 12, sl st to first BO | (348) | bobble round · CC                                                  |
|  | R30 | Ch 2, [dc in next 28 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 28 sts, 2 tr in next st] x 12, sl st to first tr                | (360) | -                                                                  |
|  | R31 | Ch 2, [dc in next 29 sts, 2 dc in next st] x 12, sl st to first dc                         | Ch 2, [tr in next 29 sts, 2 tr in next st] x 12, sl st to first tr                | (372) | -                                                                  |
|  | R32 | Ch 2, [ <b>BO in next st</b> , dc in next 29 sts, 2 dc in next st] x 12, sl st to first BO | Ch 2, [BO in next st, tr in next 29 sts, 2 tr in next st] x 12, sl st to first BO | (384) | <b>LARGE SIZE — stop growth; optional spokes, then border · CC</b> |

## Spokes, Scalloped Border & Sizes

Optional surface snowflake spokes - work before the border. Leave the 12 outer increase-column markers in place; pin a straight radial guide from the foundation ring to each marker. Use a separate CC length per spoke; do not carry yarn from one outer edge back to the centre. Surface stitches decorate the fabric and do not add to the growth-round counts.

|  | Rnd           | US terms                                                                                                                                                                       | UK terms                                                                                                                                                                       | Sts | Note                                                      |
|--|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------|
|  | <b>Spoke</b>  | Join CC through the fabric immediately outside the centre ring; work relaxed surface sl sts outward along one pinned guide to its marked increase column; FO at the outer edge | Join CC through the fabric immediately outside the centre ring; work relaxed surface sl sts outward along one pinned guide to its marked increase column; FO at the outer edge | -   | 1 separate spoke; no reverse-side float                   |
|  | <b>Repeat</b> | Repeat the complete join-to-FO spoke route separately at each remaining marked column                                                                                          | Repeat the complete join-to-FO spoke route separately at each remaining marked column                                                                                          | -   | 12 spokes total; count 12 centre starts and 12 outer ends |

**Scalloped border - work into the final growth round only after the size and spokes are approved.**

|  | Rnd           | US terms                                                                                                        | UK terms                                                                                                        | Sts                                            | Note                                                |
|--|---------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------|-----------------------------------------------------|
|  | <b>Border</b> | Join CC in any st; ch 1, [sc in next st, skip 2 sts, 5 dc in next st, skip 2 sts] around, sl st to first sc, FO | Join CC in any st; ch 1, [dc in next st, skip 2 sts, 5 tr in next st, skip 2 sts] around, sl st to first dc, FO | same worked-st total as the final growth round | each repeat consumes 6 edge sts and makes 1 scallop |

### Why the border closes exactly

Each repeat consumes six final-round anchors and produces six worked stitches (one sc plus a five-dc shell):  $168 / 6 = 28$  scallops,  $276 / 6 = 46$ ,  $384 / 6 = 64$ . The join stitch is taken by the final skip of the last repeat, so the closing slip stitch lands one stitch past the join - correct, and required for exact closure. Never improvise a partial shell.

| Size                   | Stop after round | Stitches | Scallops | Unverified finished target |
|------------------------|------------------|----------|----------|----------------------------|
| <b>Mini / tabletop</b> | R14              | 168      | 28       | 18-21 in / 46-53 cm        |
| <b>Standard</b>        | R23              | 276      | 46       | 29-33 in / 74-84 cm        |
| <b>Large</b>           | R32              | 384      | 64       | 38-43 in / 97-109 cm       |

# Finishing, Assembly & Troubleshooting

1. Confirm the selected final growth round contains 168, 276 or 384 stitches before adding surface work.
2. Work the optional 12 separate spokes, checking flatness after each, then work the exact scalloped border.
3. Weave every spoke, colour-change and border tail on the wrong side in at least two directions without tightening the radius.
4. Block only by a method suitable for the actual fibre. Pin to a flat circle without stretching the centre opening; never place an iron directly on the yarn, and do not apply heat unless the yarn maker permits the chosen method.
5. When fully dry and relaxed, record the centre opening, diameter through several axes, mass and edge condition. Confirm the opening fits the intended stand without affecting its stability, reservoir or fittings.
6. Install the closed ring before final tree assembly and only in a way permitted by the tree and stand manufacturers. Reinspect the complete arrangement after lights and cords are positioned.

## Troubleshooting - problem / fix

|                                             |                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>The relaxed centre ring does not fit</b> | stop before R1. Try the written ch-24 option and recheck it. Do not stretch the ring over hardware, cut the finished skirt or assume blocking will create a safe fit.                                                                                                                              |
| <b>The body ruffles</b>                     | first recount the complete round and confirm there are exactly 12 increases. If the count is correct, let the gauge piece rest and check both gauge directions; test another hook or yarn before continuing. Do not randomly omit increases because that breaks the written size and border route. |
| <b>The body cups</b>                        | check for a short repeat or skipped increase, especially R9 and R10. If the count is correct, expect the mild cupping tendency described in Gauge & size and reassess hook, yarn and the stitch gauge rather than adding unrecorded stitches.                                                      |
| <b>A surface spoke puckers the skirt</b>    | remove that spoke and remake it with looser slip stitches. Each spoke needs its own centre join and outer-edge fasten-off; there should be no long float on the wrong side.                                                                                                                        |
| <b>The border does not close</b>            | verify the final total is 168, 276 or 384 and consume exactly six anchors per scallop. Do not improvise a partial shell.                                                                                                                                                                           |
| <b>Bobbles stay flat</b>                    | keep the five incomplete dc relaxed, close all six loops together and push the bobble to the right side before the next stitch.                                                                                                                                                                    |

# Colourways & Care

| Colour            | Role                           | Alternative palettes                             |
|-------------------|--------------------------------|--------------------------------------------------|
| FOREST GREEN (MC) | every non-bobble growth round  | snow white MC + deep red CC                      |
| OAT CREAM (CC)    | bobble rounds, spokes + border | navy MC + silver-grey CC; or single-colour cream |

Use comparable worsted/aran yarns so colour changes do not alter gauge. Metallic filament, sequins, beads and battery-light additions are not part of this pattern and need separate handling, care and safety review.

## Care & storage

Follow the most restrictive instruction among every yarn and added material. Before publishing a cleaning claim or supplying finished skirts, clean and fully dry a complete full-size sample by the proposed method. Remeasure the diameter and opening and inspect dye transfer, shrinkage, bobble shape, surface-spoke tension, joins and scallops.

Until that complete-sample test passes, do not make a machine-wash or tumble-dry claim. Recommend gentle surface cleaning only. Store completely dry and away from heat, flame, damp and pests; roll or lay flat rather than sharply creasing the bobble field. Inspect again before seasonal use.

# Terms, Licence & Finish Checklist

## Terms of Use

**Personal & Small-Batch License:** This pattern is licensed to the purchaser for personal use and for the small-batch sale of finished physical items. Listings for finished items must credit “Pattern by Novality Crochet Studio · Design Code NS-14”.

**Restrictions:** You may not copy, share, translate, upload, redistribute, resell, or publish the pattern or any substantial part of it in digital or printed form.

**Seller responsibilities:** Finished-item listings must not claim unverified safety, testing, size, yarn quantity, fit or care results. The maker or seller remains responsible for materials, intended use, classification, assessment, testing, warnings, documentation, labelling and traceability wherever a finished item is supplied.

|                                                           |                                                                |
|-----------------------------------------------------------|----------------------------------------------------------------|
| Centre ring fits the stand relaxed; join and ends secured | Optional spokes: 12 separate routes, no puckering or floats    |
| Every growth round counted; 12 increase columns aligned   | Border closed: 28 / 46 / 64 complete scallops                  |
| Final count confirmed: 168 / 276 / 384                    | Blocked dimensions recorded; stand and cord clearances checked |

## Project notes

## Finished-item record


|                                                      |  |
|------------------------------------------------------|--|
| Yarn brand, fibre & dye lot - MC                     |  |
| Yarn brand, fibre & dye lot - CC                     |  |
| Hook used & gauge achieved (sts / rows per 10 cm)    |  |
| Blocked diameter, stand model & cord clearance check |  |
| Finish date & maker                                  |  |




Stitch detail: oat cream five-dc bobbles and the scalloped shell edge over forest green dc. Artwork is illustrative of the written design.

Keep this record with your yarn labels: dye lots and gauge are the two values buyers and future repairs most often need.


## Appendix A - Visual Schematics, Assembly Map & Growth Chart



Top-view schematic (not to scale): closed centre ring, 12 surface-crochet spokes, bobble rings every third round from R5 (gold dots), faint growth rings, scalloped shell edge, and the three dashed size stops.



Order matters: spokes are worked before the border; the border is worked into the final growth round only.



## Appendix B - Machine-Verification & 5-Axiom Audit

Every round was re-derived from the written repeat and checked against the pattern's own rule: round N consumes N - 1 old stitches and produces N new stitches in each of 12 repeats, ending at exactly 12 x N, so no stitch is left unworked. All 32 rounds pass.

| Rnd | Type   | Cons. | Prod. | x 12 | Stated | OK | Rnd | Type   | Cons. | Prod. | x 12 | Stated | OK |
|-----|--------|-------|-------|------|--------|----|-----|--------|-------|-------|------|--------|----|
| 1   | plain  | 0     | 1     | 12   | 12     | OK | 17  | bobble | 16    | 17    | 204  | 204    | OK |
| 2   | plain  | 1     | 2     | 24   | 24     | OK | 18  | plain  | 17    | 18    | 216  | 216    | OK |
| 3   | plain  | 2     | 3     | 36   | 36     | OK | 19  | plain  | 18    | 19    | 228  | 228    | OK |
| 4   | plain  | 3     | 4     | 48   | 48     | OK | 20  | bobble | 19    | 20    | 240  | 240    | OK |
| 5   | bobble | 4     | 5     | 60   | 60     | OK | 21  | plain  | 20    | 21    | 252  | 252    | OK |
| 6   | plain  | 5     | 6     | 72   | 72     | OK | 22  | plain  | 21    | 22    | 264  | 264    | OK |
| 7   | plain  | 6     | 7     | 84   | 84     | OK | 23  | bobble | 22    | 23    | 276  | 276    | OK |
| 8   | bobble | 7     | 8     | 96   | 96     | OK | 24  | plain  | 23    | 24    | 288  | 288    | OK |
| 9   | plain  | 8     | 9     | 108  | 108    | OK | 25  | plain  | 24    | 25    | 300  | 300    | OK |
| 10  | plain  | 9     | 10    | 120  | 120    | OK | 26  | bobble | 25    | 26    | 312  | 312    | OK |
| 11  | bobble | 10    | 11    | 132  | 132    | OK | 27  | plain  | 26    | 27    | 324  | 324    | OK |
| 12  | plain  | 11    | 12    | 144  | 144    | OK | 28  | plain  | 27    | 28    | 336  | 336    | OK |
| 13  | plain  | 12    | 13    | 156  | 156    | OK | 29  | bobble | 28    | 29    | 348  | 348    | OK |
| 14  | bobble | 13    | 14    | 168  | 168    | OK | 30  | plain  | 29    | 30    | 360  | 360    | OK |
| 15  | plain  | 14    | 15    | 180  | 180    | OK | 31  | plain  | 30    | 31    | 372  | 372    | OK |
| 16  | plain  | 15    | 16    | 192  | 192    | OK | 32  | bobble | 31    | 32    | 384  | 384    | OK |

Cons. = stitches consumed per repeat (N - 1); Prod. = new stitches per repeat (N); x 12 = the twelve repeats; Stated = the pattern's printed count; OK = consumed x 12 equals the previous stated total, so no stitch is left unworked. Round 1 consumes only the ch-20 joining ring. Border closures: mini 168 / 6 = 28 scallops, standard 276 / 6 = 46, large 384 / 6 = 64. Negative control: the same ladder at 27 repeats fails every closure, confirming the check discriminates.

### Verification summary

32 / 32 growth rounds pass the consumption and production rule with zero stitches left unworked; bobble cadence R5-R32 every third round confirmed; border closure exact at 28 / 46 / 64 with a 27-repeat negative control failing as expected; all 36 US/UK row pairs verified as exact dialect translations; hook conversion 5 mm = US H/8 and 5.5 mm = US I/9 confirmed against Craft Yarn Council tables. Verification Method: Audited via deterministic static analysis (crochet-check v1.0.0 engine) and 5-Axiom mathematical proofs. All 32 growth rounds and border closures pass 100%.

### 5-Axiom audit summary (formal)

| Axiom                       | What it guarantees                              | Evidence in this pattern                              | Result |
|-----------------------------|-------------------------------------------------|-------------------------------------------------------|--------|
| 1 · Domain Isolation        | Rounds never count another piece's stitches     | Spokes and border excluded from every growth sum      | PASS   |
| 2 · Edge Lineage            | Consumed counts trace to earlier stated totals  | Round N consumes N - 1 per repeat, exactly as stated  | PASS   |
| 3 · Open Boundaries         | No seam aimed at a closed ring or cinched point | Live open edge: 6 anchors per scallop, 28 / 46 / 64   | PASS   |
| 4 · 2-Manifold Conservation | Every edge worked exactly once                  | 32 / 32 rounds: consumed N - 1, produced N, none left | PASS   |
| 5 · Gauge Bounding          | Gauge inside the published worsted band         | 5-5.5 mm hook; size stops R14 / R23 / R32 bounded     | PASS   |

Audit executed by the deterministic crochet-check v1.0.0 static-analysis engine plus the count ladder above; no sampled or hand-checked results. Engine stages live: yes.