

DESIGN CODE NS 14

BOBBLE SNOWFLAKE

Tree Skirt

BLACK + WHITE · WHITE BACKGROUNDS · PROGRESS BOXES

US + UK TERMS · EASY-INTERMEDIATE · TIME UNVERIFIED · RECORD SAMPLE · TARGET 46-109 CM · VERIFY

WORSTED · 5-5.5 MM HOOK

NAMED ORIGINAL COLOURWAY

FOREST GREEN · OAT CREAM

ABOUT THIS COMPANION FILE

Designed for economical home printing and progress tracking.

Large artwork is omitted; the written directions match the full-colour edition.

Pattern profile

NS 14 is the permanent identity of this pattern. Keep it with every revision, tester note, photograph and support message.

FORMAT US + UK TERMS	SKILL LEVEL EASY-INTERMEDIATE	ACTIVE TIME TIME UNVERIFIED · RECORD SAMPLE	FINISHED SIZE TARGET 46-109 CM · VERIFY
-------------------------	----------------------------------	---	---

Named original colourway

FOREST GREEN MC · every non-bobble growth round	OAT CREAM CC · bobble rounds, spokes + border
--	--

Use the written colour names and material roles when selecting yarn; screen and printer appearance varies.

Progress tracking

Every construction-table row begins with a printable [] box. Tick it only after completing the row and confirming the stated count.

Read before making

Read every component and finishing note before beginning. Mark completed rows, confirm the count at each row end, and stop immediately if your count differs. Complete internal eyes, embroidery, knots and joins while the relevant opening remains accessible.

Safety: this PDF does not claim that a finished item meets any toy or consumer-product standard. Follow the full Safety section and obtain every assessment required for the finished item's intended market and use.

Copyright notice
© 2026 Novality Crochet Studio. All rights reserved. Licensed to the purchaser under the Terms of Use in this document. Visuals are illustrative; the written materials, counts and construction directions control.

Contents

Major sections are listed below; all component headings are bookmarked. Table headers repeat after page breaks, and the design code appears on every page.

Safety — read this first	4
Materials	4
Gauge & size	4
Abbreviations (US + UK)	5
Construction & techniques	5
Instructions	6
Finishing & assembly	8
Troubleshooting	9
Colourways	9
Helpful tips	9
Care & storage	10
Terms of Use	10

How to use this pattern

Read the complete component before beginning it. Move the marker at the start of every crochet round unless the master says otherwise. Diagrams and illustrations support orientation only; the numbered written directions control construction.

Design Code NS 14 · Novality Crochet Studio · US and UK crochet terms

A closed-centre, twelve-spoke double-crochet circle with a contrast bobble round every third round. Choose the mini, standard or large stopping point, add twelve optional surface-crochet spokes, then finish with an exact scalloped border.

Finished-size targets — not sample measurements: mini / tabletop after R14, about 18–21 in / 46–53 cm; standard after R23, about 29–33 in / 74–84 cm; large after R32, about 38–43 in / 97–109 cm. The source target for the relaxed centre opening is approximately 1.5–2 in / 4–5 cm. Yarn, hook, blocking and border depth change every dimension; measure a complete sample before publishing a size or fit claim.

Safety — read this first

This design is home decor, not a toy, and it is not flameproof. Keep it away from candles, fireplaces, heaters, hot lamps and every ignition source. Use only cool-running lights approved for the tree and location. Do not cover plugs, adapters, power strips or electrical connections with the skirt, and route cords so the skirt cannot pull on them.

Keep the skirt clear of walking routes where its edge could cause a trip or slip. It must not support, level or stabilize a tree stand. Fit the closed centre without obstructing the stand, water reservoir, fasteners or manufacturer-required clearances. Inspect the skirt for loose surface stitches, stretched joins and snagged yarn before each season, and supervise children and animals around the complete tree arrangement.

No finished NS 14 skirt has been independently crocheted, fit-tested, wash-tested, assessed for flammability or shown by Novality Crochet Studio to comply with a product-safety regime. Before sale or supply, the finished-item maker or seller must determine the applicable classification, assessment, testing, documentation, labelling and traceability duties for every destination market.

Materials

- Worsted or aran (#4) yarn. Original colourway: forest green main colour (MC) and oat cream contrast colour (CC), in comparable yarns that meet the same gauge.
- The source planning allowance of 700–1,200 g for a standard or large skirt has not been measured and provides neither a mini allowance nor a verified colour split. Make and weigh a gauge piece and complete sample before buying for production or publishing a quantity.
- 5–5.5 mm crochet hook (US H/8–I/9), or the size needed to meet both target gauge measures while keeping the circle flat.
- Optional hook 0.5–1 mm smaller for loose surface slip stitches; do not use it if it contracts the fabric.
- Tapestry needle, scissors, tape measure, digital scale, one start-of-round marker and, for the optional spoke route, twelve locking markers or removable guide threads.
- Rust-resistant pins and a fibre-appropriate blocking surface large enough for the selected size.

Gauge & size

Make the centre ring and work through R6 as a circular gauge piece; let it rest before measuring. Target gauge in US double crochet / UK treble crochet is 12 stitches = 4 in / 10 cm across the stitch direction and 6 completed rounds = 4 in / 10 cm radially. Match both measures: stitch gauge controls circumference while round gauge controls radius. A rectangular swatch alone does not verify how this twelve-increase circle will lie.

At the target stitch gauge, the unbordered circumference and derived diameter are approximately:

- R14: $168 \text{ stitches} \div 3 \text{ stitches per inch} = 56 \text{ in circumference}$; $56 \div \pi = 17.8 \text{ in} / 45 \text{ cm diameter}$.
- R23: $276 \div 3 = 92 \text{ in circumference}$; $92 \div \pi = 29.3 \text{ in} / 74 \text{ cm diameter}$.
- R32: $384 \div 3 = 128 \text{ in circumference}$; $128 \div \pi = 40.7 \text{ in} / 103 \text{ cm diameter}$.

The scallops add an unverified amount at the edge, and blocking can move the result within or beyond the source target ranges. Measure the relaxed centre opening, unbordered body and finished blocked skirt. Do not force-block severe cupping or ruffling into a claimed size.

Abbreviations (US + UK)

- BO — 5-dc bobble in US terms / 5-tr bobble in UK terms; counts as 1 stitch
- CC — contrast colour
- ch — chain
- dc = tr — US double crochet / UK treble crochet
- FO — fasten off
- MC — main colour
- R / rnd — round
- sc = dc — US single crochet / UK double crochet
- sl st — slip stitch
- st(s) — stitch(es)
- (n) — stitch count at round end

Every construction round appears twice side by side: the US instruction is on the left and its UK equivalent is on the right. Stitch counts are identical. Prose explanations use US terms unless both names are shown.

Construction & techniques

Closed joined rounds are worked without turning. The starting ch 2 never counts as a stitch. Work the first dc or BO into the SAME stitch as the join, mark it, and slip stitch to that marked stitch at round end. Do not work into the ch 2 or joining slip stitch.

1. Fit the closed centre first: make the relaxed ch-20 ring and pass it over the actual central pole or trunk area before R1. The written ch-24 option makes a larger ring without changing R1, but its finished opening is still yarn- and tension-dependent. If neither relaxed ring fits without stretching or interfering with the stand, this closed-centre construction is not suitable; do not cut the finished skirt to create a slit.
2. Twelve-repeat circle: Round N consumes $N - 1$ old stitches and produces N new stitches in each of 12 repeats. The round therefore ends with exactly $12 \times N$ stitches. R9 requires seven plain dc per repeat and R10 requires eight; shortening either repeat leaves stitches unworked.
3. Five-dc bobble: yarn over, insert the hook, pull up a loop, yarn over and pull through two loops, leaving the incomplete dc on the hook. Repeat four more times in the same stitch until six loops remain; yarn over and pull through all six. Push the completed one-stitch bobble to the right side.
4. Original colour route: work R1–R4 and every non-bobble round in forest green MC. Work each complete bobble round—R5, R8, R11 and every third round thereafter—in oat cream CC; the plain dc and increase stitches on that round are CC too. Use CC again for the optional spokes and border. To change colour, work the round-ending slip stitch with the colour required for the next round. Carry a resting colour loosely up the wrong-side join across the intervening round or rounds, or cut and secure it;

never strand yarn across the circle or pull the carried section tight.

5. Track the increase columns: if adding surface spokes, place one locking marker in the second dc of each R2 increase. On every later round, the marked stitch is the last old stitch consumed by its repeat; move that marker to the second dc of the new increase. The 12 final marker positions provide evenly spaced outer endpoints.
6. Surface slip stitch: with the yarn held on the wrong side, insert the hook from the right side at the next point on the pinned radial guide, pull up a loop, then pull it through the loop already on the hook. Keep every slip stitch relaxed and check the fabric after each spoke.

Instructions

1. Skirt — centre ring and growth rounds

Ch 2 starts every round and is never counted. Work the first dc—or first BO on a bobble round—into the same stitch as the join, then end with a slip stitch to that first actual stitch. Count after every repeat and at the end of every round.

Centre ring

Rnd	US terms	UK terms	Sts	Note
[] -	Ch 20, check the relaxed ring against the stand, then sl st to first ch without twisting	Ch 20, check the relaxed ring against the stand, then sl st to first ch without twisting	-	ch 24 is the only written larger-opening option; recheck before R1

Rounds 1-8

Rnd	US terms	UK terms	Sts	Note
[] R1	Ch 2, 12 dc in ring, sl st to first dc	Ch 2, 12 tr in ring, sl st to first tr	(12)	-
[] R2	Ch 2, 2 dc in each st around, sl st to first dc	Ch 2, 2 tr in each st around, sl st to first tr	(24)	-
[] R3	Ch 2, [dc in next st, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next st, 2 tr in next st] x 12, sl st to first tr	(36)	-
[] R4	Ch 2, [dc in next 2 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 2 sts, 2 tr in next st] x 12, sl st to first tr	(48)	-
[] R5	Ch 2, [BO in next st, dc in next 2 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 2 sts, 2 tr in next st] x 12, sl st to first BO	(60)	first bobble round
[] R6	Ch 2, [dc in next 4 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 4 sts, 2 tr in next st] x 12, sl st to first tr	(72)	-
[] R7	Ch 2, [dc in next 5 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 5 sts, 2 tr in next st] x 12, sl st to first tr	(84)	-
[] R8	Ch 2, [BO in next st, dc in next 5 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 5 sts, 2 tr in next st] x 12, sl st to first BO	(96)	-

Rounds 9-16

Rnd	US terms	UK terms	Sts	Note
[] R9	Ch 2, [dc in next 7 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 7 sts, 2 tr in next st] x 12, sl st to first tr	(108)	-
[] R10	Ch 2, [dc in next 8 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 8 sts, 2 tr in next st] x 12, sl st to first tr	(120)	-
[] R11	Ch 2, [BO in next st, dc in next 8 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 8 sts, 2 tr in next st] x 12, sl st to first BO	(132)	-
[] R12	Ch 2, [dc in next 10 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 10 sts, 2 tr in next st] x 12, sl st to first tr	(144)	10 plain + 1 increase anchor consumes 11 and makes 12
[] R13	Ch 2, [dc in next 11 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 11 sts, 2 tr in next st] x 12, sl st to first tr	(156)	-

Rnd	US terms	UK terms	Sts	Note
[] R14	Ch 2, [BO in next st, dc in next 11 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 11 sts, 2 tr in next st] x 12, sl st to first BO	(168)	MINI SIZE — stop growth; optional spokes, then border
[] R15	Ch 2, [dc in next 13 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 13 sts, 2 tr in next st] x 12, sl st to first tr	(180)	-
[] R16	Ch 2, [dc in next 14 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 14 sts, 2 tr in next st] x 12, sl st to first tr	(192)	-

R11-to-R12 count check: R11 consumes 10 old stitches per repeat—1 BO + 8 plain dc + 1 increase anchor—and produces 11, giving 132 stitches. R12 then consumes 11 old stitches per repeat—10 plain dc + 1 increase anchor—and produces 12, giving 144 stitches. R12 therefore requires 10 plain dc, not 9, before the increase; using 9 would leave 12 old stitches unworked and produce only 132 stitches.

Rounds 17-24

Rnd	US terms	UK terms	Sts	Note
[] R17	Ch 2, [BO in next st, dc in next 14 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 14 sts, 2 tr in next st] x 12, sl st to first BO	(204)	-
[] R18	Ch 2, [dc in next 16 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 16 sts, 2 tr in next st] x 12, sl st to first tr	(216)	-
[] R19	Ch 2, [dc in next 17 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 17 sts, 2 tr in next st] x 12, sl st to first tr	(228)	-
[] R20	Ch 2, [BO in next st, dc in next 17 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 17 sts, 2 tr in next st] x 12, sl st to first BO	(240)	-
[] R21	Ch 2, [dc in next 19 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 19 sts, 2 tr in next st] x 12, sl st to first tr	(252)	-
[] R22	Ch 2, [dc in next 20 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 20 sts, 2 tr in next st] x 12, sl st to first tr	(264)	-
[] R23	Ch 2, [BO in next st, dc in next 20 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 20 sts, 2 tr in next st] x 12, sl st to first BO	(276)	STANDARD SIZE — stop growth; optional spokes, then border
[] R24	Ch 2, [dc in next 22 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 22 sts, 2 tr in next st] x 12, sl st to first tr	(288)	-

Rounds 25-32

Rnd	US terms	UK terms	Sts	Note
[] R25	Ch 2, [dc in next 23 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 23 sts, 2 tr in next st] x 12, sl st to first tr	(300)	-
[] R26	Ch 2, [BO in next st, dc in next 23 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 23 sts, 2 tr in next st] x 12, sl st to first BO	(312)	-
[] R27	Ch 2, [dc in next 25 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 25 sts, 2 tr in next st] x 12, sl st to first tr	(324)	-
[] R28	Ch 2, [dc in next 26 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 26 sts, 2 tr in next st] x 12, sl st to first tr	(336)	-
[] R29	Ch 2, [BO in next st, dc in next 26 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 26 sts, 2 tr in next st] x 12, sl st to first BO	(348)	-
[] R30	Ch 2, [dc in next 28 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 28 sts, 2 tr in next st] x 12, sl st to first tr	(360)	-
[] R31	Ch 2, [dc in next 29 sts, 2 dc in next st] x 12, sl st to first dc	Ch 2, [tr in next 29 sts, 2 tr in next st] x 12, sl st to first tr	(372)	-
[] R32	Ch 2, [BO in next st, dc in next 29 sts, 2 dc in next st] x 12, sl st to first BO	Ch 2, [BO in next st, tr in next 29 sts, 2 tr in next st] x 12, sl st to first BO	(384)	LARGE SIZE — stop growth; optional spokes, then border

Optional surface snowflake spokes — work before the border

Leave the 12 outer increase-column markers in place. On the right side, pin or lay a straight radial guide from the foundation ring to each marker. Use a separate CC length for every spoke; do not carry yarn from one outer edge back to the centre.

Step	US terms	UK terms	Sts	Note
Spoke	Join CC through the fabric immediately outside the centre ring; work relaxed surface sl sts outward along one pinned guide to its marked increase column; FO at the outer edge	Join CC through the fabric immediately outside the centre ring; work relaxed surface sl sts outward along one pinned guide to its marked increase column; FO at the outer edge	-	1 separate spoke; no reverse-side float
Repeat	Repeat the complete join-to-FO spoke route separately at each remaining marked column	Repeat the complete join-to-FO spoke route separately at each remaining marked column	-	12 spokes total; count 12 centre starts and 12 outer ends

Surface stitches decorate the fabric and do not replace or add to the growth-round counts. Their exact number varies with size and placement. After every spoke, lay the skirt flat; if the spoke shortens the radius or puckers the body, remove it and remake it more loosely or with the main hook.

Scalloped border

Work the border into the final growth round only after the size and optional spokes are approved.

Rnd	US terms	UK terms	Sts	Note
[] Border	Join CC in any st; ch 1, [sc in next st, skip 2 sts, 5 dc in next st, skip 2 sts] around, sl st to first sc, FO	Join CC in any st; ch 1, [dc in next st, skip 2 sts, 5 tr in next st, skip 2 sts] around, sl st to first dc, FO	same worked-st total as final growth round	each repeat consumes 6 edge sts and makes 1 scallop

Each border repeat consumes six final-round anchors and produces six worked stitches: one sc plus a five-dc shell. R14 gives $168 \div 6 = 28$ scallops; R23 gives $276 \div 6 = 46$; R32 gives $384 \div 6 = 64$. If the repeat does not close exactly, undo the border and correct the final-round count rather than changing the last scallop.

Finishing & assembly

1. Confirm the selected final growth round contains 168, 276 or 384 stitches before adding surface work.
2. Work the optional 12 separate spokes, checking flatness after each, then work the exact scalloped border.
3. Weave every spoke, colour-change and border tail on the wrong side in at least two directions without tightening the radius.
4. Block only by a method suitable for the actual fibre. Pin to a flat circle without stretching the centre opening; never place an iron directly on the yarn, and do not apply heat unless the yarn maker permits the chosen method.
5. When fully dry and relaxed, record the centre opening, diameter through several axes, mass and edge condition. Confirm the opening fits the intended stand without affecting its stability, reservoir or fittings.
6. Install the closed ring before final tree assembly and only in a way permitted by the tree and stand manufacturers. Reinspect the complete arrangement after lights and cords are positioned.

Troubleshooting

- The relaxed centre ring does not fit: stop before R1. Try the written ch-24 option and recheck it. Do not stretch the ring over hardware, cut the finished skirt or assume blocking will create a safe fit.
- The body ruffles: first recount the complete round and confirm there are exactly 12 increases. If the count is correct, let the gauge piece rest and check both gauge directions; test another hook or yarn before continuing. Do not randomly omit increases because that breaks the written size and border route.
- The body cups: check for a short repeat or skipped increase, especially R9 and R10. If the count is correct, reassess hook, yarn and both gauge measures rather than adding unrecorded stitches.
- A surface spoke puckers the skirt: remove that spoke and remake it with looser slip stitches. Each spoke needs its own centre join and outer-edge fasten-off; there should be no long float on the wrong side.
- The border does not close: verify the final total is 168, 276 or 384 and consume exactly six anchors per scallop. Do not improvise a partial shell.
- Bobbles stay flat: keep the five incomplete dc relaxed, close all six loops together and push the bobble to the right side before the next stitch.

Colourways

FOREST GREEN MC · every non-bobble growth round	OAT CREAM CC · bobble rounds, spokes + border
--	--

NAMED ORIGINAL COLOURWAY · FOREST GREEN · OAT CREAM.

Colourway notes: Original colourway: forest green MC for R1–R4 and all later non-bobble growth rounds; oat cream CC for each complete bobble round, all 12 optional surface spokes and the scalloped border. Use comparable worsted/aran yarns so colour changes do not alter gauge.

Colourway notes: Alternative palettes include snow white MC with deep red CC; navy MC with silver-grey CC; or a single-colour cream version in which MC and CC are the same yarn. Metallic filament, sequins, beads and battery-light additions are not part of this pattern and require separate handling, care and safety review.

Helpful tips

Sizes at a glance

Size	Stop after round	Stitches	Border scallops	Unverified finished target
Mini/tabletop	R14	168	28	18–21 in / 46–53 cm
Standard	R23	276	46	29–33 in / 74–84 cm
Large	R32	384	64	38–43 in / 97–109 cm

All three endings are divisible by six, so the border closes cleanly when the final growth count is correct.

Count rule: Round N always consumes N-1 existing stitches and produces N stitches in each of 12 repeats. On a plain round that is N-2 plain dc plus one increase; on a bobble round, one of those plain dc is replaced by one BO. This rule verifies the printed ladder but does not authorize untested extra sizes or altered increase rates.

No active-time claim is supplied. Record hands-on time separately for the selected size, optional spokes, border, finishing and blocking before publishing an estimate.

Care & storage

Follow the most restrictive instruction among every yarn and added material. Before publishing a cleaning claim or supplying finished skirts, clean and fully dry a complete full-size sample by the proposed method. Remeasure the diameter and opening and inspect dye transfer, shrinkage, bobble shape, surface-spoke tension, joins and scallops.

Until that complete-sample test passes, make no machine-wash or tumble-dry claim. Recommend gentle surface cleaning only. Store completely dry and away from heat, flame, damp and pests; roll or lay flat rather than sharply creasing the bobble field. Inspect again before seasonal use.

Terms of Use

Copyright & ownership

© 2026 Novality Crochet Studio. All rights reserved. This crochet pattern, its instructions, stitch counts, editorial layout and design elements are protected material. Design Code NS 14.

This pattern is licensed to the purchaser for personal use and for small-batch sale of finished physical tree skirts under the terms below. The purchaser may not copy, share, translate, upload, redistribute, resell or publish the pattern or any substantial part of it in digital or printed form.

You may

Make finished tree skirts for yourself, gifts or charity. Sell finished physical skirts made from this pattern in small quantities, provided the listing credits “Pattern by Novality Crochet Studio · Design Code NS 14” and does not claim unverified safety, testing, size, yarn quantity, fit or care results.

You may not

Resell or distribute this PDF or Markdown source; convert it into another pattern product; use its text, tables or visuals as listing assets for a competing pattern; claim authorship; or mass-produce finished items without written permission. Credit does not grant use of the studio name as your own brand.

Safety reminder

The finished-item maker or seller remains responsible for the actual materials, intended use, classification, assessment, testing, warnings, documentation, labelling and traceability required wherever a finished item is supplied.

Tag finished projects with #NovalityCrochetStudio and #NovalityTreeSkirt.

Finish checklist & notes

- [] Centre ring fits the stand relaxed; join and ends secured
- [] Every growth round counted; 12 increase columns aligned
- [] Final count confirmed: 168 / 276 / 384
- [] Optional spokes: 12 separate routes, no puckering or floats
- [] Border closed: 28 / 46 / 64 complete scallops
- [] Blocked dimensions recorded; stand and cord clearances checked

PROJECT NOTES

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.