

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST TITLE	Claw Clearance				
CAMPAIGN	Claw Clearance Phase-5				
PROJECT	MMU	CREW	G. BAYRAMOĞLU (TP) (PIC)		
T/N	SIM-1030				
DEP.	LTAE				
ARR.	LTAE	TEST DIRECTOR	SÜLEYMAN MURAT KÖROĞLU		
TEST AREA		MÜRTED CTR			
METAR					
Events	Time (UTC)	Fuel	Planned (kg/lbs)	Initial	Final
ENG. START		FUEL	3628.74/800 0.0		
OFF BLOCK		-	-		
TAKEOFF		-	-		
LANDING		-	-		
ON BLOCK		-	-		
ENG. STOP		TOTAL Fuel	3628.74/800 0.0		
NOTE					
RISK LEVEL & AUTHORIZER					
CATEGORY	(x) LOW	() MEDIUM	() HIGH	() VERY HIGH	
☒ CAT I	-	-	-	-	-
☐ CAT II					
☐ CAT III	CTP or CFTE	Flight Test Manager	Head of Flight	Head of Design	President or CEO
☐ CAT IV					
PIC TP: - TD:-					

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
ID	A/C LIMITATIONS				
Check flight test card on DMNTAI					

	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
ID	PILOT INFORMATION LIST				
Check flight test card on DMNTAI					

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
ID	FOLLOW UP ITEMS				
Check flight test card on DMNTAI					

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
ID	READY FOR TEST				
Check flight test card on DMNTAI					

#fnewpage

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
FTSHA					
ID	Test Title	Hazard	Minimizing Procedures	Emergency Procedures	Residual Risk
-	-	-	-	-	UNACCEPTABLE
-	-	-	-	-	VERY HIGH
-	-	-	-	-	HIGH
-	-	-	-	-	MEDIUM
-	-	-	-	-	LOW

	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY			A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
TEST CARD SUMMARY										
#	ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TE F	TP #	
1	S-CC5-BACH-009	Bank Angle Capture and Hold	150/0.3	15000	DN	AsReq	FIX_LEF	FIX/SCH	37	
2	S-CC5-PRT-021	Pitch and Roll Tracking	150/0.3	15000	DN	AsReq	FIX_LEF	FIX/SCH	38	
3	S-CC5-BACH-010	Bank Angle Capture and Hold	275/0.54	15000	DN	AsReq	FIX_LEF	FIX/SCH	39	
4	S-CC5-PRT-022	Pitch and Roll Tracking	275/0.54	15000	DN	AsReq	FIX_LEF	FIX/SCH	40	
5	S-CC5-LGT-009	Landing Gear Transition	150/0.24	2000	UP	AsReq	FIX_LEF	FIX/SCH	41	
6	S-CC5-LGT-010	Landing Gear Transition	265/0.41	2000	UP	AsReq	FIX_LEF	FIX/SCH	42	
7	S-CC5-LACC-001	Level Acceleration	120/0.2	6000	UP	TLF->MAX	FIX_LEF	FIX/SCH	43	
8	S-CC5-LDEC-001	Level Deceleration	300/0.5	6000	UP	TLF->IDLE	FIX_LEF	FIX/SCH	44	
9	S-CC5-LDEC-002	Level Deceleration	726/1.2	6000	UP	TLF->IDLE	FIX_LEF	FIX/SCH	45	
10	S-CC5-LGT-011	Landing Gear Transition	150/0.3	15000	UP	AsReq	FIX_LEF	FIX/SCH	46	
11	S-CC5-PRT-023	Pitch and Roll Tracking	150/0.3	15000	UP	AsReq	FIX_LEF	FIX/SCH	47	
12	S-CC5-BACH-011	Bank Angle Capture and Hold	180/0.36	15000	UP	AsReq	FIX_LEF	FIX/SCH	48	
13	S-CC5-LGT-012	Landing Gear Transition	265/0.53	15000	UP	AsReq	FIX_LEF	FIX/SCH	49	



FLIGHT TEST CARD

Date: 2026-02-16

Test No: FLT107

TEST CARD SUMMARY			A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
TEST CARD SUMMARY										
#	ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TE F	TP #	
14	S-CC5-BACH-012	Bank Angle Capture and Hold	300/0.59	15000	UP	AsReq	FIX_LEF	FIX/SCH	50	
15	S-CC5-PRT-024	Pitch and Roll Tracking	300/0.59	15000	UP	AsReq	FIX_LEF	FIX/SCH	51	
16	S-CC5-BACH-013	Bank Angle Capture and Hold	400/0.78	15000	UP	AsReq	FIX_LEF	FIX/SCH	52	
17	S-CC5-PRT-025	Pitch and Roll Tracking	400/0.78	15000	UP	AsReq	FIX_LEF	FIX/SCH	53	
18	S-CC5-BACH-014	Bank Angle Capture and Hold	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH	54	
19	S-CC5-PRT-026	Pitch and Roll Tracking	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH	55	
20	S-CC5-BACH-015	Bank Angle Capture and Hold	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH	56	
21	S-CC5-PRT-027	Pitch and Roll Tracking	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH	57	
22	S-CC5-LACC-002	Level Acceleration	120/0.33	30000	UP	TLF->MAX	FIX_LEF	FIX/SCH	58	
23	S-CC5-PRT-028	Pitch and Roll Tracking	180/0.49	30000	UP	AsReq	FIX_LEF	FIX/SCH	59	
24	S-CC5-LDEC-003	Level Deceleration	300/0.79	30000	UP	TLF->IDLE	FIX_LEF	FIX/SCH	60	
25	S-CC5-PRT-029	Pitch and Roll Tracking	300/0.79	30000	UP	AsReq	FIX_LEF	FIX/SCH	61	
26	S-CC5-LACC-003	Level Acceleration	479/1.2	30000	UP	TLF->MAX	FIX_LEF	FIX/SCH	62	
27	S-CC5-LDEC-004	Level Deceleration	479/1.2	30000	UP	TLF->IDLE	FIX_LEF	FIX/SCH	63	

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY			A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
TEST CARD SUMMARY										
#	ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TE F	TP #	
28	S-CC5-PRT-030	Pitch and Roll Tracking	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH	64	
29	S-CC5-LDEC-005	Level Deceleration	604/1.5	30000	UP	TLF->IDLE	FIX_LEF	FIX/SCH	65	
30	S-CC5-PRT-031	Pitch and Roll Tracking	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH	66	

	FLIGHT TEST CARD	Date: 2026-02-16
	FLIGHT TEST	Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#1	S-CC5-BACH-009	Bank Angle Capture and Hold							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	150/0.3	LEF/TEF	FIX/SCH	N/A		- Airspeed: ± 10 kts - Altitude: ± 1000 ft			
Altitude	15000	TP #	37						
LG	DN	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: - Desired: ± 2 deg and 1 overshoot - Adequate: ± 5 deg and 1 overshoot <i>Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO</i>					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-021	Pitch and Roll Tracking	150/0.3	15000	DN	AsReq	FIX_LEF	FIX/SCH		

CHR : 3

PIO : 1

	FLIGHT TEST CARD	Date: 2026-02-16
FLIGHT TEST		Test No: FLT107

TEST CARD SUMMARY	A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA				
#2	S-CC5-PRT-021	Pitch and Roll Tracking						
TEST CONDITION		TOLERANCE		DATABAND				
Airspeed	150/0.3	LEF/TEF	FIX/SCH	•Airspeed: ± 10 kts •Altitude: ± 1000 ft				
Altitude	15000	TP #	38					
LG	DN	Notes						
L/R ENGINE	AsReq	Predict						
MS ID	FIX_LEF	Target Speed						
TEST LIMIT(S)		KIO CRITERIA						
N/A		N/A						
TEST PROCEDURES		NOTES						
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed		Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO						
FTSHA's								
ID	Hazard			Residual Risk				
-	-			-				
NEXT TP								
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES
S-CC5-BACH-010	Bank Angle Capture and Hold	275/0.54	15000	DN	AsReq	FIX_LEF	FIX/SCH	

Fine tracking ✓
Gross acc 75

C#R 4/2 B2B 2 yıla kadar geliyor

	FLIGHT TEST CARD	Date: 2026-02-16
	FLIGHT TEST	Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#3	S-CC5-BACH-010	Bank Angle Capture and Hold							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	275/0.54	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	39						
LG	DN	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-022	Pitch and Roll Tracking	275/0.54	15000	DN	AsReq	FIX_LEF	FIX/SCH		

GR 3/1

	FLIGHT TEST CARD		Date: 2026-02-16
			Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#4	S-CC5-PRT-022		Pitch and Roll Tracking						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	275/0.54	LEF/TEF	FIX/SCH	N/A			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	15000	TP #	40						
LG	DN	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LGT-009	Landing Gear Transition	150/0.24	2000	UP	AsReq	FIX_LEF	FIX/SCH		

CH2 / 3 / 1

	FLIGHT TEST CARD	Date: 2026-02-16
	FLIGHT TEST	Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#5	S-CC5-LGT-009	Landing Gear Transition							
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	150/0.24	LEF/TEF	FIX/SCH	•Airspeed: ± 5 kts •Altitude: ± 200 ft			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	2000	TP #	41						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Extend LG and maintain level flight 3. Once stabilize A/C, retract LG and maintain level flight				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LGT-010	Landing Gear Transition	265/0.41	2000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-16
			Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#6	S-CC5-LGT-010		Landing Gear Transition						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	265/0.41	LEF/TEF	FIX/SCH	•Airspeed: ± 5 kts •Altitude: ± 200 ft			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	2000	TP #	42						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Extend LG and maintain level flight 3. Once stabilize A/C, retract LG and maintain level flight				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LACC-001	Level Acceleration	120/0.2	6000	UP	TLF->MAX	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD	Date: 2026-02-16
	FLIGHT TEST	Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#7	S-CC5-LACC-001	Level Acceleration							
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	120/0.2	LEF/TEF	FIX/SCH	•Altitude: ± 50 ft			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	6000	TP #	43						
LG	UP	Notes							
L/R ENGINE	TLF->MAX	Predict							
MS ID	FIX_LEF	Target Speed	300 KCAS						
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Set throttle to MAX 3. Maintain level flight and accelerate up to target airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-								-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LDEC-001	Level Deceleration	300/0.5	6000	UP	TLF->IDLE	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD	Date: 2026-02-16
	FLIGHT TEST	Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#8	S-CC5-LDEC-001	Level Deceleration							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	300/0.5	LEF/TEF	FIX/SCH	•Altitude: ± 50 ft		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	6000	TP #	44						
LG	UP	Notes							
L/R ENGINE	TLF->IDLE	Predict							
MS ID	FIX_LEF	Target Speed	120 KCAS						
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Set throttle to IDLE 3. Maintain level flight and decelerate until target airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LDEC-002	Level Deceleration	726/1.2	6000	UP	TLF->IDLE	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#9	S-CC5-LDEC-002	Level Deceleration							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	726/1.2	LEF/TEF	FIX/SCH	•Altitude: ± 50 ft		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	6000	TP #	45						
LG	UP	Notes							
L/R ENGINE	TLF->IDLE	Predict							
MS ID	FIX_LEF	Target Speed	0.9 Mach						
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Set throttle to IDLE 3. Maintain level flight and decelerate until target airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LGT-011	Landing Gear Transition	150/0.3	15000	UP	AsReq	FIX_LEF	FIX/SCH		

pitch . oscillation
 pitch hassasiyeti.
 yüksek-

	FLIGHT TEST CARD		Date: 2026-02-16
			Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#10	S-CC5-LGT-011		Landing Gear Transition						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	150/0.3	LEF/TEF	FIX/SCH	•Airspeed: ± 5 kts •Altitude: ± 200 ft		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	46						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Extend LG and maintain level flight 3. Once stabilize A/C, retract LG and maintain level flight				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-023	Pitch and Roll Tracking	150/0.3	15000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#11	S-CC5-PRT-023			Pitch and Roll Tracking					
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	150/0.3	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	47						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-BACH-011	Bank Angle Capture and Hold	180/0.36	15000	UP	AsReq	FIX_LEF	FIX/SCH		

Roll / Overload damping.

CHR / 3/7

	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#12	S-CC5-BACH-011	Bank Angle Capture and Hold							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	180/0.36	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	48						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LGT-012	Landing Gear Transition	265/0.53	15000	UP	AsReq	FIX_LEF	FIX/SCH		

CH23/1

	FLIGHT TEST CARD	Date: 2026-02-16
	FLIGHT TEST	Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#13	S-CC5-LGT-012	Landing Gear Transition							
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	265/0.53	LEF/TEF	FIX/SCH	•Airspeed: ± 5 kts •Altitude: ± 200 ft			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	15000	TP #	49						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Extend LG and maintain level flight 3. Once stabilize A/C, retract LG and maintain level flight				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-BACH-012	Bank Angle Capture and Hold	300/0.59	15000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#14	S-CC5-BACH-012	Bank Angle Capture and Hold							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	300/0.59	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	50						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-024	Pitch and Roll Tracking	300/0.59	15000	UP	AsReq	FIX_LEF	FIX/SCH		

CPR 3/1

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#15	S-CC5-PRT-024		Pitch and Roll Tracking						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	300/0.59	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	51						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-BACH-013	Bank Angle Capture and Hold	400/0.78	15000	UP	AsReq	FIX_LEF	FIX/SCH		

CHR 3/11

	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#16	S-CC5-BACH-013	Bank Angle Capture and Hold							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	400/0.78	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	52						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-025	Pitch and Roll Tracking	400/0.78	15000	UP	AsReq	FIX_LEF	FIX/SCH		

CH2 3/17

	FLIGHT TEST CARD	Date: 2026-02-16
	FLIGHT TEST	Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#17	S-CC5-PRT-025	Pitch and Roll Tracking							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	400/0.78	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	53						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-BACH-014	Bank Angle Capture and Hold	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH		

Ct 12311


	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#18	S-CC5-BACH-014	Bank Angle Capture and Hold							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	631/1.2	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	54						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-026	Pitch and Roll Tracking	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH		

CAR 3/1

	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#19	S-CC5-PRT-026	Pitch and Roll Tracking							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	631/1.2	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	55						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-BACH-015	Bank Angle Capture and Hold	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH		



	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#20	S-CC5-BACH-015	Bank Angle Capture and Hold							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	734/1.4	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	56						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-027	Pitch and Roll Tracking	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH		

Ct 2/3/1

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#21	S-CC5-PRT-027		Pitch and Roll Tracking						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	734/1.4	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	57						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LACC-002	Level Acceleration	120/0.33	30000	UP	TLF->MAX	FIX_LEF	FIX/SCH		

CH2 3/1

	FLIGHT TEST CARD	Date: 2026-02-16
	FLIGHT TEST	Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#22	S-CC5-LACC-002	Level Acceleration							
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	120/0.33	LEF/TEF	FIX/SCH	•Altitude: ± 50 ft		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	30000	TP #	58						
LG	UP	Notes							
L/R ENGINE	TLF->MAX	Predict							
MS ID	FIX_LEF	Target Speed	300 KCAS						
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Set throttle to MAX 3. Maintain level flight and accelerate up to target airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-028	Pitch and Roll Tracking	180/0.49	30000	UP	AsReq	FIX_LEF	FIX/SCH		

*Sınav kayıtları test notları ile değiştirildi.

120 ile 130 kts dengeli.

Throttle max konumda iken.

 TURKISH AEROSPACE FLIGHT TEST	FLIGHT TEST CARD Date: 2026-02-16 Test No: FLT107
---	--

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#23		S-CC5-PRT-028		Pitch and Roll Tracking					
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	180/0.49	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	30000	TP #	59						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LDEC-003	Level Deceleration	300/0.79	30000	UP	TLF->IDLE	FIX_LEF	FIX/SCH		

CFR / 4/1
Pitch up
movement potential!

	FLIGHT TEST CARD		Date: 2026-02-16
			Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#24	S-CC5-LDEC-003		Level Deceleration						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	300/0.79	LEF/TEF	FIX/SCH	•Altitude: ± 50 ft			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	30000	TP #	60						
LG	UP	Notes							
L/R ENGINE	TLF->IDLE	Predict							
MS ID	FIX_LEF	Target Speed	120 KCAS						
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Set throttle to IDLE 3. Maintain level flight and decelerate until target airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-029	Pitch and Roll Tracking	300/0.79	30000	UP	AsReq	FIX_LEF	FIX/SCH		

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#25	S-CC5-PRT-029		Pitch and Roll Tracking						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	300/0.79	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	30000	TP #	61						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LACC-003	Level Acceleration	479/1.2	30000	UP	TLF->MAX	FIX_LEF	FIX/SCH		

CHL 311

	FLIGHT TEST CARD	Date: 2026-02-16
	FLIGHT TEST	Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#26	S-CC5-LACC-003	Level Acceleration							
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	479/1.2	LEF/TEF	FIX/SCH	•Altitude: ± 50 ft			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	30000	TP #	62						
LG	UP	Notes							
L/R ENGINE	TLF->MAX	Predict							
MS ID	FIX_LEF	Target Speed	1.5 Mach						
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Set throttle to MAX 3. Maintain level flight and accelerate up to target airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LDEC-004	Level Deceleration	479/1.2	30000	UP	TLF->IDLE	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-16
			Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#27	S-CC5-LDEC-004		Level Deceleration						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	479/1.2	LEF/TEF	FIX/SCH	•Altitude: ± 50 ft			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	30000	TP #	63						
LG	UP	Notes							
L/R ENGINE	TLF->IDLE	Predict							
MS ID	FIX_LEF	Target Speed	0.9 Mach						
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Set throttle to IDLE 3. Maintain level flight and decelerate until target airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-030	Pitch and Roll Tracking	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH		

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#28	S-CC5-PRT-030		Pitch and Roll Tracking						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	479/1.2	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	30000	TP #	64						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-LDEC-005	Level Deceleration	604/1.5	30000	UP	TLF->IDLE	FIX_LEF	FIX/SCH		

3/1

CHH

	FLIGHT TEST CARD		Date: 2026-02-16
			Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#29	S-CC5-LDEC-005		Level Deceleration						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	604/1.5	LEF/TEF	FIX/SCH	•Altitude: ± 50 ft			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	30000	TP #	65						
LG	UP	Notes							
L/R ENGINE	TLF->IDLE	Predict							
MS ID	FIX_LEF	Target Speed	1.2 Mach						
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Set throttle to IDLE 3. Maintain level flight and decelerate until target airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-031	Pitch and Roll Tracking	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH		

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#30		S-CC5-PRT-031		Pitch and Roll Tracking					
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	604/1.5	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	30000	TP #	66						
LG	UP	Notes							
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
		-	-	-	-	-	-	-	

CH 3/1

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-16
		Test No: FLT107

Location	Longitude	Latitude
MÜRTED CTR	-	-