

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST TITLE	Claw Clearance				
CAMPAIGN	Claw Clearance Phase-5				
PROJECT	MMU	CREW	G. BAYRAMOĞLU (TP) (PIC)		
T/N	SIM-1030				
DEP.	LTAE				
ARR.	LTAE	TEST DIRECTOR	KAAN YUTÜK		
TEST AREA		MÜRTED CTR			
METAR					
Events	Time (UTC)	Fuel	Planned (kg/lbs)	Initial	Final
ENG. START		FUEL	3628.74/800 0.0		
OFF BLOCK		-	-		
TAKEOFF		-	-		
LANDING		-	-		
ON BLOCK		-	-		
ENG. STOP		TOTAL Fuel	3628.74/800 0.0		
NOTE					
RISK LEVEL & AUTHORIZER					
CATEGORY	(x) LOW	() MEDIUM	() HIGH	() VERY HIGH	
☒ CAT I	-	-	-	-	-
☐ CAT II					
☐ CAT III	CTP or CFTE	Flight Test Manager	Head of Flight	Head of Design	President or CEO
☐ CAT IV					
PIC TP: - TD:-					

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
ID	A/C LIMITATIONS				
Check flight test card on DMNTAI					

	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
ID	PILOT INFORMATION LIST				
Check flight test card on DMNTAI					

	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
ID	FOLLOW UP ITEMS				
Check flight test card on DMNTAI					

	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY	A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
ID	READY FOR TEST			
Check flight test card on DMNTAI				

#{newpage

 TURKISH AEROSPACE FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS	PILOT INFORMATION LIST	FOLLOW UP ITEMS	FTSHA
FTSHA					
ID	Test Title	Hazard	Minimizing Procedures	Emergency Procedures	Residual Risk
-	-	-	-	-	UNACCEPTABLE
-	-	-	-	-	VERY HIGH
-	-	-	-	-	HIGH
-	-	-	-	-	MEDIUM
-	-	-	-	-	LOW



FLIGHT TEST CARD

Date: 2026-02-25

Test No: FLT124

TEST CARD SUMMARY			A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
TEST CARD SUMMARY										
#	ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TE F	TP #	
1	S-CC5-BACH-060	Bank Angle Capture and Hold	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH	469	
2	S-CC5-PRT-058	Pitch and Roll Tracking	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH	470	
3	S-CC5-PT-084	Pitch Tracking	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH	471	
4	S-CC5-PACH-084	Pitch Angle Capture and Hold	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH	472	
5	S-CC5-BACH-061	Bank Angle Capture and Hold	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH	473	
6	S-CC5-PRT-059	Pitch and Roll Tracking	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH	474	
7	S-CC5-PT-085	Pitch Tracking	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH	475	
8	S-CC5-PACH-085	Pitch Angle Capture and Hold	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH	476	
9	S-CC5-BACH-062	Bank Angle Capture and Hold	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH	477	
10	S-CC5-PRT-060	Pitch and Roll Tracking	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH	478	
11	S-CC5-PT-086	Pitch Tracking	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH	479	
12	S-CC5-PACH-086	Pitch Angle Capture and Hold	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH	480	
13	S-CC5-BACH-063	Bank Angle Capture and Hold	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH	481	

 TURKISH AEROSPACE FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY			A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
TEST CARD SUMMARY										
#	ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TE F	TP #	
14	S-CC5-PRT-061	Pitch and Roll Tracking	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH	482	
15	S-CC5-PT-087	Pitch Tracking	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH	483	
16	S-CC5-PACH-087	Pitch Angle Capture and Hold	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH	484	

	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#1	S-CC5-BACH-060	Bank Angle Capture and Hold							
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	631/1.2	LEF/TEF	FIX/SCH	N/A			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	15000	TP #	469						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-058	Pitch and Roll Tracking	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH		

 FLIGHT TEST	FLIGHT TEST CARD				Date: 2026-02-25
					Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#2	S-CC5-PRT-058		Pitch and Roll Tracking						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	631/1.2	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	470						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PT-084	Pitch Tracking	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-25
			Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#3	S-CC5-PT-084			Pitch Tracking					
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	631/1.2	LEF/TEF	FIX/SCH	N/A			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	15000	TP #	471						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch tracking task symbology on HUD 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard							Residual Risk	
-	-							-	
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PACH-084	Pitch Angle Capture and Hold	631/1.2	15000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-25
			Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#4	S-CC5-PACH-084		Pitch Angle Capture and Hold						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	631/1.2	LEF/TEF	FIX/SCH	N/A			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	15000	TP #	472						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture pitch symbology on HUD 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-BACH-061	Bank Angle Capture and Hold	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-25
			Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#5	S-CC5-BACH-061		Bank Angle Capture and Hold						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	734/1.4	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	473						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-059	Pitch and Roll Tracking	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH		

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#6	S-CC5-PRT-059			Pitch and Roll Tracking					
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	734/1.4	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	474						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PT-085	Pitch Tracking	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH		

 FLIGHT TEST	FLIGHT TEST CARD				Date: 2026-02-25
					Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#7	S-CC5-PT-085			Pitch Tracking					
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	734/1.4	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	15000	TP #	475						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch tracking task symbology on HUD 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PACH-085	Pitch Angle Capture and Hold	734/1.4	15000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-25
			Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#8	S-CC5-PACH-085		Pitch Angle Capture and Hold						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	734/1.4	LEF/TEF	FIX/SCH	N/A			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	15000	TP #	476						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture pitch symbology on HUD 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-BACH-062	Bank Angle Capture and Hold	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-25
			Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#9	S-CC5-BACH-062		Bank Angle Capture and Hold						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	479/1.2	LEF/TEF	FIX/SCH	N/A			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	30000	TP #	477						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-060	Pitch and Roll Tracking	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-25
			Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#10	S-CC5-PRT-060		Pitch and Roll Tracking						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	479/1.2	LEF/TEF	FIX/SCH	N/A			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	30000	TP #	478						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PT-086	Pitch Tracking	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-25
			Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#11	S-CC5-PT-086			Pitch Tracking					
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	479/1.2	LEF/TEF	FIX/SCH	N/A			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	30000	TP #	479						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch tracking task symbology on HUD 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PACH-086	Pitch Angle Capture and Hold	479/1.2	30000	UP	AsReq	FIX_LEF	FIX/SCH		

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#12	S-CC5-PACH-086		Pitch Angle Capture and Hold						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	479/1.2	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	30000	TP #	480						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture pitch symbology on HUD 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-BACH-063	Bank Angle Capture and Hold	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-25
			Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#13	S-CC5-BACH-063		Bank Angle Capture and Hold						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	604/1.5	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	30000	TP #	481						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture 15 Right -> 15 Left -> 30 Right -> 30 Left deg bank then return wings level condition 3. For each target bank wait until steady condition 4. Assess (<10 deg) heading change during change in bank				Mission Task Element (MTE) Bank Angle: •Desired: ± 2 deg and 1 overshoot •Adequate: ± 5 deg and 1 overshoot Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PRT-061	Pitch and Roll Tracking	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH		

	FLIGHT TEST CARD		Date: 2026-02-25
			Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#14	S-CC5-PRT-061		Pitch and Roll Tracking						
TEST CONDITION				TOLERANCE			DATABAND		
Airspeed	604/1.5	LEF/TEF	FIX/SCH	N/A			•Airspeed: ± 10 kts •Altitude: ± 1000 ft		
Altitude	30000	TP #	482						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch and roll tracking task symbology on HUD. 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PT-087	Pitch Tracking	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH		

 FLIGHT TEST	FLIGHT TEST CARD				Date: 2026-02-25
					Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#15	S-CC5-PT-087			Pitch Tracking					
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	604/1.5	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	30000	TP #	483						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Track pitch tracking task symbology on HUD 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
S-CC5-PACH-087	Pitch Angle Capture and Hold	604/1.5	30000	UP	AsReq	FIX_LEF	FIX/SCH		

 FLIGHT TEST	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

TEST CARD SUMMARY		A/C LIMITATIONS		PILOT INFORMATION LIST		FOLLOW UP ITEMS		FTSHA	
#16	S-CC5-PACH-087		Pitch Angle Capture and Hold						
TEST CONDITION				TOLERANCE		DATABAND			
Airspeed	604/1.5	LEF/TEF	FIX/SCH	N/A		•Airspeed: ± 10 kts •Altitude: ± 1000 ft			
Altitude	30000	TP #	484						
LG	UP	Notes	HYD FAIL						
L/R ENGINE	AsReq	Predict							
MS ID	FIX_LEF	Target Speed							
TEST LIMIT(S)				KIO CRITERIA					
N/A				N/A					
TEST PROCEDURES				NOTES					
1. Establish steady condition at desired flight condition 2. Capture pitch symbology on HUD 3. Adjust throttle to correct airspeed				Rate forces, displacements, breakout, free-play, nonlinearities, stick crosstalk, control harmony, predictability, workload and PIO					
FTSHA's									
ID	Hazard						Residual Risk		
-	-						-		
NEXT TP									
ID	FTT	Airspeed	Altitude	LG	L/R ENGINE	MS ID	LEF/TEF	NOTES	
		-	-	-	-	-	-	-	

	FLIGHT TEST CARD	Date: 2026-02-25
		Test No: FLT124

Location	Longitude	Latitude
MÜRTED CTR	-	-