TESTs - Lesson 13 - Frontend

Why is client-side validation insufficient for blockchain-integrated applications?

- A Blockchain networks are too slow for real-time validation.
- B Web applications are not designed for direct blockchain interaction.
- C Users can modify client-side code, potentially bypassing security checks.
- D Browsers cannot handle complex cryptographic operations.

According to the video, what is the main benefit of using frontend frameworks like React or Angular?

- A They enforce a single, standardized programming language for all web development.
- B They replace the need for an internet browser to view web applications.
- C They allow developers to micro-manage every detail of the application's code.
- D They simplify the development process by generating HTML, CSS, and JavaScript based on high-level instructions.

What is a key benefit of the Burner Wallet included in Scaffold-ETH 2 for dApp development?

- A It provides a temporary wallet that simplifies development by avoiding frequent MetaMask resets.
- B It eliminates the need for any external wallet software.
- C It permanently stores cryptocurrency for long-term use.
- D It allows direct connection to Mainnet without any configuration.

In the context of React development, what problem does Wagmi primarily address when interacting with blockchain data?

- A Cross-browser compatibility.
- B Hydration problems when keeping track of state changes from servers.
- C Complex smart contract deployment.
- D Network latency issues.

What is the significance of Yarn workspaces within the Scaffold-ETH 2 project structure?

A They convert TypeScript code into pure JavaScript for browser compatibility.

B They provide built-in continuous integration and deployment services.

C They enforce a strict coding style across all project files.

D They enable the project to manage multiple sub-packages (like frontend and backend) within a single repository.

How does Scaffold-ETH 2 streamline the development of dApps with smart contract interaction?

A By automatically generating all necessary smart contract code from high-level descriptions.

B By offering pre-configured tools, frameworks, and components that allow for quick setup and interaction with deployed smart contracts.

C By requiring manual configuration of every integration for optimal control.

D By eliminating the need for a blockchain entirely, relying on centralized servers for data.

Why use Next.js for Web3 development?

A They generally provide more support, documentation, and tooling, especially for hackathons and integrations with SDKs.

B Popular frameworks offer superior technical features and performance.

C They allow for complete avoidance of JavaScript, HTML, and CSS coding.

D They are easier to learn for beginners compared to niche frameworks.

What is a primary security concern with client-side frontend development for blockchain applications?

A Client-side applications are inherently vulnerable to DDoS attacks.

B Front-end code can be easily reverse-engineered and copied.

C Malicious actors can manipulate the client-side code, potentially bypassing intended logic without blockchain validation.

D It requires users to download and install multiple external plugins.