

TESTs – Lesson 1 – Introduction EVM

What is the primary role of a Metamask wallet in the Ethereum network?

- What is a wallet

- Finding wallet applica

- Using metam

- Creating a public-private

- Connecting to Sepolia

- Funding my wallet with

- Sending a native token

A To securely store your email and personal information.

B To serve as your identity and control your digital assets.

C To directly store physical cryptocurrency coins.

D To mine new Ethereum tokens.

When creating a Metamask wallet, why is it that you don't need to provide personal information like your name or email?

- What is a wallet

- Finding wallet applica

- Using metamasks

- Creating a public-private

- Connecting to Sepolia

- Funding my wallet with

- Sending a native token

A The system uses your IP address for identification instead.

B Your wallet is linked to your existing bank account for verification.

C The wallet generates a random public-private key pair, not requiring personal details.

D Metamask is a centralized service that already knows your identity.

What is the main purpose of using a 'faucet' to obtain tokens on a Sepolia testnet?

- Explaining Etherscan

- Transactions

- Gas

- Blocks

- Consensus and finality

- State changes

A To acquire real cryptocurrency for investment purposes.

B To test smart contracts and transactions without using real money.

C To gain access to exclusive decentralized applications.

When you initiate a transaction on the Ethereum blockchain, what is the immediate status before it is officially confirmed?

- Transactions

- Blocks

- Consensus and finality

- State changes

- The EVM

- Accounts

Trying it out

- Using Uniswap as an

- What is a dApp

- Sending transaction

A Executed

B Finalized

C Pending

D Reverted

A transaction can involve sending zero ETH but still cause a 'state change' on the blockchain. What does this primarily indicate?

- ☐ A The transaction was unsuccessful and failed to execute.
- ☐ B It's a way to spam the network without cost.
- ☒ C The transaction interacted with a smart contract, triggering a program to update information.
- ☐ D The network is experiencing an error, causing incomplete transactions.

Solidity is different from traditional programming languages like Python or Java. What is Solidity specifically designed to target?

- ☐ A Traditional operating systems like Windows or macOS.
- ☐ B Web browsers for front-end development.
- ☒ C The Ethereum Virtual Machine (EVM).
- ☐ D High-performance server-side databases.

How does a transaction interacting with a smart contract differ fundamentally from a simple transaction that just transfers native tokens (like ETH)?

- ☐ A Smart contract transactions are always free, while token transfers incur fees.
- ☐ B Simple transactions are private, whereas smart contract interactions are always public.
- ☒ C Smart contract transactions execute code on the EVM, potentially altering complex state, beyond just transferring value.
- ☐ D Token transfers are only possible on testnets, but smart contracts run on the mainnet.

You are tasked with creating a dApp that allows users to vote on proposals. How could you leverage a smart contract to ensure transparency and immutability of voting results?

- A Use the smart contract solely to transfer money between voters.
- B Program the smart contract to store each vote as a 'state change' on the blockchain, and include logic to tally results securely.**
- C Employ the smart contract to encrypt all user data, making votes anonymous even to the network.
- D Connect the smart contract to a traditional server that processes and stores the votes.

What is meant by a transaction achieving 'finality' on Ethereum?

- A The transaction is processed instantly without any delay.
- B It signifies that the transaction cannot be reverted because a sufficient number of subsequent blocks have been added, and validators have confirmed it.**
- C The transaction is only visible to the sender and receiver.
- D It means the transaction has failed and been removed from the blockchain.