



Product catalogue

Tool Holders & Pull Studs

Tool holding and retention components selected for your machine interface:
BT, BBT and HSK tool holders, and pull studs for MAS, DIN, ISO and machine-specific standards.



In this catalogue

1. Tool holders
2. Pull studs
3. Pull stud standards
4. Enquiry and contact

Tool holders

The interface between spindle and cutting tool

Runout, rigidity and balance at the spindle interface show up directly in tool life and surface finish. SHK supplies tool holders matched to the spindle taper of your machine.



Tapers supplied

- BT
- BBT (dual contact)
- HSK
- Other interfaces on request

Choose the holder by

- Spindle taper and size
- Tool type and shank
- Required runout and balance
- Projection length and reach

Holder and pull stud go together. The tool holder and its pull stud must both match the spindle and the tool changer of the machine. We check both when you order.




Tool holders and pull studs from the SHK range

Pull studs

Retention knobs for your machine

Pull studs suitable for MAS, DIN, ISO, Mazak, Brother, Doosan, Haas and other machines, with or without coolant hole. O-rings are also available.



MAS 403 BT
DIN ISO 7388-3



MAS 403 BT with coolant hole
DIN ISO 7388-3



DIN 69872 A
With through-coolant hole

Pull stud standards

Quick reference


Standard	Used with	Coolant
MAS 403 BT (DIN ISO 7388-3)	BT taper tool holders	Without coolant hole
MAS 403 BT with TC hole (DIN ISO 7388-3)	BT taper tool holders	Through-coolant
DIN 69872 A with TC	DIN 69871 (SK) taper tool holders	Through-coolant
Machine-specific pull studs	Mazak, Brother, Doosan, Haas and others	With or without coolant

Always match the pull stud to the machine. Pull studs that look alike can differ in angle, length and thread. Send the machine model or the existing pull stud and we will identify the correct part.

Also available

ATC alignment gauges

Falcon ATC alignment gauges for BT, BBT and HSK spindles, used to align the tool changer arm with the spindle. See the Measuring & Test Equipment catalogue.



To quote quickly, send us

- ☐ Machine make and model
- ☐ Spindle taper and size (for example BT40, HSK-A63)
- ☐ Pull stud standard, or the existing pull stud or drawing
- ☐ Coolant through spindle: yes or no
- ☐ Tool holder types and quantities

Related SHK catalogues

Custom Angle Heads

Heads configured around the application

Measuring & Test Equipment

Granite plates, clamp force and ATC alignment gauges

Machine Services

Calibration, reconditioning and retrofit

How we work

From selection to support

01

Select

We review the part, the machine and the problem, and recommend the right product.

02

Supply

Equipment from established manufacturers, configured for your machine.

03

Install

Support with mounting, integration and first use on your shop floor.

04

Support

Service, spares and help when production needs change.

Start with the problem

Tell us what the machine or the part needs. We work back from the problem to the product, not the other way round.

One partner around the machine

Workholding, tooling, probing, chip and coolant handling, and machine services from one engineering team.

Established manufacturers

Products from specialist manufacturers, selected and supported locally from Bengaluru.

Talk to an engineer

Send a drawing, a photo of the machine or a short description of the problem. We will come back with the right solution.

Contact

Shrinivas M
Director, Business
Development
+91 86600 36390 (call /
WhatsApp)
shktechservices@gmail.com

Visit

SHK Tech Services
No. 46, 2nd Floor, 14th Cross Road,
2nd Stage Peenya,
Opp. CLAAS Agricultural
Machinery Pvt. Ltd., Bengaluru
560058
arcanelinx-web-
studio.github.io/SHKTech