



Product catalogue

# Custom Angle Heads

Reach a different face or angle of the part with an angle head configured around the application, the machine and the spindle taper.



In this catalogue

1. What an angle head does
2. The range
3. Ordering code and examples
4. Enquiry and contact

Products by

**DIXI**

## What an angle head does

# Machine where the spindle cannot reach

An angle head turns the drive from the machine spindle through an angle, so the tool can work on side faces, inside cavities and at compound angles without re-clamping the part or moving it to another machine.



### Reach side faces

Drill, tap and mill faces at 90° to the spindle in the same setup.



### Work at set angles

Heads built for a fixed angle such as 25° or 45°, to suit the feature.



### Built to the job

Housing, gearing, mounting and coolant chosen for the application.

## The range

# Custom-built angle heads

| Example                                | Description                                         |
|----------------------------------------|-----------------------------------------------------|
| BT50 slim angle head                   | Slim body for reaching into deep or narrow features |
| BT50 45-degree A-head                  | Output at 45° to the spindle axis                   |
| BT50-685 GPL anti-vibratory angle head | Anti-vibratory design                               |
| HSK100 25-degree A-head                | HSK100 drive with output at 25°                     |

Examples from the DIXI custom-built range. Each head is configured to the application.

## Ordering code

# How a custom head is specified

A custom-built angle head is defined by an ordering code of the form CBH X-XX-X-X-X-X-X. Each position records one decision about the head.

| Position | Defines                                       |
|----------|-----------------------------------------------|
| X        | Drive spindle taper (machine side)            |
| XX       | Output spindle taper (tool side)              |
| X        | Machine mounting                              |
| X        | Material of construction (MOC) of the housing |
| X        | Custom design description                     |
| X        | Type of spiral bevel gear                     |
| X        | Coolant type                                  |

## Examples

# Heads built for specific jobs



**BT50 slim angle head**



**BT50 45-degree A-head**



**BT50-685 GPL anti-vibratory angle head**



**HSK100 25-degree A-head**

**What we need to configure your head.** The machine and spindle taper, how the head will be mounted and located on the machine, the output angle and reach, the tool interface, the operation and its cutting loads, and how coolant should reach the tool. A drawing of the component with the feature marked is the fastest way to a correct proposal.

### To quote quickly, send us

- ☐ Machine make, model and spindle taper
- ☐ Mounting and stop-block position on the machine
- ☐ Required output angle and reach
- ☐ Tool interface on the output side
- ☐ Operation, tool size and cutting data
- ☐ Coolant requirement
- ☐ Component drawing with the feature marked

### Related SHK catalogues

#### Tool Holders & Pull Studs

BT, BBT and HSK holders; pull studs for all common standards

#### Rotary & Tilting Tables

Rotary tables, tilting tables and support tailstocks

#### CAM / Programming

SolidCAM for milling, turning and multi-axis work

### How we work

## From selection to support

**01**

### Select

We review the part, the machine and the problem, and recommend the right product.

**02**

### Supply

Equipment from established manufacturers, configured for your machine.

**03**

### Install

Support with mounting, integration and first use on your shop floor.

**04**

### Support

Service, spares and help when production needs change.

### Start with the problem

Tell us what the machine or the part needs. We work back from the problem to the product, not the other way round.

### One partner around the machine

Workholding, tooling, probing, chip and coolant handling, and machine services from one engineering team.

### Established manufacturers

Products from specialist manufacturers, selected and supported locally from Bengaluru.

### Talk to an engineer

Send a drawing, a photo of the machine or a short description of the problem. We will come back with the right solution.

#### Contact

Shrinivas M  
Director, Business  
Development  
+91 86600 36390 (call /  
WhatsApp)  
shktechservices@gmail.com

#### Visit

SHK Tech Services  
No. 46, 2nd Floor, 14th Cross Road,  
2nd Stage Peenya,  
Opp. CLAAS Agricultural  
Machinery Pvt. Ltd., Bengaluru  
560058  
arcanelinx-web-  
studio.github.io/SHKTech