



Product catalogue

Oil Mist Collection

Industrial mist filtration for machine tools. Air Seiki AIR series mist collectors remove oil and emulsion mist at the source, for a cleaner, safer shop floor.



In this catalogue

- | | |
|------------------------------|------------------------|
| 1. Cleaner productivity | 4. Applications |
| 2. Models and technical data | 5. Enquiry and contact |
| 3. Three-stage filtration | |

Channel partner for

AIR SEIKI

Cleaner productivity

Clean air is back

The AIR SEIKI AIR series is an efficient and cost-effective line of mist collectors: an ideal solution for machine tool OEMs, easy to install and manage. SHK Tech Services is an Air Seiki channel partner.

99% filtration efficiency

Suitable for oil and emulsion

Low cost and easy maintenance

Compact and simple construction

Low energy consumption

Mist removal at source

Models

AS AIR5 MIST · AS AIR10 MIST · AS AIR15 MIST · AS AIR20 MIST



Technical data

AIR series

Model	Air flow (CMH)	Voltage (V)	Current (A)	Input power (W)	Speed (RPM)	Noise level (dB)
AS AIR5 MIST	600	230	0.42	100	2480	70
AS AIR10 MIST	1100	230	0.81	190	2450	71
AS AIR15 MIST	1500	230	1.05	240	2480	79
AS AIR20 MIST	2000	230	1.20	260	1350	64

Three-stage filtration

Filter cassettes

Mist enters the collector and passes through three filter stages before clean air is returned to the shop.

Stage 1

Wire mesh

Captures dust particles and small chips.

Stage 2

Reticulated foam, 100 mm

20 PPI polyether, G3 grade.

Stage 3

Reticulated foam, 30 mm

40 PPI polyether, G3 grade.



Filter cassette and the cassette drawer of the AIRseries

Applications

Where it is used

Turning centres

Surface grinding

Industrial saws

Parts washing

Machining centres

Cylindrical grinding

Electro discharge
machining

Food processing

Benefits

For people and production

- Safer work environment
- Improved health of workers
- Cleaner manufacturing shop floors
- Enthusiastic workers mean higher productivity

To quote quickly, send us

- ☐ Machine type and model
- ☐ Coolant: neat oil or emulsion
- ☐ Machine enclosure: fully or partly enclosed
- ☐ Number of machines
- ☐ Mounting preference: on the machine or on a stand

Related SHK catalogues**Coolant, Sump Cleaning & Filtration**

Sump cleaners, tramp oil separators, filtration

Chip Conveyors

Conveyors matched to the chip and the machine

Chip Compactors

Briquetting of chips, swarf and grinding dust

How we work

From selection to support

01**Select**

We review the part, the machine and the problem, and recommend the right product.

02**Supply**

Equipment from established manufacturers, configured for your machine.

03**Install**

Support with mounting, integration and first use on your shop floor.

04**Support**

Service, spares and help when production needs change.

Start with the problem

Tell us what the machine or the part needs. We work back from the problem to the product, not the other way round.

One partner around the machine

Workholding, tooling, probing, chip and coolant handling, and machine services from one engineering team.

Established manufacturers

Products from specialist manufacturers, selected and supported locally from Bengaluru.

Talk to an engineer

Send a drawing, a photo of the machine or a short description of the problem. We will come back with the right solution.

Contact

Shrinivas M
Director, Business
Development
+91 86600 36390 (call /
WhatsApp)
shktechservices@gmail.com

Visit

SHK Tech Services
No. 46, 2nd Floor, 14th Cross Road,
2nd Stage Peenya,
Opp. CLAAS Agricultural
Machinery Pvt. Ltd., Bengaluru
560058
arcanelinx-web-
studio.github.io/SHKTech