




Product catalogue

Ultrasonic Cleaning

Cleaning solutions for machined components. Remove chips, coolant, oil and fine particles from parts before inspection, assembly or the next process.




In this catalogue

1. How ultrasonic cleaning works
2. What it removes
3. Defining your requirement
4. Enquiry and contact

How ultrasonic cleaning works

Cleaning that reaches every surface

High-frequency sound from transducers in the tank creates millions of tiny bubbles in the cleaning fluid. As they collapse (cavitation), they lift contamination from every wetted surface, including blind holes, threads and internal passages that brushes and sprays cannot reach.



What it removes

- Fine chips and burrs left after machining
- Coolant and cutting oil residue
- Grinding and lapping residue
- Dust and fine particles before assembly or inspection

Why it helps

- Cleans complex geometry evenly
- Consistent results from batch to batch
- Less manual cleaning work

Defining your requirement

Every cleaning job is specified around the part

The right system depends on the component, the contamination and the throughput. SHK works from your requirement to recommend the solution.

What we look at	Why it matters
Component size, weight and material	Decides tank size, basket design and fluid compatibility
Type of contamination	Oil, coolant, chips, polishing compound or dust need different cleaning chemistry
Required cleanliness	Decides the number of stages, such as cleaning, rinsing and drying
Parts per hour or per batch	Decides capacity and level of automation
Drying and corrosion protection	Decides whether drying or a protective stage is needed

To quote quickly, send us

- ☐ Component drawing or photo, with size and weight
- ☐ Material of the component
- ☐ Contamination to be removed
- ☐ Required cleanliness level
- ☐ Quantity per hour or per batch
- ☐ Drying or rust protection required

Related SHK catalogues

Coolant, Sump Cleaning & Filtration

Sump cleaners, tramp oil separators, filtration

Measuring & Test Equipment

Granite plates, clamp force and ATC alignment gauges

Machine Services

Calibration, reconditioning and retrofit

How we work

From selection to support

01

Select

We review the part, the machine and the problem, and recommend the right product.

02

Supply

Equipment from established manufacturers, configured for your machine.

03

Install

Support with mounting, integration and first use on your shop floor.

04

Support

Service, spares and help when production needs change.

Start with the problem

Tell us what the machine or the part needs. We work back from the problem to the product, not the other way round.

One partner around the machine

Workholding, tooling, probing, chip and coolant handling, and machine services from one engineering team.

Established manufacturers

Products from specialist manufacturers, selected and supported locally from Bengaluru.

Talk to an engineer

Send a drawing, a photo of the machine or a short description of the problem. We will come back with the right solution.

Contact

Shrinivas M
Director, Business
Development
+91 86600 36390 (call /
WhatsApp)
shktechservices@gmail.com

Visit

SHK Tech Services
No. 46, 2nd Floor, 14th Cross Road,
2nd Stage Peenya,
Opp. CLAAS Agricultural
Machinery Pvt. Ltd., Bengaluru
560058
arcanelinx-web-
studio.github.io/SHKTech