

Escuela Profesional de Ciencia de la Computación

ICC Fase 1

Bioinformatics

Genome by numbers

MSc. Vicente Machaca Arceda

Universidad Nacional de San Agustín de Arequipa

June 12, 2020

Table of Contents

- Introduction
 - Objectives
 - The biology of cells: Summary
- Numbers and Databases
 - Genomes by numbers
 - Databases
 - DNA sequence formats

vmachacaa@unsa.edu.pe

Table of Contents

- Introduction
 - Objectives
 - The biology of cells: Summary
- Numbers and Databases
 - Genomes by numbers
 - Databases
 - DNA sequence formats

• Understand the size of our genome.

Objectives

- Understand the size of our genome.
- Understand the lack of research in Genomics.

Introduction

The biology of cells: Summary




Figure: Chromosome-DNA-gene [1].

Introduction

The biology of cells: Summary





Figure: Transcription and translation [2].



The biology of cells: Summary



THE CELL, Fourth Edition, Figure 5.5 © 2006 ASM Press and Singuer Associates, Inc.

Figure: Alternative splicing [3].



Table of Contents

- 1 Introduction
 - Objectives
 - The biology of cells: Summary
- Numbers and Databases
 - Genomes by numbers
 - Databases
 - DNA sequence formats

Numbers of base pairs

The human genome is made of ~3.2 billions bp of DNA. ~6.4 billions of nucleotides [4].

Numbers of base pairs

The human genome is made of ~**3.2 billions bp** of DNA. ~6.4 billions of nucleotides [4].

The HIV-1 genome is made of ~20k bp of DNA. Meanwhile, the COVID-19 is made of ~32k bp [5].

Numbers of base pairs

The human genome is made of ~3.2 billions bp of DNA. ~6.4 billions of nucleotides [4].

The HIV-1 genome is made of ~20k bp of DNA. Meanwhile, the COVID-19 is made of ~32k bp [5].

There are approximately **19000** to **25000** genes. No one knows for sure [4].



Numbers of genes

There are approximately **19000** to **25000** genes. No one knows for sure [4].

Percentage of protein-coding genes

Only ~1 per cent of the human genome correspond to protein-coding genes. [4].

Human genes have dozens of introns, each of which can be tens of thousands of nucleotides. Distinguishing exons from introns and other forms of non-coding DNA is challenging [4].



Databases

Database	Description
GenBank	Genetic sequence database
BLAST	Finds regions of similarity between sequences
ViPR	Viral genomes database
TCGA	The Cancer Genome Atlas
ICGC	International Cancer Genome Consortium



Databases types

Primary	Secondary
GenBank	RefSeq
UniProt	Genes
PubMed	Taxon
PMC	OMIM
Intact	ICGC

vmachacaa@unsa.edu.pe

Numbers and Databases

Databases

Downloading Sequencing Data: Unsustainable Model



9 days on a dedicated 10G link

8 months on a shared university link



Your Compute Cluster

PCAWG Data Set Today 2,800 donors



2 mo on a dedicated 10G link

4 yr on a shared university link



our Comp Cluster

ICGC Data Set in 2018 25,000 donors

Few research labs have large enough storage and compute capacities

Figure: Downloading sequencing data



Cloud computing and new software paradigm

- Data sets are in Petabyte and soon Exabyte scale.
- Data (and the security rules that come with it) will be somewhere (not in our own data centre), and you will move your software to it.

Cloud computing and new software paradigm

- FASTA, FASTAQ.
- EMBL.
- GCG.
- GenBank.

FASTA format

>AB000263 |acc=AB000263|descr=Homo sapiens mRNA for prepro cortistatin ACAAGATGCCATTGTCCCCGGCCTCCTGCTGCTGCTCCTCCGGGGCCACGGCCACCGCTGCCCTGCC CCTGGAGGGTGGCCCCACCGGCCGAGACAGCGAGCATATGCAGGAAGCGGCAGGAATAAGGAAAAGCAGC CTCCTGACTTTCCTCGCTTGGTGGTTTGAGTGGACCTCCCAGGCCAGTGCCGGGCCCCTCATAGGAGAGG CTGCAGGAACTTCTTCTGGAAGACCTTCTCCTCCTGCAAATAAAACCTCACCCATGAATGCTCACGCAAG TTTAATTACAGACCTGAA

Figure: FASTA format example

EMBL format

```
TD
     AB000263 standard; RNA; PRI; 368 BP.
XX
AC
     AB000263;
XX
DF
     Homo sapiens mRNA for prepro cortistatin like peptide, complete cds.
XX
SO
     Sequence 368 BP:
     acaagatgcc attotcccc ggcctcctgc tgctgctgct ctccggggcc acggccaccg
                                                                               60
     ctgccctgcc cctggagggt ggccccaccg gccgagacag cgagcatatg caggaagcgg
                                                                              120
     caggaataag gaaaagcagc ctcctgactt tcctcgcttg gtggtttgag tggacctccc
                                                                              180
     aggccagtgc cgggccctc ataggagagg aagctcggga ggtggccagg cggcaggaag
                                                                              240
     gegeacecee ceageaatee gegegeeggg acagaatgee etgeaggaae ttettetgga
                                                                              300
     agacettete etectgeaaa taaaacetea eecatgaatg eteacgeaag titaattaca
                                                                              360
                                                                              368
     gacctgaa
```

Figure: EMBL format example

A2M format

The **A2M format** is used as the primary format for multiple alignments of protein or nucleic-acid sequences. For proteins, the legal alphabet is:

- ACDEFGHIKLMNPQRSTVWY for amino acids
- X for any amino acid
- B for N or D
- Z for Q or E
- O for creating a free-insertion module (FIM)

For nucleic acids, the legal alphabet in SAM is:

- ACGTU for nucleotides (with T and U considered equivalent)
- Y for C or T
- R for A or G
- N for any nucleotide
- O for creating a free-insertion module (FIM)

Numbers and Databases GOBLET



Figure: GOBLET

Bioinformatics

Homework

Register to the following courses and bring yours certificated of accomplish:

Introduction to Genomics (4 hours)

References I

- Wikicommons, "Chromosome-dna-gene," https://commons.wikimedia.org/wiki/File: Chromosome-DNA-gene.png, 2020, accessed: 2020-03-20.
- NCI, "Nci dictionary of cancer terms," https://www.cancer. gov/publications/dictionaries/cancer-terms/def/transcription, 2020, accessed: 2020-03-20.
- G. BIO, "Gen. bio," https://sites.google.com/site/bio1040genbio2/home, 2020, accessed: 2020-03-20.
- J. M. Archibald, *Genomics: A Very Short Introduction*. Oxford University Press, 2018, vol. 559.

References II



G. S. Randhawa, M. P. Soltysiak, H. El Roz, C. P. de Souza, K. A. Hill, and L. Kari, "Machine learning using intrinsic genomic signatures for rapid classification of novel pathogens: Covid-19 case study," bioRxiv, 2020.