



MUNI EA

30 März 2026 21:57:02




Purpose

MUNI FULL Architektur Business R+MUNI View 27.02.2026

Views

VIE00-Motivation View

No viewpoint



Documentation

Was mit motiviert einfach.....


Elements

Element	Type
ASS00-Mögliche Lösungen	Assessment
DRV00-Geiler Job	Driver
DRV01-Wissbegierde	Driver
DRV02-Was mich motiviert!	Driver
GOA00-R+ MUNI Release	Goal
MEA00-Free 4 all	Meaning
MEA01-Wie ich denke	Meaning

Element	Type
MEA02-Offen entwickelbar	Meaning
OUT00-R+MUNI	Outcome
PRI00-Die Prinzipien sind mir wichtig	Principle
PRI01-Freier Zugang zu Unterlagen	Principle
PRI02-Freie Software	Principle
PRI03-Offen für Erweiterung	Principle
PRI04-Offene Normen und Guidelines	Principle
REQ00-Kostenfreier Stack	Requirement
REQ01-Leicht zu bedienen	Requirement
REQ02-Wie es sein sollt	Requirement
REQ03-wartbar	Requirement
REQ04-Visuell getrieben	Requirement
REQ05-Praxis tauglich	Requirement
STA00-Me ;)	Stakeholder
VAL00-Millionen Sachen	Value

VIE01-Strategy View

No viewpoint



Documentation


Die Übersicht meiner vermutlichen Fähigkeiten sowie Ressourcen auch wenn es wenig ist wir schaffen das ;)

Elements

Element	Type
CAP00-IT Infrastruktur Know How	Capability
CAP01-Modellierungs Know How	Capability
CAP02-Modell Know How	Capability
CAP03-Projektmanagement	Capability
CAP04-Changemanagement Know How	Capability
COA00-R+MUNI 1.0 Internal Release	Course of Action
RES00-Eigenmittel	Resource
RES01-Gaming Hardware	Resource
VAS00-Enabling	Value Stream
VAS01-Feature Upgrades	Value Stream
VAS02-Individualisierungen	Value Stream
VAS03-Klarheit über Fragestellungen	Value Stream
VAS04-R+MUNI	Value Stream
VAS05-Unterstützungsleistungen	Value Stream

VIE02-Business View

No viewpoint



Documentation

Wie es mal wirksam sein könnte für 3te oder auch ist wenn man es auf DEV Ebene heute schon durchschaut die useability ist noch sehr DEV lastig.


Elements

Element	Type
BUA00-R+MUNI Dude (ME)	Business Actor
BUF00-3rd Party Importer	Business Function
BUF01-Architektur & Business Modellierer	Business Function
BUF02-HTML Report erstellen	Business Function
BUF03-Image Export	Business Function
BUF04-Prozess Automation light	Business Function
BUF05-Prozess Modellierer	Business Function
BUF06-Selbsthilfe	Business Function
BUI00-Archimate Tool GUI	Business Interface
BUI01-Editor GUI	Business Interface
BUI02-BPMN 2.0 Tool GUI	Business Interface
BUI03-HTML Web GUI	Business Interface
BUO00-FLOW	Business Object
BUO01-HTML Report	Business Object
BUO02-Referenzdoku	Business Object
BUO03-Referenzmodelle	Business Object
BUO04-Visuelle Darstellung	Business Object
BUP00-3rd Party Import	Business Process
BUP01-Lösung für Anforderung erarbeiten	Business Process
BUP02-Lösung präsentieren	Business Process
BUP03-R+MUNI anpassen	Business Process
BUP04-R+MUNI entwickeln	Business Process
BUP05-R+MUNI installieren	Business Process

Element	Type
BUP06-Schulung durchführen	Business Process
BUP07-Visuelle Modelle erstellen	Business Process
BUR00-Consultant	Business Role
BUR01-Entwickler	Business Role
BUR02-Modellierer	Business Role
BUS00-First Time Setup	Business Service
BUS01-Individual Anpassungen	Business Service
BUS02-MUNI Schulungs Service	Business Service
BUS03-PreSales Consultant Service	Business Service
BUS04-Visuelle Diagramm Service	Business Service
PRO00-R+MUNI	Product

VIE03-Application View

No viewpoint



Documentation

Der Stack an Applikationen die schon im aktuellen MUNI Setup integriert sind.


Elements

Element	Type
ACO00-R+MUNI	Application Collaboration
APC00-Archi 5.8	Application Component
APC01-Camunda Modeler	Application Component
APC02-Crome Browser	Application Component
APC03-FLOW Routine	Application Component
APC04-Notepad ++	Application Component
APF00-Archimate Modellierung	Application Function
APF01-BPMN 2.0 Modellierung	Application Function
APF02-Brower Funktion	Application Function
APF03-Camunda 7 Modelle	Application Function
APF04-Camunda 8 Modelle	Application Function
APF05-CSV Export	Application Function
APF06-CSV Import	Application Function
APF07-EA Image Export	Application Function

Element	Type
APF08-Editor	Application Function
APF09-EXCEL Export	Application Function
APF10-Selbsthilfeanleitung	Application Function
APF11-Image Export	Application Function
APF12-Reader Funktion	Application Function
APF13-Prozess Image Export	Application Function
APF14-Prozessautomatisierung light	Application Function
APF15-Open Exchange Format Import	Application Function
APF16-Open Exchange Format Export	Application Function
API00-Archi Gui	Application Interface
API01-Camunda Modeler GUI	Application Interface
API02-Crome GUI	Application Interface
API03-FLOW	Application Interface
API04-Notepad++ GUI	Application Interface
DAO00-Archi<modellname>.svg	Data Object
DAO02-Archi CSV Stack	Data Object
DAO03-Archi <modellname>.xlsx	Data Object
DAO04-Archi XML Stack	Data Object
DAO05-BPMN<Prozessname>.bpmn	Data Object
DAO06-BPMN<Prozessname>.svg	Data Object
DAO07-Sub Archi <modellname>	Data Object
DAO08-FLOW	Data Object
DAO09-Scripts	Data Object
DAO10-Guidelines	Data Object
DOA11-R+MUNI Info Files	Data Object
DOA12-Main Archi <modellname>	Data Object

VIE04-Technology View

No viewpoint



Documentation

Einfacher Hardware View ist nicht mehr einfach ein PC und Internet ist vollkommen ausreichend. Das Design ermöglicht es auch auf Linux laufen zu lassen.


Elements

Element	Type
CON00-Internet	Communication Network
DEV00-Gaming PC	Device
MAT00-Guides & Normen	Material
MAT01-BPMN 2.0 Guides	Material
MAT02-Archimate 3.2 Guides	Material
MAT03-TOGAF 10 Guides	Material
NOD00-Fritz Box Router	Node
SYS00-Windows 11 Enterprise	System Software
SYS01-Python 3 run	System Software

Element	Type
SYS02-Powershell 7.x	System Software
TEF00-Ordnerstruktur und Rechtevergabe	Technology Function
TEF01-Ausführen von Applikationen	Technology Function
TEI00-OS GUI	Technology Interface
TEI01-Powershell Konsolen GUI	Technology Interface

VIE05-Implementation View

No viewpoint




Elements

Element	Type
ACO00-R+MUNI	Application Collaboration
BUA00-R+MUNI Dude (ME)	Business Actor
Default R+MUNI Setup	Work Package
Exit Point Enabling	Implementation Event
Exit Point Install	Implementation Event
Modellsupport	Work Package
Output Modellsupport	Deliverable
Projekt Scope	Implementation Event
R+MUNI	Plateau
R+MUNI <TAG>	Deliverable
R+MUNI Enabling	Deliverable
R+MUNI Know How Transfer	Work Package
You?	Business Actor

VIE06-Tracing Core Layers

No viewpoint



Documentation

Verbindet die Archimate Elemente über die einzelnen Schichten hinaus.


Elements

Element	Type
ACO00-R+MUNI	Application Collaboration
APC00-Archi 5.8	Application Component
APC01-Camunda Modeler	Application Component
APC02-Crome Browser	Application Component
APC04-Notepad ++	Application Component
APF00-Archimate Modellierung	Application Function
APF01-BPMN 2.0 Modellierung	Application Function
APF06-CSV Import	Application Function
APF07-EA Image Export	Application Function
APF09-EXCEL Export	Application Function
APF10-Selbsthilfeanleitung	Application Function
APF15-Open Exchange Format Import	Application Function
APF16-Open Exchange Format Export	Application Function
API00-Archi Gui	Application Interface
API01-Camunda Modeler GUI	Application Interface
API02-Crome GUI	Application Interface
API03-FLOW	Application Interface
API04-Notepad++ GUI	Application Interface
BUF00-3rd Party Importer	Business Function
BUF01-Architektur & Business Modellierer	Business Function

Element	Type
BUF02-HTML Report erstellen	Business Function
BUF03-Image Export	Business Function
BUF05-Prozess Modellierer	Business Function
BUF06-Selbsthilfe	Business Function
BUI00-Archimate Tool GUI	Business Interface
BUI01-Editor GUI	Business Interface
BUI02-BPMN 2.0 Tool GUI	Business Interface
BUO00-FLOW	Business Object
BUO02-Referenzdoku	Business Object
DAO00-Archi<modellname>.svg	Data Object
DAO02-Archi CSV Stack	Data Object
DAO03-Archi <modellname>.xlsx	Data Object
DAO04-Archi XML Stack	Data Object
DAO05-BPMN<Prozessname>.bpmn	Data Object
DAO06-BPMN<Prozessname>.svg	Data Object
DAO07-Sub Archi <modellname>	Data Object
DAO08-FLOW	Data Object
DAO09-Scripts	Data Object
DAO10-Guidelines	Data Object
DOA11-R+MUNI Info Files	Data Object
DOA12-Main Archi <modellname>	Data Object
MAT00-Guides & Normen	Material
PRO00-R+MUNI	Product
SYS01-Python 3 run	System Software
SYS02-Powershell 7.x	System Software
TEF01-Ausführen von Applikationen	Technology Function
TEI00-OS GUI	Technology Interface
TEI01-Powershell Konsolen GUI	Technology Interface

VIE07-Tracing Other Layers

No viewpoint



Documentation

Verbindet simpel die Layer Motivation - Strategie sowie Business Element für ein durchgängiges tracing.

Elements

Element	Type
BUA00-R+MUNI Dude (ME)	Business Actor
COA00-R+MUNI 1.0 Internal Release	Course of Action
GOA00-R+MUNI Release	Goal
PRO00-R+MUNI	Product
STA00-Me ;)	Stakeholder
VAL00-Millionen Sachen	Value
VAS04-R+MUNI	Value Stream

Strategy Layer

CAP00-IT Infrastruktur Know How

Type	Capability
-------------	------------

25 Jahre + IT Erfahrung

CAP01-Modellierungs Know How

Type	Capability
-------------	------------

BPMN 2.0 & Archi sowie klassische Visio und Draw i/o Diagramme

CAP02-Modell Know How

Type	Capability
-------------	------------

Know How zu den dahinterstehenden Modellen auch wenn sie meistens nur reduziert zum Einsatz kommen um auf den Zielmark passend zu "wirken".

CAP03-Projektmanagement

Type	Capability
-------------	------------

Klassische Projektmanagement Fähigkeiten. Bevorzugt klassisch kann aber auch Agil sein wenn es für den Usecase erwünscht ist.

CAP04-Changemanagement Know How

Type	Capability
-------------	------------

COA00-R+MUNI 1.0 Internal Release

Type	Course of Action
-------------	------------------

Meine großes erstes Vorhaben im EA - Modell Umfang

RES00-Eigenmittel

Type	Resource
-------------	----------

ID3Party

Wir haben keinen Sponsor oder Unterstützer für R+MUNI daher finanzieren wir uns aus Eigenmittel

RES01-Gaming Hardware

Type	Resource
-------------	----------

R+MUNI hat geringe Anforderungen und läuft aktuell auf alter Gaminghardware

VAS00-Enabling

Type	Value Stream
-------------	--------------

Das eigentliche Ziel hinter R+MUNI. Befähigen!!!! Format Workshop 2 Tage Crash

Modellierungskurs.

VAS01-Feature Upgrades

Type	Value Stream
-------------	--------------

Einbau von zusätzlichen Funktionen

VAS02-Individualisierungen

Type	Value Stream
-------------	--------------

R+MUNI ist dafür gemacht sich an Anforderungen anzupassen.

VAS03-Klarheit über Fragestellungen

Type	Value Stream
-------------	--------------

VAS04-R+MUNI

Type	Value Stream
-------------	--------------

Mein realer Value Stream!! Es wird funktionieren die Zeit wird es zeigen.

VAS05-Unterstützungsleistungen

Type	Value Stream
-------------	--------------

Unterstützungsleistungen können auf Basis Kontingent gebucht werden. Minimum 50h

Business Layer

BUA00-R+MUNI Dude (ME)

Type	Business Actor
Type	Guides & Normen

Total cooler Type der nichts besseres zu tun hat als das in seiner Freizeit zu machen ;)

BUF00-3rd Party Importer

Type	Business Function
-------------	-------------------

Die Funktion aus 3ten Quellen CSV und XLSX Importieren zu können sofern man sich an die Vorgaben hält.

BUF01-Architektur & Business Modellierer

Type	Business Function
-------------	-------------------

Meine Welt was gibts für Blech was gibts für SW. Was läuft wo warum und wem ist es nicht egal wenn das stirbt ;).

BUF02-HTML Report erstellen

Type	Business Function
-------------	-------------------

Archi stellt das EA - Modell auch als HTML Variante zur Verfügung kann lokal oder auf Webserver bereitgestellt werden.

BUF03-Image Export

Type	Business Function
-------------	-------------------

Sowohl aus Archimate Modellen als auch als BPMN 2.0 Ablaufmodellen kann man unterschiedliche Image Formate Exportieren und an 3te Quellen (z.B Dokumentation überleiten)

BUF04-Prozess Automation light

Type	Business Function
-------------	-------------------

FLW ist ein Scriptrunner der es ermöglicht über BPMN Prozesse über Python ausführen zu lassen und so kleine Fows zu automatisieren.

BUF05-Prozess Modellierer

Type	Business Function
-------------	-------------------

Das wie ist normal das man sich ansieht auch das haben wir mit BPMN 2.0 in einem maschinenlesbaren Format sollte das wer anstreben.

BUF06-Selbsthilfe

Type	Business Function
-------------	-------------------

MUNI hat Links und How2 inkludiert.

BUI00-Archimate Tool GUI

Type	Business Interface
-------------	--------------------

Man muss die Archi Gui ausführen können (Linux, Windows)

BUI01-Editor GUI

Type	Business Interface
-------------	--------------------

BUI02-BPMN 2.0 Tool GUI

Type	Business Interface
-------------	--------------------

Dazu braucht man eine Frontend dass das Normformat BPMN 2.0 XML richtig lesen kann wir haben das auch integriert.

BUI03-HTML Web GUI

Type	Business Interface
-------------	--------------------

Man braucht einen Browser

BUO00-FLOW

Type	Business Object
-------------	-----------------

Das FLW macht Muni erst zum "ESEL Sprinter" und damit hat man dann den realen Mehrwert gegenüber den normalen Setup.

BUO01-HTML Report

Type	Business Object
-------------	-----------------

Damit das auch wer sehen kann haben wir den HTML Report über Python auch im lokalen Netz verfügbar gemacht!

BUO02-Referenzdoku

Type	Business Object
-------------	-----------------

Die Doku und hier sicher nicht zu kurz gekommen ;).

BUO03-Referenzmodelle

Type	Business Object
-------------	-----------------

Ja das wollte ich auch noch machen.... Aber ja hier ist eigentlich eines das meinen Vorgehensweise schon recht gut beschreibt.

BUO04-Visuelle Darstellung

Type	Business Object
-------------	-----------------

Das Bild

BUP00-3rd Party Import

Type	Business Process
-------------	------------------

Import und Export Funktion in und aus dem Ökosystem für uns zentral weil unstrukturierte Daten oft als CSV exportierbar und importierbar sind.

BUP01-Lösung für Anforderung erarbeiten

Type	Business Process
-------------	------------------

Was braucht wer warum und welche Bausteine machen Sinn oder braucht man vielleicht ein Addon weil noch entwickelt werden muss?

BUP02-Lösung präsentieren

Type	Business Process
-------------	------------------

BUP03-R+MUNI anpassen

Type	Business Process
-------------	------------------

BUP04-R+MUNI entwickeln

Type	Business Process
-------------	------------------

Ja damit das hier auch läuft muss man schon die eine oder andere Stunde an Zeit investieren.

BUP05-R+MUNI installieren

Type	Business Process
-------------	------------------

BUP06-Schulung durchführen

Type	Business Process
-------------	------------------

BUP07-Visuelle Modelle erstellen

Type	Business Process
-------------	------------------

BUR00-Consultant

Type	Business Role
-------------	---------------

Die Funktion Consultant beschreibt die Tätigkeiten die nicht direkt mit Installation und Co. zu tun haben sondern sind im Vorfeld und im Gespräch um die Q&A auszuarbeiten um ein Modell oder Installation umsetzen zu können.

BUR01-Entwickler

Type	Business Role
-------------	---------------

Claude Sparing Partner um Drifts zu erkennen und das Hirn der Flow Reihen des Ökosystems.

BUR02-Modellierer

Type	Business Role
-------------	---------------

Die Funktion macht alles hübsch und nach den Vorstellungen und Vorgaben des Benutzers sofern sein skill es auch zulässt ;)

BUS00-First Time Setup

Type	Business Service
-------------	------------------

Damit das alles so läuft wie es soll braucht man ohne Vorarbeit sicher 4-8h je nach dem ob alles klar ist oder noch Dinge geklärt werden müssen auch länger unter Umständen auch viel länger xD

BUS01-Individual Anpassungen

Type	Business Service
-------------	------------------

Da MUNI ein Set aus Scripts und Applikationen ist muss man immer gewisse Anpassungen an den jeweiligen Benutzer durchführen.

BUS02-MUNI Schulungs Service

Type	Business Service
-------------	------------------

Das bescheide Wissen das ich über die Jahre aufbauen durfte gebe ich für mein Leben gern weiter. Also sollte es sich wer anhören wollen.... Gerne aber keine Garantie für die Vollständigkeit es ist nur mein "Viewpoint" ;).

BUS03-PreSales Consultant Service

Type	Business Service
-------------	------------------

Meine klassische Tätigkeit im Vorfeld abklären wo die Reise überhaupt hingehen soll.

BUS04-Visuelle Diagramm Service

Type	Business Service
-------------	------------------

Sowas wie das hier damit man auf einen Blick Komplexe Dinge erfassen kann.

PRO00-R+MUNI

Type	Product
-------------	---------

Mein Ziel ein "Produkt" das man ohne schlechtes Gewissen auch früher oder später für den Zielmarkt einsetzbar macht.

You?

Type	Business Actor
-------------	----------------

Platzhalter für Username

Application Layer

ACO00-R+MUNI

Type	Application Collaboration
-------------	---------------------------

Mehrwert gegenüber Einzelapplikationen

APC00-Archi 5.8

Type	Application Component
-------------	-----------------------

Das Herzstück unserer aktuellen R+MUNI Umgebung

APC01-Camunda Modeler

Type	Application Component
-------------	-----------------------

XML basiertes BPMN 2.0

APC02-Crome Browser

Type	Application Component
-------------	-----------------------

APC03-FLOW Routine

Type	Application Component
-------------	-----------------------

Die FLOW Routine beschreibt die Möglichkeit Scripts über BPMN modelliert auszuführen.

APC04-Notepad ++

Type	Application Component
-------------	-----------------------

Mein Editor schlank flexibel

APF00-Archimate Modellierung

Type	Application Function
-------------	----------------------

APF01-BPMN 2.0 Modellierung

Type	Application Function
-------------	----------------------

APF02-Brower Funktion

Type	Application Function
-------------	----------------------

APF03-Camunda 7 Modelle

Type	Application Function
-------------	----------------------

APF04-Camunda 8 Modelle

Type	Application Function
-------------	----------------------

APF05-CSV Export

Type	Application Function
-------------	----------------------

APF06-CSV Import

Type	Application Function
-------------	----------------------

APF07-EA Image Export

Type	Application Function
-------------	----------------------

APF08-Editor

Type	Application Function
-------------	----------------------

APF09-EXCEL Export

Type	Application Function
-------------	----------------------

APF10-Selbsthilfeanleitung

Type	Application Function
-------------	----------------------

Es sind alle Integrierten Funktionen Beschrieben.

APF11-Image Export

Type	Application Function
-------------	----------------------

Bereitstellung von Bilderformaten für die Übertragung in statische Welten (Dokumentation)

APF12-Reader Funktion

Type	Application Function
-------------	----------------------

APF13-Prozess Image Export

Type	Application Function
-------------	----------------------

APF14-Prozessautomatisierung light

Type	Application Function
-------------	----------------------

Kleiner Script Flow Runner der es ermöglicht Scripts nacheinander abzuarbeiten und diese über BPMN 2.0 zu modellieren.

APF15-Open Exchange Format Import

Type	Application Function
-------------	----------------------

APF16-Open Exchange Format Export

Type	Application Function
-------------	----------------------

API00-Archi Gui

Type	Application Interface
-------------	-----------------------

API01-Camunda Modeler GUI

Type	Application Interface
-------------	-----------------------

API02-Crome GUI

Type	Application Interface
-------------	-----------------------

API03-FLOW

Type	Application Interface
-------------	-----------------------

API04-Notepad++ GUI

Type	Application Interface
-------------	-----------------------

DAO00-Archi<modellname>.svg

Type	Data Object
-------------	-------------

Archi kann in vielen Image Formaten exportieren hier ist das .svg Format gewählt da es optimal ist um es auch als rein optisches Bild weiter in 3ten Applikationen zu zerlegen.

DAO02-Archi CSV Stack

Type	Data Object
-------------	-------------

DAO03-Archi <modellname>.xlsx

Type	Data Object
-------------	-------------

Plugin Export aus Archi ACHTUNG nur mit Patrone inkludiert kostenpunkt 5€ pro User

DAO04-Archi XML Stack

Type	Data Object
-------------	-------------

Export OEF Format inkl. Addon Daten im xsd Format (Folder, View, Model)

DAO05-BPMN<Prozessname>.bpmn

Type	Data Object
-------------	-------------

DAO06-BPMN<Prozessname>.svg

Type	Data Object
-------------	-------------

DAO07-Sub Archi <modellname>

Type	Data Object
-------------	-------------

Archi XML Format

DAO08-FLOW

Type	Data Object
-------------	-------------

Flowablauf inkl. Referenzen und Struktur Inperoperationen

DAO09-Scripts

Type	Data Object
-------------	-------------

DAO10-Guidelines

Type	Data Object
-------------	-------------

DOA11-R+MUNI Info Files

Type	Data Object
-------------	-------------

DOA12-Main Archi <modellname>

Type	Data Object
-------------	-------------

Main Archi XML Format .archimate

Technology & Physical Layer

CON00-Internet

Type	Communication Network
-------------	-----------------------

DEV00-Gaming PC

Type	Device
-------------	--------

Mein alter Gaming PC ist vollkommen ausreichend von den Ressourcen.

NOD00-Fritz Box Router

Type	Node
-------------	------

SYS00-Windows 11 Enterprise

Type	System Software
-------------	-----------------

Windows 11 Enterprise ist das Entwickler OS für R+MUNI

SYS01-Python 3 run

Type	System Software
-------------	-----------------

Type	Sprache
-------------	---------

Python 3 wird inkl. einiges zusätzlichen Library's für die Umgebung der Scripts benötigt.

SYS02-Powershell 7.x

Type	System Software
-------------	-----------------

Type	Sprache
-------------	---------

Wir brauchen eine Konsole in dem Falle ist Powershell 7.x im Einsatz

TEF00-Ordnerstruktur und Rechtevergabe

Type	Technology Function
-------------	---------------------

Type	OS Funktion
-------------	-------------

Das ist ein nicht EA konformes mapping der Ordner und Filestruktur und geht viel zu tief ins Detail um als EA Modell gültigkeit zu haben. Es ist ein ersatz um keinen Toolbruch zu generieren ist aber überraschend gut geeignet wenn man simple verbindungen und Attribute verwendet.

TEF01-Ausführen von Applikationen

Type	Technology Function
-------------	---------------------

Type	OS Funktion
-------------	-------------

Also Grundvoraussetzung brauchen wir die Funktion, dass Programme ausgeführt werden können.

TEI00-OS GUI

Type	Technology Interface
-------------	----------------------

Windows 11 Desktop GUI

TEI01-Powershell Konsolen GUI

Type	Technology Interface
-------------	----------------------

Das Powershell Consolen Fenster

Motivation

ASS00-Mögliche Lösungen

Type	Assessment
------	------------

Wie ich darauf komme was ich tun könnte.

DRV00-Geiler Job

Type	Driver
------	--------

DRV01-Wissbegierde

Type	Driver
------	--------

Ich habe lernen für mich vor einigen Jahren für mich entdeckt oder wie meine Oma immer sagt "das einzige was dir keiner nehmen kann ist Wissen!!"

DRV02-Was mich motiviert!

Type	Driver
------	--------

Was steckt für eine Motivation das hier überhaupt zu starten....

GOA00-R+MUNI Release

Type	Goal
------	------

Ich möchte ein lauffähiges MUNI Projekt haben das es mir ermöglich intern als Prototype zu fungieren damit ich testen kann wo die ecken sind wo ich es schöner machen muss bzw. funktional verbessern sollte.

MEA00-Free 4 all

Type	Meaning
------	---------

Die Lösung soll im Kern ohne Dienstleistung kostenfrei sein.

MEA01-Wie ich denke

Type	Meaning
------	---------

Meine Denkweise die mich antreibt und mir hilft.

MEA02-Offen entwickelbar

Type	Meaning
------	---------

Es soll jeder offen weiterentwickeln können solange der Hintergrund der Lösung gewahrt bleibt

OUT00-R+MUNI

Type	Outcome
------	---------

Was ich für einen Outcome bekomme bzw. erwarte.

PRI00-Die Prinzipien sind mir wichtig

Type	Principle
-------------	-----------

Meine Prinzipien die immer hinter der R+MUNI Idee und meistens eigentlich bei allen meinen Projekten im Mittelpunkt steht.

PRI01-Freier Zugang zu Unterlagen

Type	Principle
-------------	-----------

Es soll wenigstens online alles kostenfrei zum nachlesen sein. Vorzugsweise Deutsch aber auch Englisch ist okay.

PRI02-Freie Software

Type	Principle
-------------	-----------

Es soll nur Software und Komponenten zum Einsatz kommen die wenigstens in der Community Edition dafür freigegeben sind. Noch besser sind überhaupt freie Software Lösungen für jedem zugänglich sind.

PRI03-Offen für Erweiterung

Type	Principle
-------------	-----------

PRI04-Offene Normen und Guidelines

Type	Principle
-------------	-----------

Es sollen nur offene Normen und Guidelines zum Einsatz kommen.

REQ00-Kostenfreier Stack

Type	Requirement
-------------	-------------

REQ01-Leicht zu bedienen

Type	Requirement
-------------	-------------

REQ02-Wie es sein sollt

Type	Requirement
-------------	-------------

REQ03-wartbar

Type	Requirement
-------------	-------------

Ich soll nicht auf 3te angewiesen sein in der Realisierung und Umsetzung.

REQ04-Visuell getrieben

Type	Requirement
-------------	-------------

Sofern ohne große Umstände möglich soll die Umsetzung immer auch visuell umsetzbar sein.

REQ05-Praxis tauglich

Type	Requirement
------	-------------

STA00-Me ;)

Type	Stakeholder
------	-------------

Cooler Haut ohne Freunde der versucht seine Zeit nicht nur mit Apex Legends zu verschwenden.

VAL00-Millionen Sachen

Type	Value
------	-------

Die Möglichkeiten sind durch das einfache modulare Grunddesign enorm und es sind kaum Grenzen gesetzt sofern man es irgendwie in einen einlesbaren Code bekommt den ich interpretieren kann ist es integrierbar wenigstens auf einem rudimentären Level der für den Zielmarkt entsprechend dimensioniert ist.

Implementation and Migration

Default R+MUNI Setup

Type	Work Package
-------------	--------------

Initiales Setup und ersten Test der Root Auflösung.

~24h | 3MT Aufwand ca.

Exit Point Enabling

Type	Implementation Event
-------------	----------------------

Nach dem Enabling Vor-Ort kommt noch eine Q&A Session Remote

Exit Point Install

Type	Implementation Event
-------------	----------------------

Das ist der erste logische Punkt das Vorhaben als abgeschlossen anzusehen.

Modellsupport

Type	Work Package
-------------	--------------

Ich unterstütze auf Stundenbasis. Individuell bei der Umsetzung im Rahmen meiner Fähigkeiten (kein god mode oder so...)

Minimalblock bei Vor-Ort Einsätzen ~4h

Pauschal 100,- Für An und Abreise in Wien und NÖ

Blöcke über einen MT sind nur nach Rücksprache möglich.

Output Modellsupport

Type	Deliverable
-------------	-------------

Nach vorher definierten Scope.

Projekt Scope

Type	Implementation Event
-------------	----------------------

Individuell nach Projektscope keine pauschle VNA nur Stundenpool und Milestones mit klaren Exit Points auf beiden Seiten. (Workload Thema)

R+MUNI

Type	Plateau
-------------	---------

R+Muni default Stack lauffähig und eingerichtet. Ist wer bei der Installation dabei hat er mal einen guten Einstieg. Ist aber kein muss.

R+MUNI <TAG>

Type	Deliverable
------	-------------

R+MUNI Installation auf die Umgebung angepasst.

Test XMLRun

R+MUNI Enabling

Type	Deliverable
------	-------------

Die Teilnehmer (maximal 3) sind in der Lage das Modell selbständig zu warten und Ihren Usecase zu "greifen".

Erstellung GOV
Erstellung Templates
Erste Reports

Level je nach Wunsch (Norm oder Alltagssprache) Bevorzugt Alltagssprache

Basis für den Start einer ganzheitlichen Dokumentation und Entscheidungsplattform.

R+MUNI Know How Transfer

Type	Work Package
------	--------------

Know How Transfer im Workshop / Trainingsrahmen

Views, Ebenen, Archimate Grundstruktur, Basis Tool Know How Transfer für die Bedienung.

Minimal 3 Tage (2+1)
Associate 5 Tage (3+2)
DEV auf Anfrage

Output EA Modell in einem Initialen Reifegrad

Relations

Realization relation

Type	Realization relation
Source	APC00-Archi 5.8
Target	APF15-Open Exchange Format Import

Realization relation

Type	Realization relation
Source	APC00-Archi 5.8
Target	APF16-Open Exchange Format Export

Realization relation

Type	Realization relation
Source	APC00-Archi 5.8
Target	APF06-CSV Import

Realization relation

Type	Realization relation
Source	APC00-Archi 5.8
Target	APF05-CSV Export

Realization relation

Type	Realization relation
Source	APC00-Archi 5.8
Target	APF00-Archmiate Modellierung

Realization relation

Type	Realization relation
Source	APC00-Archi 5.8
Target	APF09-EXCEL Export

Access relation

Type	Access relation
Source	APF06-CSV Import
Target	DAO02-Archi CSV Stack

Association relation

Type	Association relation
Source	APF05-CSV Export
Target	DAO02-Archi CSV Stack

Association relation

Type	Association relation
-------------	----------------------

Source	APF16-Open Exchange Format Export
Target	DAO04-Archi XML Stack

Access relation

Type	Access relation
Source	APF15-Open Exchange Format Import
Target	DAO04-Archi XML Stack

Association relation

Type	Association relation
Source	APF00-Archmiate Modellierung
Target	DOA12-Main Archi <modellname>

Association relation

Type	Association relation
Source	APF00-Archmiate Modellierung
Target	DAO07-Sub Archi <modellname>

Association relation

Type	Association relation
Source	APF09-EXCEL Export
Target	DAO03-Archi <modellname>.xlsx

Realization relation

Type	Realization relation
Source	APC00-Archi 5.8
Target	API00-Archi Gui

Assignment relation

Type	Assignment relation
Source	DEV00-Gaming PC
Target	SYS00-Windows 11 Enterprise

Realization relation

Type	Realization relation
Source	SYS00-Windows 11 Enterprise
Target	TEF01-Ausführen von Applikationen

Realization relation

Type	Realization relation
Source	SYS00-Windows 11 Enterprise
Target	TEF00-Ordnerstruktur und Rechtevergabe

Realization relation

Type	Realization relation
Source	SYS00-Windows 11 Enterprise
Target	SYS02-Powershell 7.x

Realization relation

Type	Realization relation
Source	SYS00-Windows 11 Enterprise
Target	SYS01-Python 3 run

Realization relation

Type	Realization relation
Source	APC01-Camunda Modeler
Target	APF01-BPMN 2.0 Modellierung

Realization relation

Type	Realization relation
Source	APC01-Camunda Modeler
Target	APF03-Camunda 7 Modelle

Specialization relation

Type	Specialization relation
Source	APF03-Camunda 7 Modelle
Target	APF01-BPMN 2.0 Modellierung

Realization relation

Type	Realization relation
Source	APC01-Camunda Modeler
Target	APF04-Camunda 8 Modelle

Specialization relation

Type	Specialization relation
Source	APF04-Camunda 8 Modelle
Target	APF01-BPMN 2.0 Modellierung

Serving relation

Type	Serving relation
Source	APC00-Archi 5.8
Target	ACO00-R+MUNI

Serving relation

Type	Serving relation
Source	APC01-Camunda Modeler
Target	ACO00-R+MUNI

Serving relation

Type	Serving relation
Source	APC03-FLOW Routine
Target	ACO00-R+MUNI

Access relation

Type	Access relation
Source	APF01-BPMN 2.0 Modellierung
Target	DAO05-BPMN<Prozessname>.bpmn

Access relation

Type	Access relation
Source	APC03-FLOW Routine
Target	DAO08-FLOW

Access relation

Type	Access relation
Source	APC01-Camunda Modeler
Target	DAO05-BPMN<Prozessname>.bpmn

Association relation

Type	Association relation
Source	APF03-Camunda 7 Modelle
Target	DAO05-BPMN<Prozessname>.bpmn

Association relation

Type	Association relation
Source	APF04-Camunda 8 Modelle
Target	DAO05-BPMN<Prozessname>.bpmn

Access relation

Type	Access relation
Source	APC00-Archi 5.8
Target	DAO03-Archi <modellname>.xlsx

Access relation

Type	Access relation
Source	APC00-Archi 5.8
Target	DAO07-Sub Archi <modellname>

Access relation

Type	Access relation
-------------	-----------------

Source	APC00-Archi 5.8
Target	DOA12-Main Archi <modellname>

Access relation

Type	Access relation
Source	APC00-Archi 5.8
Target	DAO04-Archi XML Stack

Access relation

Type	Access relation
Source	APC00-Archi 5.8
Target	DAO02-Archi CSV Stack

Flow relation

Type	Flow relation
Source	NOD00-Fritz Box Router
Target	CON00-Internet

Association relation

Type	Association relation
Source	CON00-Internet
Target	MAT03-TOGAF 10 Guides

Association relation

Type	Association relation
Source	CON00-Internet
Target	MAT02-Archimate 3.2 Guides

Association relation

Type	Association relation
Source	CON00-Internet
Target	MAT01-BPMN 2.0 Guides

Assignment relation

Type	Assignment relation
Source	BUA00-R+MUNI Dude (ME)
Target	BUR01-Entwickler

Assignment relation

Type	Assignment relation
Source	BUA00-R+MUNI Dude (ME)
Target	BUR02-Modellierer

Assignment relation

Type	Assignment relation
Source	BUA00-R+MUNI Dude (ME)
Target	BUR00-Consultant

Assignment relation

Type	Assignment relation
Source	BUR00-Consultant
Target	BUP01-Lösung für Anforderung erarbeiten

Assignment relation

Type	Assignment relation
Source	BUR02-Modellierer
Target	BUP07-Visuelle Modelle erstellen

Assignment relation

Type	Assignment relation
Source	BUR01-Entwickler
Target	BUP04-R+MUNI entwickeln

Assignment relation

Type	Assignment relation
Source	BUR00-Consultant
Target	BUP06-Schulung durchführen

Realization relation

Type	Realization relation
Source	BUP06-Schulung durchführen
Target	BUS02-MUNI Schulungs Service

Assignment relation

Type	Assignment relation
Source	BUR00-Consultant
Target	BUP05-R+MUNI installieren

Realization relation

Type	Realization relation
Source	BUP05-R+MUNI installieren
Target	BUS00-First Time Setup

Realization relation

Type	Realization relation
Source	BUP03-R+MUNI anpassen
Target	BUS01-Individual Anpassungen

Assignment relation

Type	Assignment relation
Source	BUR01-Entwickler
Target	BUP03-R+MUNI anpassen

Realization relation

Type	Realization relation
Source	BUP07-Visuelle Modelle erstellen
Target	BUS04-Visuelle Diagramm Service

Serving relation

Type	Serving relation
Source	BUP04-R+MUNI entwickeln
Target	BUP03-R+MUNI anpassen

Realization relation

Type	Realization relation
Source	BUP02-Lösung präsentieren
Target	BUS03-PreSales Consultant Service

Serving relation

Type	Serving relation
Source	BUP01-Lösung für Anforderung erarbeiten
Target	BUP02-Lösung präsentieren

Flow relation

Type	Flow relation
Source	DEV00-Gaming PC
Target	NOD00-Fritz Box Router

Realization relation

Type	Realization relation
Source	APC02-Crome Browser
Target	APF02-Brower Funktion

Access relation

Type	Access relation
Source	APC02-Crome Browser
Target	DAO10-Guidelines

Serving relation

Type	Serving relation
-------------	------------------

Source	APC02-Crome Browser
Target	ACO00-R+MUNI

Realization relation

Type	Realization relation
Source	APC02-Crome Browser
Target	APF12-Reader Funkion

Access relation

Type	Access relation
Source	APF12-Reader Funkion
Target	DAO10-Guidelines

Access relation

Type	Access relation
Source	APF02-Brower Funktion
Target	DAO10-Guidelines

Realization relation

Type	Realization relation
Source	APC04-Notepad ++
Target	APF08-Editor

Serving relation

Type	Serving relation
Source	APC04-Notepad ++
Target	ACO00-R+MUNI

Access relation

Type	Access relation
Source	APF08-Editor
Target	DAO09-Scripts

Access relation

Type	Access relation
Source	APC04-Notepad ++
Target	DAO09-Scripts

Access relation

Type	Access relation
Source	APC04-Notepad ++
Target	DOA11-R+MUNI Info Files

Access relation

Type	Access relation
Source	APF08-Editor
Target	DOA11-R+MUNI Info Files

Assignment relation

Type	Assignment relation
Source	BUR00-Consultant
Target	BUP02-Lösung präsentieren

Serving relation

Type	Serving relation
Source	BUP04-R+MUNI entwickeln
Target	BUP05-R+MUNI installieren

Serving relation

Type	Serving relation
Source	BUP04-R+MUNI entwickeln
Target	BUP07-Visuelle Modelle erstellen

Aggregation relation

Type	Aggregation relation
Source	PRO00-R+MUNI
Target	BUO04-Visuelle Darstellung

Aggregation relation

Type	Aggregation relation
Source	PRO00-R+MUNI
Target	BUO02-Referenzdoku

Aggregation relation

Type	Aggregation relation
Source	PRO00-R+MUNI
Target	BUO00-FLOW

Aggregation relation

Type	Aggregation relation
Source	PRO00-R+MUNI
Target	BUS02-MUNI Schulungs Service

Aggregation relation

Type	Aggregation relation
Source	PRO00-R+MUNI
Target	BUS00-First Time Setup

Aggregation relation

Type	Aggregation relation
Source	PRO00-R+MUNI
Target	BUS04-Visuelle Diagramm Service

Aggregation relation

Type	Aggregation relation
Source	PRO00-R+MUNI
Target	BUS01-Individual Anpassungen

Aggregation relation

Type	Aggregation relation
Source	PRO00-R+MUNI
Target	BUS03-PreSales Consultant Service

Realization relation

Type	Realization relation
Source	APC01-Camunda Modeler
Target	API01-Camunda Modeler GUI

Realization relation

Type	Realization relation
Source	APC03-FLOW Routine
Target	API03-FLOW

Realization relation

Type	Realization relation
Source	APC04-Notepad ++
Target	API04-Notepad++ GUI

Realization relation

Type	Realization relation
Source	APC02-Crome Browser
Target	API02-Crome GUI

Realization relation

Type	Realization relation
Source	PRO00-R+MUNI
Target	BUF02-HTML Report erstellen

Realization relation

Type	Realization relation
-------------	----------------------

Source	PRO00-R+MUNI
Target	BUF03-Image Export

Realization relation

Type	Realization relation
Source	SYS00-Windows 11 Enterprise
Target	TEI00-OS GUI

Serving relation

Type	Serving relation
Source	TEF01-Ausführen von Applikationen
Target	TEI01-Powershell Konsolen GUI

Realization relation

Type	Realization relation
Source	SYS00-Windows 11 Enterprise
Target	TEI01-Powershell Konsolen GUI

Serving relation

Type	Serving relation
Source	TEF01-Ausführen von Applikationen
Target	APC00-Archi 5.8

Serving relation

Type	Serving relation
Source	TEF01-Ausführen von Applikationen
Target	APC01-Camunda Modeler

Specialization relation

Type	Specialization relation
Source	DAO08-FLOW
Target	DAO09-Scripts

Serving relation

Type	Serving relation
Source	TEF01-Ausführen von Applikationen
Target	APC02-Crome Browser

Serving relation

Type	Serving relation
Source	TEF01-Ausführen von Applikationen
Target	APC04-Notepad ++

Association relation

Type	Association relation
Source	SYS02-Powershell 7.x
Target	TEI01-Powershell Konsolen GUI

Association relation

Type	Association relation
Source	SYS01-Python 3 run
Target	TEI01-Powershell Konsolen GUI

Triggering relation

Type	Triggering relation
Source	TEI01-Powershell Konsolen GUI
Target	API03-FLOW

Serving relation

Type	Serving relation
Source	TEI00-OS GUI
Target	TEI01-Powershell Konsolen GUI

Serving relation

Type	Serving relation
Source	TEI00-OS GUI
Target	API04-Notepad++ GUI

Serving relation

Type	Serving relation
Source	TEI00-OS GUI
Target	API00-Archi Gui

Serving relation

Type	Serving relation
Source	TEI00-OS GUI
Target	API01-Camunda Modeler GUI

Serving relation

Type	Serving relation
Source	TEI00-OS GUI
Target	API02-Crome GUI

Specialization relation

Type	Specialization relation
Source	MAT01-BPMN 2.0 Guides
Target	MAT00-Guides & Normen

Specialization relation

Type	Specialization relation
Source	MAT02-Archimate 3.2 Guides
Target	MAT00-Guides & Normen

Specialization relation

Type	Specialization relation
Source	MAT03-TOGAF 10 Guides
Target	MAT00-Guides & Normen

Realization relation

Type	Realization relation
Source	MAT00-Guides & Normen
Target	DAO10-Guidelines

Realization relation

Type	Realization relation
Source	PRO00-R+MUNI
Target	ACO00-R+MUNI

Realization relation

Type	Realization relation
Source	API00-Archi Gui
Target	BUI00-Archimate Tool GUI

Realization relation

Type	Realization relation
Source	API01-Camunda Modeler GUI
Target	BUI02-BPMN 2.0 Tool GUI

Realization relation

Type	Realization relation
Source	DAO10-Guidelines
Target	BUO02-Referenzdoku

Realization relation

Type	Realization relation
Source	DOA11-R+MUNI Info Files
Target	BUO02-Referenzdoku

Realization relation

Type	Realization relation
-------------	----------------------

Source	DAO08-FLOW
Target	BUO00-FLOW

Serving relation

Type	Serving relation
Source	BUI00-Archimate Tool GUI
Target	BUF02-HTML Report erstellen

Serving relation

Type	Serving relation
Source	BUI02-BPMN 2.0 Tool GUI
Target	BUF03-Image Export

Serving relation

Type	Serving relation
Source	BUI00-Archimate Tool GUI
Target	BUF03-Image Export

Serving relation

Type	Serving relation
Source	BUP04-R+MUNI entwickeln
Target	BUP00-3rd Party Import

Realization relation

Type	Realization relation
Source	PRO00-R+MUNI
Target	BUF00-3rd Party Importer

Realization relation

Type	Realization relation
Source	PRO00-R+MUNI
Target	BUF05-Prozess Modellierer

Realization relation

Type	Realization relation
Source	PRO00-R+MUNI
Target	BUF01-Architektur & Business Modellierer

Realization relation

Type	Realization relation
Source	APF16-Open Exchange Format Export
Target	BUF00-3rd Party Importer

Realization relation

Type	Realization relation
Source	APF15-Open Exchange Format Import
Target	BUF00-3rd Party Importer

Realization relation

Type	Realization relation
Source	APF06-CSV Import
Target	BUF00-3rd Party Importer

Realization relation

Type	Realization relation
Source	APF09-EXCEL Export
Target	BUF00-3rd Party Importer

Realization relation

Type	Realization relation
Source	APF00-Archimate Modellierung
Target	BUF01-Architektur & Business Modellierer

Access relation

Type	Access relation
Source	APF16-Open Exchange Format Export
Target	DAO03-Archi <modellname>.xlsx

Realization relation

Type	Realization relation
Source	APF01-BPMN 2.0 Modellierung
Target	BUF05-Prozess Modellierer

Realization relation

Type	Realization relation
Source	BUP00-3rd Party Import
Target	BUS01-Individual Anpassungen

Serving relation

Type	Serving relation
Source	BUI02-BPMN 2.0 Tool GUI
Target	BUF05-Prozess Modellierer

Serving relation

Type	Serving relation
Source	BUI00-Archimate Tool GUI
Target	BUF00-3rd Party Importer

Serving relation

Type	Serving relation
Source	BUI00-Archimate Tool GUI
Target	BUF01-Architektur & Business Modellierer

Realization relation

Type	Realization relation
Source	PRO00-R+MUNI
Target	BUF04-Prozess Automation light

Serving relation

Type	Serving relation
Source	BUI01-Editor GUI
Target	BUF04-Prozess Automation light

Serving relation

Type	Serving relation
Source	BUI01-Editor GUI
Target	BUF00-3rd Party Importer

Serving relation

Type	Serving relation
Source	TEI00-OS GUI
Target	TEF01-Ausführen von Applikationen

Serving relation

Type	Serving relation
Source	TEI00-OS GUI
Target	TEF00-Ordnerstruktur und Rechtevergabe

Realization relation

Type	Realization relation
Source	API04-Notepad++ GUI
Target	BUI01-Editor GUI

Aggregation relation

Type	Aggregation relation
Source	PRO00-R+MUNI
Target	BUO01-HTML Report

Aggregation relation

Type	Aggregation relation
-------------	----------------------

Source	PRO00-R+MUNI
Target	BUO03-Referenzmodelle

Realization relation

Type	Realization relation
Source	PRO00-R+MUNI
Target	BUF06-Selbsthilfe

Serving relation

Type	Serving relation
Source	BUI01-Editor GUI
Target	BUF06-Selbsthilfe

Realization relation

Type	Realization relation
Source	ACO00-R+MUNI
Target	APF14-Prozessautomatisierung light

Realization relation

Type	Realization relation
Source	ACO00-R+MUNI
Target	APF10-Selbsthilfeanleitung

Realization relation

Type	Realization relation
Source	APF10-Selbsthilfeanleitung
Target	BUF06-Selbsthilfe

Realization relation

Type	Realization relation
Source	APC00-Archi 5.8
Target	APF07-EA Image Export

Realization relation

Type	Realization relation
Source	APC01-Camunda Modeler
Target	APF13-Prozess Image Export

Realization relation

Type	Realization relation
Source	APF07-EA Image Export
Target	BUF03-Image Export

Serving relation

Type	Serving relation
Source	BUI03-HTML Web GUI
Target	BUF06-Selbsthilfe

Access relation

Type	Access relation
Source	APC01-Camunda Modeler
Target	DAO06-BPMN<Prozessname>.svg

Association relation

Type	Association relation
Source	APF13-Prozess Image Export
Target	DAO06-BPMN<Prozessname>.svg

Access relation

Type	Access relation
Source	APC00-Archi 5.8
Target	DAO00-Archi<modellname>.svg

Association relation

Type	Association relation
Source	APF07-EA Image Export
Target	DAO00-Archi<modellname>.svg

Realization relation

Type	Realization relation
Source	ACO00-R+MUNI
Target	APF11-Image Export

Association relation

Type	Association relation
Source	APF07-EA Image Export
Target	DAO06-BPMN<Prozessname>.svg

Association relation

Type	Association relation
Source	ASS00-Mögliche Lösungen
Target	OUT00-R+MUNI

Specialization relation

Type	Specialization relation
Source	VAS00-Enabling
Target	VAS04-R+MUNI

Specialization relation

Type	Specialization relation
Source	VAS02-Individualisierungen
Target	VAS04-R+MUNI

Specialization relation

Type	Specialization relation
Source	VAS05-Unterstützungsleistungen
Target	VAS04-R+MUNI

Specialization relation

Type	Specialization relation
Source	VAS01-Feature Upgrades
Target	VAS04-R+MUNI

Serving relation

Type	Serving relation
Source	COA00-R+MUNI 1.0 Internal Release
Target	VAS04-R+MUNI

Realization relation

Type	Realization relation
Source	CAP03-Projektmanagement
Target	COA00-R+MUNI 1.0 Internal Release

Realization relation

Type	Realization relation
Source	CAP02-Modell Know How
Target	COA00-R+MUNI 1.0 Internal Release

Realization relation

Type	Realization relation
Source	CAP00-IT Infrastruktur Know How
Target	COA00-R+MUNI 1.0 Internal Release

Realization relation

Type	Realization relation
Source	CAP01-Modellierungs Know How
Target	COA00-R+MUNI 1.0 Internal Release

Realization relation

Type	Realization relation
-------------	----------------------

Source	RES00-Eigenmittel
Target	COA00-R+MUNI 1.0 Internal Release

Realization relation

Type	Realization relation
Source	RES01-Gaming Hardware
Target	COA00-R+MUNI 1.0 Internal Release

Specialization relation

Type	Specialization relation
Source	VAS03-Klarheit über Fragestellungen
Target	VAS04-R+MUNI

Realization relation

Type	Realization relation
Source	OUT00-R+MUNI
Target	GOA00-R+MUNI Release

Assignment relation

Type	Assignment relation
Source	BUA00-R+MUNI Dude (ME)
Target	STA00-Me ;)

Realization relation

Type	Realization relation
Source	PRO00-R+MUNI
Target	VAS04-R+MUNI

Realization relation

Type	Realization relation
Source	VAS04-R+MUNI
Target	GOA00-R+MUNI Release

Realization relation

Type	Realization relation
Source	BUA00-R+MUNI Dude (ME)
Target	COA00-R+MUNI 1.0 Internal Release

Influence relation

Type	Influence relation
Source	PRO00-R+MUNI
Target	VAL00-Millionen Sachen

Realization relation

Type	Realization relation
Source	COA00-R+MUNI 1.0 Internal Release
Target	GOA00-R+MUNI Release

Specialization relation

Type	Specialization relation
Source	DRV01-Wissbegierde
Target	DRV02-Was mich motiviert!

Specialization relation

Type	Specialization relation
Source	DRV00-Geiler Job
Target	DRV02-Was mich motiviert!

Specialization relation

Type	Specialization relation
Source	REQ04-Visuell getrieben
Target	REQ02-Wie es sein sollt

Specialization relation

Type	Specialization relation
Source	REQ03-wartbar
Target	REQ02-Wie es sein sollt

Specialization relation

Type	Specialization relation
Source	REQ05-Praxis tauglich
Target	REQ02-Wie es sein sollt

Specialization relation

Type	Specialization relation
Source	REQ01-Leicht zu bedienen
Target	REQ02-Wie es sein sollt

Specialization relation

Type	Specialization relation
Source	PRI02-Freie Software
Target	PRI00-Die Prinzipien sind mir wichtig

Specialization relation

Type	Specialization relation
Source	PRI03-Offen für Erweiterung
Target	PRI00-Die Prinzipien sind mir wichtig

Specialization relation

Type	Specialization relation
Source	PRI01-Freier Zugang zu Unterlagen
Target	PRI00-Die Prinzipien sind mir wichtig

Specialization relation

Type	Specialization relation
Source	PRI04-Offene Normen und Guidelines
Target	PRI00-Die Prinzipien sind mir wichtig

Specialization relation

Type	Specialization relation
Source	MEA00-Free 4 all
Target	MEA01-Wie ich denke

Specialization relation

Type	Specialization relation
Source	MEA02-Offen entwickelbar
Target	MEA01-Wie ich denke

Specialization relation

Type	Specialization relation
Source	REQ00-Kostenfreier Stack
Target	REQ02-Wie es sein sollte

Realization relation

Type	Realization relation
Source	REQ02-Wie es sein sollte
Target	PRI00-Die Prinzipien sind mir wichtig

Association relation

Type	Association relation
Source	STA00-Me ;)
Target	DRV02-Was mich motiviert!

Association relation

Type	Association relation
Source	DRV02-Was mich motiviert!
Target	GOA00-R+MUNI Release

Association relation

Type	Association relation
-------------	----------------------

Source	REQ02-Wie es sein sollt
Target	MEA01-Wie ich denke

Association relation

Type	Association relation
Source	STA00-Me ;)
Target	VAL00-Millionen Sachen

Realization relation

Type	Realization relation
Source	REQ02-Wie es sein sollt
Target	OUT00-R+MUNI

Association relation

Type	Association relation
Source	ASS00-Mögliche Lösungen
Target	GOA00-R+MUNI Release

Realization relation

Type	Realization relation
Source	PRI00-Die Prinzipien sind mir wichtig
Target	OUT00-R+MUNI

Association relation

Type	Association relation
Source	MEA01-Wie ich denke
Target	STA00-Me ;)

Influence relation

Type	Influence relation
Source	PRI00-Die Prinzipien sind mir wichtig
Target	REQ02-Wie es sein sollt

Influence relation

Type	Influence relation
Source	MEA01-Wie ich denke
Target	REQ02-Wie es sein sollt

Influence relation

Type	Influence relation
Source	DRV02-Was mich motiviert!
Target	REQ02-Wie es sein sollt

Realization relation

Type	Realization relation
Source	Default R+MUNI Setup
Target	R+MUNI <TAG>

Association relation

Type	Association relation
Source	Exit Point Install
Target	R+MUNI <TAG>

Realization relation

Type	Realization relation
Source	R+MUNI Know How Transfer
Target	R+MUNI Enabling

Association relation

Type	Association relation
Source	Exit Point Enabling
Target	R+MUNI Enabling

Realization relation

Type	Realization relation
Source	Modellsupport
Target	Output Modellsupport

Association relation

Type	Association relation
Source	Projekt Scope
Target	Output Modellsupport

Realization relation

Type	Realization relation
Source	Output Modellsupport
Target	R+MUNI

Realization relation

Type	Realization relation
Source	R+MUNI <TAG>
Target	R+MUNI

Realization relation

Type	Realization relation
Source	R+MUNI Enabling
Target	R+MUNI

Realization relation

Type	Realization relation
Source	R+MUNI Know How Transfer
Target	BUA00-R+MUNI Dude (ME)

Realization relation

Type	Realization relation
Source	R+MUNI <TAG>
Target	BUA00-R+MUNI Dude (ME)

Realization relation

Type	Realization relation
Source	Modellsupport
Target	BUA00-R+MUNI Dude (ME)

Realization relation

Type	Realization relation
Source	R+MUNI
Target	ACO00-R+MUNI

Association relation

Type	Association relation
Source	You?
Target	R+MUNI

Triggering relation

Type	Triggering relation
Source	You?
Target	ACO00-R+MUNI

Realization relation

Type	Realization relation
Source	CAP04-Changemanagement Know How
Target	COA00-R+MUNI 1.0 Internal Release