


Playwright with Typescript Implementation


PROMPT and IMPLEMENTATION

Ask: Act as a senior architect and understand the entire project code. This will be useful for further enhancement or changes in the project

Plan: Project is having implementation for Selenium with java. When I select Language as Java and Selenium as Browser Engine in the Setting tab. Selenium with Java code is getting generated successfully. I want to implement for TypeScript as Selected Language and Playwright as Browser engine without impacting the existing implementation for Selenium Java. Analyse the impacted files and functions. I need to review and approve. Then proceed with implementation in Agen mode


Agent: Proceed with the implementation





New Model Implementation

Ask: There are 3 models available under Select Model dropdown in the Settings tab. I want to add one more model. Analyse the code and provide me the class and function where I need to update the code



panel.html X # sidepanel.css X JS popup.js X

document.addEventListener('DOMContentLoaded') callback > selenium Aa ab .* No results

```
5 document
100 const providerSelect = document.getElementById('providerSele
101 const modelSelect = document.getElementById('modelSelect');
102 const groqApiKeyInput = document.getElementById('groqApiKey'
103 const openaiApiKeyInput = document.getElementById('openaiApi
104 const testleafApiKeyInput = document.getElementById('testlea
105 const inceptionlabsApiKeyInput = document.getElementById('in
106
107 // Model options by provider
108 const modelsByProvider = {
109   groq: [
110     { value: 'openai/gpt-oss-120b', label: 'openai/gpt-oss-1
111     { value: 'openai/gpt-oss-20b', label: 'openai/gpt-oss-20
112   ],
113   openai: [
114     { value: 'gpt-4o', label: 'GPT-4o' },
115     { value: 'gpt-4o-mini', label: 'GPT-4o Mini' },
116     { value: 'gpt-6-astra', label: 'GPT-6-Astra' },
117   ],
118   inceptionlabs: [
119     { value: 'mercury-2.5', label: 'Mercury 2.5' },
120     { value: 'mercury-2', label: 'Mercury 2' },
121     { value: 'mercury-edit', label: 'Mercury Edit' },
122   ],
123 };
124
125 // Function to update model options based on selected provid
126 function updateModelOptions(provider) {
```