

Steps and Implementation of Selenium To Playwright Migration


OnForm Submission




Edit Fields




Http Request




Split Out




Filter




Filter1





Switch




Loop Over Items











Http Request1





AI Agent
Docs
INPUT
Schema
Table
JSON
Parameters
Settings
Execute step
Output
Logs
Schema
Table
JSON
HTTP Request1
1 item
name WorkTypeGroupPage.java
path CRM_25-main/CRM_25-main/src/main/java/com/salesforce/pages/WorkTypeGroupPage.java
sha 0875915f54369b33d584ce30ea1f57d5c764f633
size 3371
url https://api.github.com/repos/Harrish-sdet/CRM/contents/CRM_25-main/CRM_25-main/src/main/java/com/salesforce/pages/WorkTypeGroupPage.java?ref=main
html_url https://github.com/Harrish-sdet/CRM/blob/main/CRM_25-main/CRM_25-main/src/main/java/com/salesforce/pages/WorkTypeGroupPage.java
git_url https://api.github.com/repos/Harrish-sdet/CRM/git/blobs/0875915f54369b33d584ce30ea1f57d5c764f633
download_url https://raw.githubusercontent.com/Harrish-sdet/CRM/main/CRM_25-main/CRM_25-main/src/main/java/com/salesforce/pages/WorkTypeGroupPage.java
Tip: Get a feel for agents with our quick tutorial or see an example of how this node works
Source for Prompt (User Message)
Define below
Prompt (User Message)
[P - PERSONA]
You are a Principal Test Automation Architect with 10+ years of expertise in migrating enterprise legacy Java Selenium frameworks into modern TypeScript Playwright architectures following exact framework patterns
[P - PERSONA] You are a Principal Test Automation Architect wi…
Require Specific Output Format
Enable Fallback Model
Connect an additional language model on the canvas to use it as a fallback if the main model fails
Chat Model *
Fallback Model *
Memory
Tool
Run 5 of 5 (1 item)
output I'm ready to convert the `WorkTypeGroupPage` Java class, but I need the full source code to proceed. Could you please provide the complete Java file?



Groq Chat Model
Docs
INPUT
Mapping
From AI
Schema
Parameters
Settings
OUTPUT
Schema
Table
JSON
Run 5 of 5
messages
messages[0] Human: [P - PERSONA]\n You are a Principal Test Automation Architect with 10+ years of expertise in migrating enterprise legacy Java Selenium frameworks into modern TypeScript Playwright architectures following exact framework patterns.\n\n[C - CONTEXT]\n You are converting legacy Java Selenium Page Objects into Playwright TypeScript classes for the SonicFramework repository.\n Framework rules to enforce:\n 1. Inheritance & Constructor:\n - Extend `PlaywrightWrapper` imported from `../helpers/playwright`.\n - Constructor MUST accept `(page: Page, context: BrowserContext)` and call `super(page, context...
estimatedTokens 980
options
api_key
lc 1
type secret
Credential
Groq account
Model
openai/gpt-oss-20b
Options
Add Option
I wish this node would...
Run 5 of 5
response
generations
generations[0]
0[0]
text I'm ready to convert the `WorkTypeGroupPage` Java class, but I need the full source code to proceed. Could you please provide the complete Java file?
generationInfo
finish_reason stop
tokenUsage
completionTokens 610
promptTokens 1048
totalTokens 1658



Convert to File
Docs
INPUT
Schema
Table
JSON
Parameters
Settings
Execute step
OUTPUT
Schema
Table
JSON
Binary
AI Agent
1 item
output
I'm ready to convert the `WorkTypeGroupPage` Java class, but I need the full source code to proceed. Could you please provide the complete Java file?
HTTP Request1
1 item
Loop Over Items
1 item
Wait
Switch
5 items
Filter2
10 items
Filter1
10 items
Filter
20 items
Split Out
103 items
HTTP Request
1 item
Edit Fields
1 item
Operation
Convert to Text File
Text Input Field
output
Put Output File in Field
data
The name of the output binary field to put the file in
Options
File Name
{{ $('Loop Over Items').item.json.path.split('pages/')[1].replace('.java','')}}.txt
WorkTypeGroupPage.txt
Add option
I wish this node would...
Run
5 of 5 (1 item)
data
File Name:
WorkTypeGroupPage.txt
File Extension:
txt
Mime Type:
text/plain
File Size:
151 B
View
Download



Wait
Docs
INPUT
Schema
Table
JSON
Binary
Parameters
Settings
Execute step
OUTPUT
Schema
Table
JSON
Binary
Convert to File
Run
5 of 5 (1 item)
data
File Name:
WorkTypeGroupPage.txt
File Extension:
txt
Mime Type:
text/plain
File Size:
151 B
View
Download
Resume
After Time Interval
Wait Amount
35.00
Wait Unit
Seconds
Run
5 of 5 (1 item)
data
File Name:
WorkTypeGroupPage.txt
File Extension:
txt
Mime Type:
text/plain
File Size:
151 B
View
Download



Call 'Test_case_convertor'
Docs
INPUT
Schema
Table
JSON
Parameters
Settings
Execute step
OUTPUT
Schema
Table
JSON
Switch
5 items
path
CRM_25-main/CRM_25-main/src/main/java/com/salesforce/testcases/TC001_CreateNewCase.java
mode
100644
type
blob
sha
ca06129b50c2dd5dd4da5c95a616ac337d621221
size
1489
url
https://api.github.com/repos/Harrish-sdet/CRM/git/blobs/ca06129b50c2dd5dd4da5c95a616ac337d621221
Filter2
10 items
Filter1
10 items
Filter
20 items
Split Out
103 items
HTTP Request
1 item
Edit Fields
1 item
Source
Database
Workflow
Fixed
Expression
From list
Test_case_convertor
This sub-workflow will consume all input data passed to it. You can define specific expected input in the sub-workflow's trigger.
Mode
Run once with all items
Options
Add option
I wish this node would...
1 item, 1 sub-execution
View sub-execution
data
File Name:
TC005_CreateWorkType.txt
File Extension:
txt
Mime Type:
text/plain
File Size:
2.34 kB
View
Download


Execution of Sub flow












After Successful Completed downloaded with the playwright files



playwright_pages.zip

