

BLUECOLLAR CASH FLOW SUITE

Object Inventory

Custom objects in the Data Airflow sandbox

ACCOUNT	Data Airflow LLC sandbox
ISSUED	May 2026
SOURCE	docs/sdf-inventory.md

Contents

01 ·	1. Scripts (10)
02 ·	2. Custom Records (4)
03 ·	3. Custom Record Fields
04 ·	4. Custom Lists (6)
05 ·	5. Inline HTML Mount Fields (6)
06 ·	6. Supporting Modules
07 ·	7. Process Flow Diagram

1. Scripts (10)

NAME	SCRIPT ID	TYPE	MOUNTED ON	PURPOSE
BC Cash Flow - Combined Report	customscript_bc_cf_combined_sl	Suitelet	Iframe on BC Project	Combined per-project report: paired Revenue+Cost bars, cumulative-net trend, source-grouped table.
BC Cash Flow - Cost Report	customscript_bc_cf_cost_report_sl	Suitelet	Iframe on BC Project	Cost-only per-project report.
BC Cash Flow - Revenue Report	customscript_bc_cf_rev_report_sl	Suitelet	Iframe on BC Project	Revenue-only per-project report. KPIs surface Base Contract vs Change Orders.
BC Cash Flow - Portfolio	customscript_bc_cf_portfolio_sl	Suitelet	Standalone — BlueCollar → Project Control Center → Cash Flow Portfolio	Cross-project rollup with 5-dim filter pill (Active + Project / PM / Customer / Subsidiary).
BC Cash Flow - Data Endpoint	customscript_bc_cf_data_sl	Suitelet (JSON)	Called by the 4 report Suitelets	Action-routed JSON endpoint. Returns combined / cost / revenue / portfolio data based on the <code>action</code> parameter.
BC Timing Data AJAX Endpoint	customscript_bc_timing_data_sl	Suitelet (JSON)	Called by the 3 schedule editors	CRUD endpoint for cost / revenue / CO timing lines.
BC Cost Timing - PO Schedule	customscript_bc_cost_timing_ue	User Event	Purchase Order	Stamps the schedule editor into <code>custbody_bc_cost_timing_html</code> .
BC Revenue Timing - SO Schedule	customscript_bc_rev_timing_ue	User Event	Sales Order	Stamps the schedule editor into <code>custbody_bc_rev_timing_html</code> .
BC Cash Flow - Project Reports	customscript_bc_cf_project_ue	User Event	BC Project	Stamps the 3 report iframes into the 3 <code>INLINEHTML</code> fields on the Cash Flow subtab.
BC CO Timing - Change Request	customscript_bc_co_timing_ue	User Event	BC Change Request	Renders the dual-pane Contract /

NAME	SCRIPT ID	TYPE	MOUNTED ON	PURPOSE
Schedule				Estimate Schedule.

Every script has a single matching deployment (`customscript_*` → `customdeploy_*`).

2. Custom Records (4)

SCRIPT ID	NAME	DESCRIPTION
customrecord_bc_cost_timing_line	BC Cost Timing Line	Time-phased cost forecast per PO or Change Order. No GL impact.
customrecord_bc_revenue_timing_line	BC Revenue Timing Line	Time-phased revenue forecast per contract. No GL impact.
customrecord_bc_cost_timing_template	BC Cost Timing Template	Reusable spread-pattern templates (S-curve / Linear / Front / Back).
customrecord_bc_ctt_line	BC Cost Timing Template Line	Individual period within a timing template (period number + percentage).

3. Custom Record Fields

customrecord_bc_cost_timing_line (17 fields)

FIELD ID	LABEL	TYPE	SOURCE / TARGET
custrecord_bc_ctl_transaction	Transaction	List/Record	Transaction
custrecord_bc_ctl_project	Project	List/Record	BC Project (customrecord_cseg_bc_project)
custrecord_bc_ctl_period_date	Period Date	Date	—
custrecord_bc_ctl_percentage	Percentage	Percent	—
custrecord_bc_ctl_amount	Amount	Currency	—
custrecord_bc_ctl_cumulative_pct	Cumulative %	Percent	—
custrecord_bc_ctl_cumulative_amt	Cumulative Amount	Currency	—
custrecord_bc_ctl_status	Status	List/Record	customlist_bc_ctl_status
custrecord_bc_ctl_label	Label / Note	Free-form Text	—
custrecord_bc_ctl_source	Source	List/Record	customlist_bc_ctl_source
custrecord_bc_ctl_source_group	Source Group	List/Record	customlist_bc_ctl_source_group
custrecord_bc_ctl_timing_type	Timing Type	List/Record	customlist_bc_ctl_timing_type
custrecord_bc_ctl_source_template	Source Template	List/Record	BC Cost Timing Template
custrecord_bc_ctl_change_order	Related Change Order	List/Record	BC Change Request (customrecord_bc_change_req)
custrecord_bc_ctl_cost_code	Related Cost Code	List/Record	BC Cost Code (customrecord_cseg_bc_cost_code)
custrecord_bc_ctl_cost_type	Cost Type (GL Account)	List/Record	Account
custrecord_bc_ctl_needs_recalc	Needs Recalculation	Check Box	—

customrecord_bc_revenue_timing_line (15 fields)

FIELD ID	LABEL	TYPE	SOURCE / TARGET
custrecord_bc_rtl_transaction	Contract (Sales Order)	List/Record	Transaction
custrecord_bc_rtl_project	Project	List/Record	BC Project
custrecord_bc_rtl_period_date	Period Date	Date	—
custrecord_bc_rtl_percentage	Percentage	Percent	—
custrecord_bc_rtl_amount	Amount	Currency	—
custrecord_bc_rtl_cumulative_pct	Cumulative %	Percent	—
custrecord_bc_rtl_cumulative_amt	Cumulative Amount	Currency	—
custrecord_bc_rtl_status	Status	List/Record	customlist_bc_ctl_status
custrecord_bc_rtl_label	Label / Note	Free-form Text	—
custrecord_bc_rtl_source	Source	List/Record	customlist_bc_ctl_source
custrecord_bc_rtl_source_group	Source Group	List/Record	customlist_bc_ctl_source_group
custrecord_bc_rtl_timing_type	Timing Type	List/Record	customlist_bc_ctl_timing_type
custrecord_bc_rtl_source_template	Source Template	List/Record	BC Cost Timing Template
custrecord_bc_rtl_change_order	Related Change Order	List/Record	BC Change Request
custrecord_bc_rtl_needs_recalc	Needs Recalculation	Check Box	—

customrecord_bc_cost_timing_template (3 fields)

FIELD ID	LABEL	TYPE	SOURCE / TARGET
custrecord_bc_ctt_spread_type	Spread Type	List/Record	customlist_bc_ctt_spread_type
custrecord_bc_ctt_period_interval	Period Interval	List/Record	customlist_bc_ctt_period_interval

FIELD ID	LABEL	TYPE	SOURCE / TARGET
custrecord_bc_ctt_num_periods	Number of Periods	Integer Number	—

customrecord_bc_ctt_line (3 fields)

FIELD ID	LABEL	TYPE	SOURCE / TARGET
custrecord_bc_cttl_parent	Template	List/Record	BC Cost Timing Template
custrecord_bc_cttl_period_number	Period Number	Integer Number	—
custrecord_bc_cttl_percentage	Percentage	Percent	—

4. Custom Lists (6)

SCRIPT ID	NAME	VALUES	USED BY
customlist_bc_ctl_source	BC Timing Line Source	Template, Manual	*_source on cost and revenue timing-line records
customlist_bc_ctl_source_group	BC Timing Source Group	Base Contract, Change Order, Base PO	*_source_group on cost and revenue timing-line records
customlist_bc_ctl_status	BC Timing Line Status	Forecasted, Actualized, Received, Overdue	*_status on cost and revenue timing-line records
customlist_bc_ctl_timing_type	BC Timing Type	Cash Flow, Accrual	*_timing_type on cost and revenue timing-line records; backs the Cash / Accrual UI toggle
customlist_bc_ctt_period_interval	BC Period Interval	Weekly, Bi-Weekly, Monthly	custrecord_bc_ctt_period_interval on the template record
customlist_bc_ctt_spread_type	BC Spread Type	Even, Front-Loaded, Back-Loaded, Milestone, Custom	custrecord_bc_ctt_spread_type on the template record

5. Inline HTML Mount Fields (6)

Each field is an INLINEHTML field that a User Event script writes HTML into on `beforeLoad`. They have no stored value.

FIELD ID	LABEL	LIVES ON	STAMPED BY
custbody_bc_cost_timing_html	Cost Timing Schedule	Purchase Order	bc_cost_timing_ue.js
custbody_bc_rev_timing_html	Revenue Timing Schedule	Sales Order	bc_rev_timing_ue.js
custrecord_bc_co_timing_html	CO Timing Schedule	BC Change Request	bc_co_timing_ue.js
custrecord_bc_cf_combine_d_html	Combined Cash Flow Forecast	BC Project	bc_cf_project_ue.js
custrecord_bc_cf_cost_html	Cost Cash Flow Timeline	BC Project	bc_cf_project_ue.js
custrecord_bc_cf_revenue_html	Revenue Cash Flow Timeline	BC Project	bc_cf_project_ue.js

6. Supporting Modules

The entry-point scripts depend on a small set of pure SuiteScript modules in the file cabinet. They are not deployed as scripts — they are imported via `define([...])` by the entry points.

MODULE	FILE	PURPOSE
Schedule math	<code>bc_cf_calculator.js</code>	Pure functions for spread shapes (S-curve / Linear / Front / Back), normalization, generate, rebalance, end-date computation.
HTML builders	<code>bc_cf_ui.js</code>	Shared HTML helpers (esc, panel, kpi, badge, toggle, skeleton, error card).
Design tokens	<code>bc_cf_styles.js</code>	Shared CSS variable palette and primitive styles for every Cash Flow surface.
Report utilities	<code>bc_cf_report_utils.js</code>	Legacy report helpers; mostly orphaned after the v1 redesign.
Schedule editor UI	<code>bc_timing_ui.js</code>	Calculator toolbar + grid HTML + the inline client IIFE rendered into the INLINEHTML mount fields.
Schedule engine	<code>bc_timing_engine.js</code>	Server-side math engine for the schedule editor (weights, regenerate, rebalance).
Timing DAO	<code>bc_timing_dao.js</code>	SuiteQL reads + N/record writes for cost / revenue timing line records. Called by the Timing Data Suitelet.
Timing constants	<code>bc_timing_constants.js</code>	Brand config + list-value internal IDs + field-ID shorthand used by every entry point.

7. Process Flow Diagram

Three end-user actions, traced step by step through the records and scripts that carry them. Use this when supporting users who hit an error, or when explaining what's happening behind the schedule editor or the reports.

Flow A User edits a timing schedule on a transaction

- 1 User opens a Purchase Order, Sales Order, or BC Change Request.
- 2 User Event script fires on `beforeLoad`.
 - UE `customscript_bc_cost_timing_ue` UE `customscript_bc_rev_timing_ue`
 - UE `customscript_bc_co_timing_ue`
- 3 UE stamps the schedule editor HTML into the `INLINEHTML` mount field on the Cash Flow subtab.
 - INLINE HTML `custbody_bc_cost_timing_html` INLINE HTML `custbody_bc_rev_timing_html`
 - INLINE HTML `custrecord_bc_co_timing_html`
- 4 User picks a distribution, clicks Generate, edits rows, or clicks Rebalance / Save. The editor JS runs locally; the math comes from the helper modules.
 - MODULE `bc_cf_calculator.js` MODULE `bc_timing_engine.js` MODULE `bc_timing_ui.js`
- 5 Editor JS posts to the Timing Data Suitelet for save and load.
 - SUITELET `customscript_bc_timing_data_sl`
- 6 Timing Data Suitelet uses the DAO module to read and write the timing line records.
 - MODULE `bc_timing_dao.js` RECORD `customrecord_bc_cost_timing_line`
 - RECORD `customrecord_bc_revenue_timing_line`

Flow B User opens Cash Flow reports on a BC Project record

1

User opens a BC Project record.

CUSTOM SEGMENT customrecord_cseg_bc_project

2

Project User Event fires on **beforeLoad**.

UE customscript_bc_cf_project_ue

3

UE stamps 3 iframes into the 3 **INLINEHTML** fields on the Cash Flow subtab.

INLINE HTML custrecord_bc_cf_combined_html

INLINE HTML custrecord_bc_cf_cost_html

INLINE HTML custrecord_bc_cf_revenue_html

4

Each iframe loads its report Suitelet, which returns a skeleton HTML page.

SUITELET customscript_bc_cf_combined_sl

SUITELET customscript_bc_cf_cost_report_sl

SUITELET customscript_bc_cf_rev_report_sl

5

Client JS in each iframe fetches JSON from the Data Endpoint Suitelet.

SUITELET customscript_bc_cf_data_sl

6

Data Endpoint runs SuiteQL over the timing line records and returns aggregated JSON.

RECORD customrecord_bc_cost_timing_line

RECORD customrecord_bc_revenue_timing_line

7

Client JS renders KPIs, chart, and source-grouped table using the shared UI module.

MODULE bc_cf_ui.js

MODULE bc_cf_styles.js

Flow C User opens the cross-project Portfolio report

- 1 User clicks BlueCollar → Project Control Center → Cash Flow Portfolio.
- 2 Portfolio Suitelet loads and returns a skeleton page.
SUITELET customscript_bc_cf_portfolio_sl
- 3 Client JS fetches JSON from the Data Endpoint using **action=portfolio** and any active filters.
SUITELET customscript_bc_cf_data_sl
- 4 Data Endpoint rolls up every BC project's timing lines into one response.
CUSTOM SEGMENT customrecord_cseg_bc_project
RECORD customrecord_bc_cost_timing_line **RECORD** customrecord_bc_revenue_timing_line
- 5 Portfolio client JS renders the filter pill, KPIs, paired-bar chart, and one-row-per-project table.