

Politecnico di Milano

Master's Degree in Computer Science and Engineering

SOFTWARE ENGINEERING 2

TrackMe Design Document

Authors
Alberto Archetti
Fabio Carminati

Reference professor Elisabetta Di Nitto

v.0 - November 27, 2018

Contents

1	Intr	$^{ m coduction}$
	1.1	Purpose
	1.2	Scope
		1.2.1 World
		1.2.2 Shared phenomena
	1.3	Definitions
	1.4	Acronyms and abbreviations
	1.5	Revision history
	1.6	Document structure
2	Arc	hitectural Design 5
	2.1	Overview
	2.2	Component view
		2.2.1 App
		2.2.2 Application Server
		2.2.3 Database
		2.2.4 External Systems
	2.3	Deployment view
	2.4	Runtime view
		2.4.1 User Account
		2.4.2 Filtering
		2.4.3 AutomatedSOS
		2.4.4 Single User request
		2.4.5 Anonymous Group request
	2.5	Component interfaces
	2.6	Selected architectural sytles and patterns
	2.7	Other design decisions
3	Use	r Interface Design 20
	3.1	Flow graph for Screens Interface
4	Req	uirements Traceability 23
	4.1	Guest User
	4.2	Guest Third Party
	4.3	Data4Help User
	4.4	AutomatedSOS User
	4.5	Data4Help Third Party

5	Implementation, Integration and Test Plan	27
6	Effort spent	28

1 Introduction

1.1 Purpose

TrackMe wants to develop a software-based service that allows individual users to collect health data, called Data4Help. This data can be retrived from the system and visualized according to different filters by a user interface.

The system allows third parties registration. Third parties can request access to users'collected data in two ways:

Single user data After a third party makes a request to the system for a single user data sharing, by providing user's fiscal code, the system asks the user for authorization; if positively provided, the third party is granted access to the user's data

Amonymous group data Third parties can be interested in big amounts of data, but not in who are the people providing it; the system, once the request is sent by the third party, checks if the data can be effectively anonymized (it must find at least 1000 people that can provide data matching the third party request's filters) and, if positively evaluated, grants access to the anonymized data to the third party

Third parties can subscribe to new data and receive it as soon as it is collected by the system.

Another service that TrackMe wants to develop is AutomatedSOS, built on Data4Help. This service analyzes users'data and calls a SOS whenever data exceedes the basic health parameters. For this particular purpose, system performance will be a critical aspect to be taken into account, because even the slightest delay matters in critical health situations.

We will list the project **goals**, described in the RASD document:

- G.U1 Users can collect, store and manage their health data
- G.U2 Users can choose to have their health monitored; if their health is critical, an ambulance will be dispatched
- G.T1 Third parties can ask single users for their health data sharing
- G.T2 Third parties can request access to anonymized data that comes from groups of people
- G.T3 Third parties can subscribe to new data and receive it as soon as it is produced

1.2 Scope

1.2.1 World

Our world is composed of two main types of actors: users and third parties. Users are interested in monitoring their health parameters and third parties are interested in developing services or researches that exploit data gathered from the users. Data4Help is the service that acts as a bridge between these actors'needs. Phenomena that occur in the world and are related to our application domain are

- physical conditions of the users
- third parties' projects, researches and interests
- ambulances dispatched by the SOS system

These phenomena exist in the world, but cannot be observed directly by our system.

1.2.2 Shared phenomena

In order to communicate with the *world*, our system needs to share some aspects with it. We will list the aspects controlled by the world, but observable by the machine:

- S.1 physical parameters of the users, gathered through sensors on wereable devices
- S.2 third parties requests to the system for the data they need
- S.3 users'location, acquired through GPS signals

On the other hand, the aspects that occur in the machine, but are observable by the world are

- S.4 interfaces that organize the gathered data that can be filtered according to time or type of data
- S.5 messages for the SOS system, that are sent in case of critical health of a user
- S.6 payment requests

1.3 Definitions

Data Quantitative variables concerning health parameters

Aggregate data See DataSet

Anonymous data data entry that doesn't contain information about the user from which it was produced; a data set is said to be anonymized if it contains only anonymous data entries and its cardinality is greater or equal than 1000

Data entry Tuple that corresponds to the user's parameters in a particular moment

Data set Set of *data entries*; depending on the context, it can identify a set of entries all belonging to a single user or or a set of anonymous entries belonging to more that 1000 users; a *data set*, among all *data* that the system is storing, can be identified and constructed according to the filters of a third party request

Request Third parties can ask the system for some data sharing through requests; requests are encoded through filling a form; the system, provided that the request is satisfiable, grants the third party access to the requested data

Third party Actor interested in collecting data from a single user or from an anonymous group of users

Threshold Numerical values related to a particular health parameter; they act as boundaries between the domain of critical health status and normal health status

User Actor interested in his/her health data collecting and managing; a user can also be interested in automating SOS calls whenever his health status becomes critical

Some of these definitions may already be present and further explained in the RASD document.

1.4 Acronyms and abbreviations

API Application Programming Interface

DBMS Database Management System

Data Whenever the context refers to generic groups of data entries, the terms data and data set are interchangeable

System Software product that TrackMe wants to develop; can be interchanged with S2B

S2B Software To Be

1.5 Revision history

Version	Log
v.0	DD first draft

1.6 Document structure

This document describes architecture and design of Data4Help and AutomatedSOS systems. The description will start with a top-down approach, in order to make the reader familiar with the overall structure; a bottom-up approach will then be adopted, in order to describe components in a isolated way. This document is devided in

- Section 1 is a brief introduction on the project to be developed in order to make this document self-contained
- Section 2 describes the high-level architecture (high-level components, their interation, runtime views and architectural decisions)
- Section 3 provides an overview on how the user interface will look like
- Section 4 contains mapping between software requirements, described in the RASD document, and design elements
- Section 5 identifies the order in which subcomponents will be implemented, integrated and tested
- Section 6 lists the work sessions that drove this document's development, ordered by date, as the hour counter of effort spent by each group member

2 Architectural Design

2.1 Overview

The main components of the system are

- App Application installed on users'devices that communicates with the system; its purpose is to show data to the user and forward his/her requests to the Application Server; we will focus on the smartphone app for Andriod or iOS systems, as it is the main front-end application that our clients need
- **Application Server** Back-end component on which the logic of the application takes place; it elaborates the requests it receives and interacts with external services and the data layer; we will focus mainly on this component, as it shall handle all the information dispatching from different layers
- **Database** Component responsible for data storage; it shall grant ACID properties (Atomicity, Consistency, Isolation and Durability) and shall provide a management service that handles query parallelization and optimization, as data access policies from different accounts
- External Systems Systems that interact with Data4Help or AutomatedSOS; they handle functionalities not internally developed in the system, such as payment handling and ambulance dispatching

The architecture is a three-tier architecture (Figure 1): it allows to separate clearly presentation layer, logic layer and data layer. These sets of components will communicate through defined interfaces and will be treated as black boxes during their interaction. This modular approach enhances modifiability and extensibility.

2.2 Component view

In this section we will analyze every high-level component in terms of its subcomponents and provide the main interface interaction between different components. For details on component interfaces see Section 2.5.

2.2.1 App

The application component is the front-end of the system. Our clients will interact with the system through the front end. We will provide




Figure 1: Overall architecture of the system

- A smartphone application, capable of exploiting all of the system functionalities: it shall render data, provide forms for the clients (users and third parties) and communicate with the Application Server
- An API that allows more experienced users or other developers to automate communication with our system; the API is particularly useful when third parties need to analyze huge quantities of data that a smartphone graphical interface cannot render

It is important to note that the smartphone application exploits the API for communication with the Application Server. Every Data4Help or AutomatedSOS service can be required by API communication.

2.2.2 Application Server

The Application Server holds the application logic. It is the only component of the business layer, but it is the most crucial component of the system. Its role is to coordinate the information flow between the user layer and the data layer and to incorporate external systems'services.

In the architecture the Application Server is the only link to the database. External systems or clients cannot directly access persistent data of our system.

The Application Server is also the only link to the user interface, as external systems's ervices cannot directly communicate with users.

Subcomponents of the Application Server are

- AccountManager This module handles creation, authentication and management of users and third parties'accounts; before exploiting our system's functionalities users and third parties need to be authenticated by this module after providing their credentials
- DataCollector This module communicates with users'application and periodically receives data entries, as soon as they're collected by users'wearables
- EmergencyDetector This module is in charge of automatically analyze data entries inserted in the system if their owner subscribed to AutomatedSOS; it is separated from the DataCollector because emergency detection can be exploited in many ways, depending on the medical literature on the topic; this feature should be independent and isolated from the rest of the architecture
- EmergencyDispatcher This module builds emergency messages and forwards them to the SOS system
- FilterManager This module composes filter constraints on data entries that can be fetched from the database
- NotificationManager This module shall dispatch notifications between user and third party accounts; notifications from users to third parties contain information about user's responses concerning third parties'requests; notifications from third parties to users corcern third parties'single user requests
- PaymentGateway This module is in charge of communicating with the external payment system is order to process payments between third parties and TrackMe
- RequestManager This module is in charge of composing, verifying and elaborating third parties'requests; it communicates with FilterManager to properly identify which type of data is required and with NotificationManager to keep every client involved in the request updated on its status
- SetBuilder This module generates data-oriented queries for the database, given a particular filter from the FilterManager; queries can be accepted or declined by the database, depending on the account permissions concerning data entries access

2.2.3 Database

The database is the only component of the *data* layer. Queries are managed by a DBMS that optimizes and elaborates them in parallel. Data stored in the database is persistent and shall not be lost due to external factors. The database service will not be directly developed by us, but will be bought from the existing ones.

The *data* layer is only accessible from the Application Server. It won't implement any application logic, except from DBMS functionalities: it will just respond to queries and passively store data.

An important factor for Data4Help is the data access policy: Data Entries should be available only to the users that produced them, when inserted in the database. If a Data Set is shared to a third party, that third party shall be allowed to retrive Data Entries that belong to that Data Set from the database. Therefore the access policy shall be dinamic and shall consider Data4Help different accounts.

2.2.4 External Systems

In this section we will present the main external systems that interact with the Application Server.

Data4Help relies on an external payment handler. The Application Server, once has composed a third party request, evaluates its price and asks third party for payment, by exploiting the external plyment handler service. The service manages the effective payment from the third party to TrackMe and signals errors occurred during the procedure.

AutomatedSOS relies on an external SOS system. The SOS system dispatches ambulances and handles health emergencies by accepting automated calls. AutomatedSOS, on the Application Server, detects health dangers as soon as they're collected from the front-end components forwards an emergency message to the SOS system.




Figure 2: Entity-Relation diagram

2.3 Deployment view

2.4 Runtime view

2.4.1 User Account




Figure 3: User account

2.4.2 Filtering




Figure 4: Filtering

2.4.3 AutomatedSOS




Figure 5: AutomatedSOS

2.4.4 Single User request




Figure 6: Single User request

2.4.5 Anonymous Group request




Figure 7: Anonymous Group request

- 2.5 Component interfaces
- 2.6 Selected architectural sytles and patterns
- 2.7 Other design decisions

- 3 User Interface Design
- 3.1 Flow graph for Screens Interface




Figure 8: User account




Figure 9: Third Party account

4 Requirements Traceability

4.1 Guest User

Reference ID	Requirement	Component
R.A1	Registration as	Account Manager
	Data4Help user	
R.A3	Distinguish user	Account Manager
	and third party	
	accounts	
R.A4	Different accounts	Account Manager
	must have different	
	email	
R.I1	Provide registration	Account Manager
	form	

4.2 Guest Third Party

Raw ID	Requirement	Component
R.A2	Registration as	Account Manager
	Data4Help third	
	party	
R. A3	Distinguish user	Account Manager
	and third party	
	account	
R.A4	Different accounts	Account Manager
	have different email	
R.I1	Provide registration	Account Manager
	form	

4.3 Data4Help User

4.4 AutomatedSOS User

4.5 Data4Help Third Party

Raw ID	Requirement	Component
R.A3	Distinguish user and third party	Account Manager
D. A.C.	account	A
R.A6	Login	Account Manager
R.A7	Only authenticated	Account Manager
	user can exploit all	
	functionalities	
R.D1	System shall encode	Database
	and store data	
R.D2	Retrieve data in	Filter Manager
	case of request	
R.D3	Not erase stored	Database
	data	
R.D4	Data can be col-	Account Manager
	lected only when	
	the users are logged	
	in	
R. I2	Provide graphical	Filter Manager
	interface to render	
	data graphically	
R.R2	Ask for single-user	Notification
	request directly to	Manager
	user	

Raw ID	Requirement	Component
R.A3	Distinguish user	Account Manager
	and third party	
	account	
R.A6	Login	Account Manager
R.A7	Only authenticated	Account Manager
	user can exploit all	
	functionalities	
R.S1	Apply to Automat-	Emergency
	edSOS	Detector
R.S2	Monitoring user's	Emergency
	health	Detector
R.S3	In case of need make	Emergency
	an emergency call	Dispatcher
	to SOSSystem	
R.S4	Provide user's lo-	Emergency
	cation and health	Dispatcher
	parameters to	
	SOSSyestem	

Raw ID

Component

Requirement

5	Implementation,	Integration	and	Test	Plan
_	1				

6 Effort spent

Date	Archetti Alberto	Carminati Fabio	Activity
12/11/2018	1	1	Introduction sketch
24/11/2018		6	User Interface Design
24/11/2018	3		High-level components
25/11/2018	2		Application Server sub-
			components
26/11/2018		5	Architectural Design

REFERENCES REFERENCES

References

- [1] Mandatory Project Assignment AY 2018-2019
- [2] ISO/IEC/IEEE 29148 Systems and software engineering Life cycle processes Requirements engineering
- [3] Collection and Processing of Data from Wrist Wearable Devices in Heterogeneous and Multiple-User Scenarios https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5038811/
- [4] Wearable Devices in Medical Internet of Things: Scientific Research and Commercially Available Devices https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5334130/
- [5] Google Fit API https://developers.google.com/fit/overview
- [6] PayPal API https://developer.paypal.com/docs/
- [7] RapidSOS Emergency API https://info.rapidsos.com/blog/product-spotlight-rapidsos-emergency-api
- [8] Slides of the course by Prof. Di Nitto https://beep.metid.polimi.it/
- [9] LATEX templates
 http://www.latextemplates.com/
- [10] Draw.io https://www.draw.io/
- [11] Diagrams https://www.visual-paradigm.com/features/uml-tool/