

Short Analysis Pipeline

BIOLM0051

Archie Benn

Scenario

A suitcase containing deez several packages of unidentified frozen meat has been intercepted at Heathrow Airport by UK Border Force officers during routine inspections. The shipment had no import documentation, raising concerns that the meat may originate from protected or endangered species.

Given the serious implications for public health, food safety, and wildlife conservation, the case has been referred to the Animal and Plant Health Agency (APHA). As a bioinformatician assisting with the inquiry, you have been tasked with determining the species of origin for each meat sample. DNA barcoding has already been performed in the laboratory, and you have now received the resulting FASTAQ sequence files for analysis.

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Introduction

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus.

Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Methods

The FASTQ files in this report are small and the use of HPC resources in this case is not necessary. However, this workflow is designed to scale easily to similar analyses with much larger datasets. All steps here are able to run on an HPC cluster without modification, demonstrating reproducibility, automation, and capacity for high-throughput analyses.




Figure 1: Workflow of Snakemake analysis pipeline.

Some python code:

```
from Bio import SeqIO
for record in SeqIO.parse("sequence.fasta", "fasta"):
    print(record.id, record.seq.translate())
```

Some Bash script:

```
#!/bin/bash
#SBATCH --job-name=blast_job
#SBATCH --partition=teach_cpu
#SBATCH --time=01:00:00
#SBATCH --mem=2000M

blastn -db nt -query sequence.fa -out results.out -outfmt 7 -remote
```

Table 1: Top 15 BLASTP hits for sample OMRGCv2f.11922010.1 against SwissProt.

Query	Subject	% Identity	Alignment Length	E-value	Bitscore
OMRGCv2f.11922010.1	A5UYW4.1	55.56	63	1.3e-17	85.1
OMRGCv2f.11922010.1	A7NS65.1	55.56	63	1.8e-17	83.5

Results

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis

sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

```
import pandas as pd
data = pd.read_csv("expression.csv")
normalized = data.apply(lambda x: np.log2(x+1))
```

Alignment results using Clustal Omega on some test data:

Figure 2: Alignment using Clustal Omega and Identity mode in texshade

Discussion

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio. Yadadadada [1] and then also [2] and maybe even from this guy [3, 2]

References

- [1] WJ Kent. Blat—the blast-like alignment tool. *Genome research*, 12(4):656–664, 2002.
- [2] MJ Wolin, TL Miller, and CS Stewart. Microbe-microbe interactions. In *The rumen microbial ecosystem*, pages 467–491. Springer, 1997.
- [3] B Baker, P Zambryski, B Staskawicz, and SP Dinesh-Kumar. Signaling in plant-microbe interactions. *Science*, 276(5313):726–733, 1997.

Acknowledgments

This work was carried out using the computational facilities of the Advanced Computing Research Centre, University of Bristol - <http://www.bristol.ac.uk/acrc/>

Supplementary Data

Supplementary data can be found within the GitHub repository for this project: https://github.com/archiebenn/BIOLM0051_analysis.git