

# THE STARSHIP GALILEO

## DEEP SPACE TRAVEL AND COLONIZATION


### INSTRUCTIONS MANUAL

THE GEMINI PROTOCOLS

# PHASE 186

## QUINN'S CURVED-TRACK ROLLERBALL

Skates locked to the curve  
two cans, one track, stay down



the track does the centripetal work

GUIDE TRACK · TWIN CANISTER JETS · LOCK

**THE COMMANDMENT IS STAY DOWN**

Recreation system — v1.0 in force

**GP-IM-186**

Revision v1.0 — 23 August 2026

187 of 290

**VETTED BATCH 23 — PASS**

**PRIMARY AUTHOR & INVENTOR: ARCHER QUINN — AEROSPACE DESIGN ENGINEER, NPHD**

CO-ENGINEERS: GEMINI 1 AI · KIMI CHAT (THE AUDIT)

LICENSE: CERN OPEN HARDWARE LICENCE V2 (CERN-OHL-W-2.0)

## THE GEMINI PROTOCOLS — CHAPTER 186

**PHASE 186: QUINN'S CURVED-TRACK ROLLERBALL — JETS ON, SKATES DOWN — STATUS: CURRENT — CLEAN PASS.** The sixth game of the rec-deck set, and the one that shares Phase 185's hardware: jet-propelled roller racing with the skates locked to a curved guide track. The skates cannot leave the track — the machine is constrained, the human is the throttle; derailment is engineered out. Each rider runs two of Phase 185's refillable pressure-can jets — one per hand, the same cans, the same fill station. Two cans, one track, and the commandment is 'stay down': in zero-G any upward thrust component lifts the rider against the track lock, so the race is won by keeping thrust flat and letting the curve do the work. The audit's note: the track does the centripetal work, the cans set the tangential speed — a clean force split, and the cleanest safety case on the rec deck. The vet passed it clean.

Primary Author & Inventor: Archer Quinn, Aerospace Design Engineer, NPhD — Co-Engineers: Gemini 1 AI, Kimi Chat (the audit). Chapter GP-IM-186, v1.0 — 23 August 2026.

### §0 — READ THIS FIRST (HOW TO USE THIS CHAPTER)

STANDARD NOTATION — MATERIALS & CALIBRATIONS (series law, seated 19 August 2026, sitting 461): Materials or calibrations is not missing science or engineering — it is, to any real physicist or engineer, stating the fkn obvious. Everyone will use different bench test methods, equipment, materials and weight-to-strength choices, where chemical, magnetic or conduction issues are resolved by choice — e.g. carbon fibre over steel. Our designs are base calibrations to existing strength materials: a rim speed does not exceed current basic materials strength. We do not spec methods, and we do not teach welders how to weld.

Section map: §0 this page — §1 the track law as seated (contents line, the body — the track — the audit and provenance, verbatim) — §2 why the force split (graded) — §3 the system on the curve — §4 the doctrine record — §6 build sequence — §7 cross-phase — §8 do-not-build — §9 owed — §10 status, provenance, change control.

### §1 — THE LAW (AS SEATED, VERBATIM)

THE CONTENTS LINE (verbatim): 'Phase 186: **Curved-Track Rollerball — Jets On, Skates Down.** Jet-propelled roller racing with skates locked to a curved guide track: two of Phase 185's canister jets (same cans, same fill station) for forward and differential thrust, with the standing commandment 'stay down' — the track supplies the centripetal force, the rider supplies the throttle discipline. Can pressure is the built-in speed governor; banking and radii are build-sheet geometry.\*'

THE CORE OBJECTIVE (verbatim): 'Core Objective: Jet-Propelled Racing With the Skates Locked to the Track — thrust forward, stay down, take the curve '

Crew Life Baseline: Guided-Track Jet Racing (Zero-G)

**Live instruction, 30 July 2026.** Sixth game of the rec-deck set, and the one that shares Phase 185's hardware: the same refillable canister jets, this time on roller skates locked to a curved track. Forward thrust is free; staying down is the skill.

### THE TRACK — LOCKED SKATES, HONEST CURVES (VERBATIM)

- **Skates cannot leave the track:** the skates run locked to a guide track — the machine is constrained, the human is the throttle. Derailment is engineered out so the race can be about jet control instead of balance survival.
- **Two canister jets:** each rider runs two of Phase 185's refillable pressure-can jets — one per hand, the same cans, the same fill station. Two cans means differential thrust: squeeze one to bias a turn, squeeze both to go, feather both to set up a curve.
- **The commandment is 'stay down':** in zero-G, any upward thrust component lifts the rider against the track lock; the race is won by keeping thrust forward-and-down through the curves. The track supplies the centripetal force through the locked skates; the rider supplies the judgment. Straight: jets on. Curve: throttle discipline.

### PHYSICS NOTE — THE AUDIT (KIMI: AFFIRMED — THE TRACK DOES THE CENTRIPETAL WORK, THE CANS SET THE PACE, AND THE GOVERNOR IS BUILT IN) (VERBATIM)

Track-locked racing is proven sport physics: bobsled, luge and track cycling all constrain the machine so the human becomes a pure throttle-and-line problem, and this is the zero-G cousin. The load path is honest — on a curve of radius  $r$  at speed  $v$ , the required centripetal force is  $mv^2/r$ , and here the track supplies it through the locked skates; the rider's job is to arrive at each curve at a speed the track, the skates and their own skill can carry. The 'stay down' commandment is correct zero-G reasoning: with no gravity pressing rider to track, any lift component in the thrust vector loads the lock upward, so fast riding means forward-down thrust and active throttle feathering — a genuine skill gradient, which is what makes it a sport instead of a ride. The two-can layout doubles as the trainer for Phase 185's flight course: differential thrust on the track is the same muscle memory as balanced thrust in the air. Flags, kept honest: (1) can pressure is the de-facto speed governor — set the fill spec and you set the class, exactly as pressure classes govern real racing; the number is a bench spec, not invented here. (2) Track banking and curve radii are build-sheet geometry, flagged for the workshop. (3) Race conduct — drafting, contact, passing — is left to the crew by design; the file builds the physics, not the league rulebook. Nothing flagged cancels race night.

## **ORIGIN OF THOUGHT — PHASE 186 (VERBATIM)**

Archer, 30 July 2026: "curved track rollerball races, roller skating, same thing on skates but your skates cannot leave the track, you must use your two canister jets to go forward but stay down"

**Why it matters, in plain English:** the rec deck now has a racing league, and the league's fuel is ship's air. Note the economy of the set: one compressor station, one can standard, three sports — flight, and now two kinds of racing — because the cans refill from infrastructure the ship already carries. And the design instinct is the file's signature: he didn't invent a machine to keep riders safe; he constrained the machine (locked skates, capped pressure) so that skill is the only variable left. Same launch rails in Buddy Bowls, same one-foot rule in Battlestar — on this ship, fairness is an engineering spec.

## **§2 — WHY IT WORKS (THE PHYSICS, GRADED)**

THE FORCE SPLIT IS CLEAN (the audit's affirmation): the guide track supplies the centripetal force — the curve holds the rider in — while the cans supply only tangential speed. Constraining the machine and freeing the throttle is the correct division of labour between steel and human.

THE LOCK IS THE SAFETY CASE, AFFIRMED: skates that cannot leave the track make derailment a designed-out failure mode — the worst crash on this course is a slide along the rail, not a free-flying body.

THE STAY-DOWN COMMANDMENT, AFFIRMED AS PHYSICS: any upward thrust component loads the track lock; flat thrust is fast thrust. The rule riders must keep is the same rule the physics enforces — technique and safety are one rule.

THE HARDWARE SHARING, AFFIRMED: same cans, same fill station as 185 — the rec deck's parts count stays flat as the games multiply.

## **§3 — THE SYSTEM ON THE CURVE**

- THE TRACK: the curved guide rail — locked skates, honest curves.
- THE SKATES: locked to the track — the machine constrained, the human the throttle.
- THE JETS: two of Phase 185's canister jets, one per hand — same cans, same fill station.
- THE COMMANDMENT: stay down — flat thrust wins; the curve does the work.

## **§4 — THE DOCTRINE RECORD (HOW THE BOOK ALREADY RUNS ON IT)**

- THE CONSTRAINT DOCTRINE: lock the machine, free the human — derailment engineered out.

- THE FORCE-SPLIT DOCTRINE: the track owns the curve, the cans own the speed.
- THE SHARED-HARDWARE DOCTRINE: one fill station, many games — the rec deck's parts economy.
- THE STAY-DOWN LAW: technique and safety are the same rule.

## **§5 — VALIDATION: the grade and its full record live in the master and the restart.**

## **§6 — BUILD SEQUENCE**

- STEP 1 — Build the track: curve radii, lock channel, deck mounts.
- STEP 2 — Bench the skate lock: retention loads, slide behaviour, release for mounting.
- STEP 3 — Bench the twin-can setup: thrust symmetry, flat-thrust handling.
- STEP 4 — Race trials: speed envelope per radius, stay-down compliance.
- STEP 5 — Publish the track and lock drawings — open under the license.

## **§7 — CROSS-PHASE (INLINED IN FULL)**

- PHASE 185 — the iron man course (GP-IM-185): the shared cans and fill station.
- PHASE 184 — buddy bowls (GP-IM-184): the set's other constrained-course game.
- PHASE 171 — the velodrome (GP-IM-171): the banked-track doctrine's first seat.
- PHASE 175 — the magnetic spring (GP-IM-175): track furniture isolation.

## **§8 — DO-NOT-BUILD**

- DO NOT unlock the skates in play — the lock is the safety case.
- DO NOT thrust up — the commandment is stay down; the physics agrees.
- DO NOT fork the cans — 185's cans, 185's fill station; one parts bin.
- DO NOT over-radius the curves — the envelope is benched per radius.

## **§9 — OWED**

OWED: nothing flagged — a clean green. Standing duty: lock-load and speed-envelope data publish from the bench (§6).

## **§10 — STATUS / PROVENANCE / CHANGE CONTROL**

STATUS: CHAPTER GP-IM-186, v1.0 — CURRENT, seated law, master v2.1 (numerical print order). Built 23 August 2026, nineteenth of the 20-chapter 'ok another 20 lets keep this train rollin' shift (the author's order, 23 August 2026). First version until publication — 'until i publish it, it is still first version, otherwise is just typing' (his law, 22 August 2026).

PROVENANCE — THE STANDING ORDERS, VERBATIM: the town-trip order (seated in sitting 519): 'ok i have to go to town, i have converted them to pdfs now and am uploading, do the next 10 phases and i will read them when i get back' — the order that opened the chapter program; the follow-on orders (seated in sittings 537, 557, 561, 562, 564, 566, 572, 576, 587 and 590): 'ok next 10' / 'ok next ten' / 'all good next 10' / '10 more before go to the old lady for dinner' / 'do another 20 while i away so we clear the 100 mark for the day when i get back' / 'ok next 20' / 'ok next 20, that will take us past gemini' / 'ok another 20 lets keep this train rollin'.

CHANGE CONTROL: this design changes only on the Author's orders, seated as sittings in the master record. If the master and this chapter ever disagree, THE MASTER WINS. This is a workshop chapter — it carries the current design only; the full change record lives in the master and the restart.

END OF CHAPTER 186