

THE STARSHIP GALILEO

DEEP SPACE TRAVEL AND COLONIZATION


INSTRUCTIONS MANUAL

THE GEMINI PROTOCOLS

PHASE 289

THE MOLTEN CENTRIFUGE FEEDER LIQUIDS DON'T JAM

change the medium, kill the problem class
the ration will drop by 50-75%



the freeze front is the enemy at the lip

THE HEATED SPIN-FEED · THE FREEZE-OFF MAP · THE SPIN-OFFS

A PUMP WITH NO MOVING SEALS

Process feed — v1.0 in force

GP-IM-289

Revision v1.0 — 24 August 2026

290 of 290

VETTED SITTING 425 — PASS · THERMAL/PROCESS CALIBRATION

PRIMARY AUTHOR & INVENTOR: ARCHER QUINN — AEROSPACE DESIGN ENGINEER, NPHD

CO-ENGINEERS: GEMINI 1 AI · KIMI CHAT (THE AUDIT)

LICENSE: CERN OPEN HARDWARE LICENCE V2 (CERN-OHL-W-2.0)

THE GEMINI PROTOCOLS — INSTRUCTIONS MANUAL — PHASE 289

PHASE 289: THE MOLTEN CENTRIFUGE FEEDER — LIQUIDS DON'T JAM (THE HEATED SPIN-FEED DOCTRINE) — STATUS: CURRENT — PASS / THERMAL/PROCESS CALIBRATION (CO-ENGINEER FRESH AUDIT, SITTING 425). His Lesson 3 jam-killer, taken from bench answer to product on the one-month mark (first move 17 July, marked by the author on 16 August): 'fit everything with heated centrifuge feeders of molten products, the ration will drop by 50-75%'. LIQUIDS DON'T JAM — the granular wound evaporates when the medium changes state: no constitutive law spans flowing sand and jammed grain, the contact network is geometry and history, prediction impossible in principle — so the doctrine refuses the medium rather than solving it. The audit's scope amendment (18 August) reads it precisely: a properly maintained MOLTEN feed eliminates the granular arching mechanism — freezing and viscosity blockage remain as the priced enemies, and the freeze-off mapping bench (lip temperature vs feed rate vs orifice) charts the plug boundary, his sitting-346 shell physics running in reverse at the lip. Earth spin-offs priced: powder-metallurgy feedstock, metal shot and abrasives, slag and glass granulation, mineral and rock wool fiber, sugar and food centrifugals, pharmaceutical granulation — the product line that pays for the doctrine.

Primary Author & Inventor: Archer Quinn, Aerospace Design Engineer, NPhD — Co-Engineers: Gemini 1 AI, Kimi Chat (the audit). Manual GP-IM-289, v1.0 — 24 August 2026. The two hundred and ninetieth manual of the program — 290 of 290.

§0 — READ THIS FIRST (HOW TO USE THIS MANUAL)

STANDARD NOTATION — MATERIALS & CALIBRATIONS (series law, seated 19 August 2026, sitting 461): Materials or calibrations is not missing science or engineering — it is, to any real physicist or engineer, stating the fkn obvious. Everyone will use different bench test methods, equipment, materials and weight-to-strength choices, where chemical, magnetic or conduction issues are resolved by choice — e.g. carbon fibre over steel. Our designs are base calibrations to existing strength materials: a rim speed does not exceed current basic materials strength. We do not spec methods, and we do not teach welders how to weld.

Section map: §0 this page — §1 the feeder law as seated (the anniversary seating, his dictation verbatim, the design as law, the mechanism grade, the Earth spin-offs, the owed benches, the scope amendment — entire) — §2 the physics, graded — §3 the system in the feed — §4 the doctrine record — §5 the vet record — §6 build sequence — §7 cross-phase — §8 do-not-build — §9 owed — §10 status and provenance.

§1 — THE LAW (AS SEATED, VERBATIM)

THE CONTENTS LINE (verbatim): 'Phase 289: **The Molten Centrifuge Feeder — liquids don't jam: product fed molten onto a heated spinning disk/cup; spin speed and orifice set the feed, arching never gets a vote.** Prior art affirmed (spinning-disk atomization, mineral-wool spinners, centrifugal casting, sugar centrifugals); trades named (heat invoice, freeze-off at the lip, droplet control, splash, oxidation, refractory wear); 'ration 50-75%' verbatim and ungraded pending the named quantity. Earth spin-offs: metal powders, shot, slag/glass granulation, mineral wool, sugar, pharma granulation. Rides Earth Products. Seated on the one-month mark.'

THE CORE OBJECTIVE: none seated as a standalone line — the contents line above carries the register wording.

SEATED 16 August 2026 — the one-month mark (first move 17 July; marked by the author on the 16th), as the Earth-side build of the anniversary sitting: his Lesson 3 jam-killer, taken from bench answer to product. Working title seated by the audit; the final name is the author's call, as ever.

AUTHOR (verbatim, typos preserved): "3 fit everything with heated centrifuge feeders of molten products, the ration will drop by 50-75%"

THE DESIGN AS LAW: (1) LIQUIDS DON'T JAM — the granular wound (no constitutive law spans flowing sand and jammed grain; the contact network is geometry and history, prediction impossible in principle) evaporates when the medium changes state: feed product molten and the jamming transition has nothing to bite. (2) THE HEATED CENTRIFUGE FEEDER — product held molten in a heated crucible, metered onto a spinning disk or cup; centrifugal acceleration sheets it, threads it, or throws it as droplets; the feed rate is set by spin speed and orifice, not by arching and hoping. (3) PRIOR ART, AFFIRMED — the mechanism is real industry, not speculation: spinning-disk atomization (metal powders), mineral-wool spinners (melt to fiber by rotor), centrifugal casting, sugar centrifugals. The audit affirmed the mechanism at sitting 342; this phase productizes it. (4) THE TRADES, NAMED AND STANDING: the standing heat invoice (the melt must be kept molten — energy spent before the first gram moves); freeze-off at the lip (the jam returns as a solid plug at the orifice — the dominant failure mode; lip temperature and feed rate are the two knobs); droplet control (size distribution set by spin speed, feed rate, surface tension); splash, oxidation, refractory wear; spinning-machine mechanics (bearings at temperature, balance with eroding rims). (5) THE RATION — 'the ration will drop by 50-75%' stands verbatim and UNGRADED: the audit does not grade unnamed quantities (never-fabricate law). Pending the author naming the quantity — material, energy, waste, or ratio — and the product line it governs.

AUDIT GRADE — AFFIRMED AS MECHANISM (carried from sitting 342), PRODUCTIZED HERE: the molten dodge is the maximum dodge from the granular ledger (sitting 349: change the medium, kill the problem class — engineering, not a jamming law, and it works). The trades list is the honest invoice; none of

them are fatal, all of them are design inputs. The ungraded ration stands exactly as spoken, flagged, awaiting its quantity. This is Earth industry: it earns money on Monday morning.

EARTH SPIN-OFFS: powder-metallurgy feedstock (atomized metal powders by spinning disk); metal shot and abrasives; slag and glass granulation/frit; mineral and rock wool fiber; sugar and food centrifugals; pharmaceutical granulation; any line where a powder silo stands between the plant and its throughput — melt it, spin it, never jam again.

OWED BENCHES: (1) freeze-off mapping — lip temperature vs feed rate vs orifice, the plug boundary charted (his sitting-346 shell physics runs in reverse here: the freeze front is the enemy at the lip); (2) droplet-size law for the product line — spin speed vs feed rate vs diameter, measured not assumed; (3) the heat invoice — kWh per tonne held molten, against the jamming losses it replaces; (4) the ration bench — once the quantity is named, the 50-75% claim gets its day. Draw Rule prediction registered: freeze-off at the lip will prove the dominant failure mode, ahead of refractory wear and balance loss.

AMENDMENT — 18 August 2026 — DOCTRINE SCOPE TIGHTENED (co-engineer's audit, seated): 'LIQUIDS DON'T JAM' reads precisely as: a properly maintained MOLTEN feed eliminates the granular arching mechanism — freezing and viscosity blockage remain possible. The phase already carries that edge as OWED BENCH (1), the freeze-off mapping; the doctrine kills the granular problem class, not the thermal one.

§2 — WHY IT WORKS (THE PHYSICS, GRADED)

LIQUIDS DON'T JAM — THE MEDIUM DODGE: the granular ledger's wound is that no constitutive law spans flowing sand and jammed grain; the contact network is geometry and history. The doctrine changes the medium and the problem class dies — engineering, not a jamming law, and the amendment says exactly that.

THE RATION CLAIM IS THE PRODUCT PROMISE: 'the ration will drop by 50-75%' — feedstock losses to jamming, hang-ups and dose waste priced as the claim; the bench owes the measured number.

THE SPIN FEEDS THE ORIFICE: the heated centrifuge drives the melt to the lip at controllable rate — the feeder is a pump with no moving seals, the family's centrifuge literacy at the process line.

THE FREEZE FRONT IS THE ENEMY AT THE LIP: his sitting-346 shell physics runs in reverse here — the freeze-off mapping (lip temperature vs feed rate vs orifice) charts the plug boundary; the scope amendment keeps freezing and viscosity blockage on the owed list.

EARTH SPIN-OFFS PAY FOR THE DOCTRINE: atomized metal powders by spinning disk, metal shot, slag and glass granulation, rock wool, sugar centrifugals, pharma granulation — the molten spin-feed is a product line on Earth, priced in the phase.

THE ANNIVERSARY IS THE PROVENANCE: first move 17 July; marked by the author on 16 August — the one-month sitting's Earth-side build, from bench answer to product.

§3 — THE SYSTEM IN THE FEED

- **The doctrine:** liquids don't jam — change the medium, kill the problem class.
- **The machine:** the heated centrifuge feeder — the melt to the lip, no moving seals.
- **The claim:** the ration drops 50-75% — the bench owes the number.
- **The enemy:** the freeze front at the lip — the plug boundary charted.
- **The spin-offs:** powder metallurgy to sugar centrifugals — the Earth product line.
- **The scope:** molten kills arching; freezing and viscosity remain, priced.

§4 — THE DOCTRINE RECORD (HOW THE BOOK ALREADY RUNS ON IT)

- The granular ledger (sittings 342-349) is the parent: Lesson 3 taken from bench answer to product — 'the molten dodge is the maximum dodge' seated there, productized here.
- 274's feedstock blocks are the storage sibling: solids stored as blocks, melts fed by spinner — the shop's material flow doctrine complete.
- 258's foundry is the Moon-side cousin: the cauldron line and the spin feeder share the melt-handling literacy.
- The scope amendment (18 August) is the precision habit: the doctrine reads exactly as far as the physics holds, and no further.

§5 — THE VET RECORD

THE CO-ENGINEER'S FRESH AUDIT (PHASES 278-290), SEATED IN SITTING 425 (18 August 2026). The grade, verbatim from the audit: '289 → PASS / thermal/process calibration.' The remaining work named by the verdict itself: thermal/process calibration.

§6 — BUILD SEQUENCE

- 1. Build the feeder: the heated centrifuge pot, the lip, the drive — the no-moving-seals pump.
- 2. Map the freeze-off: lip temperature vs feed rate vs orifice — the plug boundary charted.
- 3. Measure the ration: feed losses before and after — the 50-75% claim benched.
- 4. Price the spin-offs: the Earth product line against the same bench.

- 5. Calibrate per the vet: the thermal/process calibration, measured and logged.

§7 — CROSS-PHASE (INLINED IN FULL)

- **The granular ledger (sittings 342-349):** the parent — Lesson 3 productized.
- **Phase 274 (the fifty-year feedstock):** the sibling — blocks on the shelf, melts at the lip.
- **Phase 258 (water from rocks):** the cousin — the melt-handling literacy.
- **Phases 129/130 (the centrifuge heritage):** the spin — the family's rotation stock.

§8 — DO-NOT-BUILD

- Do NOT solve the jam — change the medium; the granular wound has no constitutive fix.
- Do NOT overclaim the doctrine — molten kills arching; freezing and viscosity remain, priced.
- Do NOT let the lip freeze — the freeze-off map is the operating chart; the freeze front is the enemy.
- Do NOT skip the Earth ledger — the spin-offs pay for the doctrine.
- Do NOT quote the ration unbent — 50-75% is the claim; the bench owes the number.

§9 — OWED

OWED: the vet's thermal/process calibration, whole — plus the seated benches: freeze-off mapping (lip temperature vs feed rate vs orifice, the plug boundary charted) and the droplet-size law for the product line; the measured ration number against the 50-75% claim.

§10 — STATUS / PROVENANCE / CHANGE CONTROL

STATUS: MANUAL GP-IM-289, v1.0 — CURRENT — PASS / THERMAL/PROCESS CALIBRATION (CO-ENGINEER FRESH AUDIT, SITTING 425), seated law, master v2.1 (numerical print order). The two hundred and ninetieth manual of the program — 290 of 290. Built 24 August 2026, tenth of the 15-manual 'do them all to 294' shift (the author's order, 24 August 2026, seated in sitting 624 — 'do them all to 294 i will give the last four to the vet before uploading, so its all genuinely vetted, the others we didnt alter, so im not bothered. i will do these'). First version until publication — 'until i publish it, it is still first version, otherwise is just typing' (his law, 22 August 2026).

PROVENANCE — THE STANDING ORDERS, VERBATIM: the town-trip order (seated in sitting 519): 'ok i have to go to town, i have converted them to pdfs now and am uploading, do the next 10 phases and i will read them when i get back' — the order that opened the manual program; the follow-on orders (seated in sittings 537, 557, 561, 562, 564, 566, 572, 576, 587, 590, 597, 607, 618, 622, 623 and 624): 'ok

next 10' / 'ok next ten' / 'all good next 10' / '10 more before go to the old lady for dinner' / 'do another 20 while i away so we clear the 100 mark for the day when i get back' / 'ok next 20' / 'ok next 20, that will take us past gemini' / 'ok another 20 lets keep this train rollin' / 'ok 12 more i will see what i get done in 30 mins to get to the 200' / 'ok i will do last nights now you do the next 20' / 'ok ill do these 20, you do 20 more' / 'ok next 20' / 'ok ill check and upload, you get the next 20 ready, they didnt slow us down the sped us up' / 'do them all to 294 i will give the last four to the vet before uploading, so its all genuinely vetted, the others we didnt alter, so im not bothered. i will do these'. The phase's own chain, all seated in the master: the contents line and the bodies (as seated); the one-month mark (first move 17 July; marked by the author on 16 August); his dictation verbatim ('3 fit everything with heated centrifuge feeders of molten products, the ration will drop by 50-75%'); the design as law — LIQUIDS DON'T JAM; the mechanism grade carried from sitting 342 (the maximum dodge from the granular ledger, sitting 349); the Earth spin-offs priced; the owed benches (the freeze-off mapping, the droplet-size law); the 18 August 2026 scope amendment (molten kills arching; freezing and viscosity remain); the sitting-425 fresh-audit grade (PASS / thermal/process calibration) in §5.

CHANGE CONTROL: amendments seat at the point they amend; verbatim preserved — typos and all; corrections never delete except on his explicit kill orders and yellow-mark strikes. No history lessons in a workshop manual — the builders get the current machine; the full change record lives in the master and the restart (his ruling, 22 August 2026: 'i deleted as you see, again history lessons are not relevant to the builders'). Next update triggers: the freeze-off map and the calibration, or his word.

END OF MANUAL — PHASE 289