

MUSE — Complete Database ERD


All 64 tables and all 124 foreign-key relationships. Key columns only (PK, FK, unique keys); every other attribute is in docs/DATA_DICTIONARY.md. Generated from the live MySQL schema (baseline 01–06 + migrations 0001, 0002, 0003, 0004) by backend/scripts/erd/build_erd.py.



MUSE — 1 · Users, Profiles & Access Control

6 tables in this group, 26 relationships; dashed boxes are tables of other groups · edge label = FK column(s) · ON DELETE rule







MUSE — 2 · Music Catalogue

11 tables in this group, 45 relationships; dashed boxes are tables of other groups · edge label = FK column(s) · ON DELETE rule

Notation (crow's foot)





Crow's foot = many · bar = one · circle = zero (optional)
Solid line: identifying (FK is part of the child's PK)
Dashed line: non-identifying relationship
PK primary key · FK foreign key
UK, U1, U2: unique key (same tag = one composite key)
"gen" generated column · "null" nullable



MUSE — 3 · Mood & Audio Intelligence


12 tables in this group, 31 relationships; dashed boxes are tables of other groups · edge label = FK column(s) · ON DELETE rule





MUSE — 4 · Listening History & Feedback


10 tables in this group, 22 relationships; dashed boxes are tables of other groups · edge label = FK column(s) · ON DELETE rule




MUSE — 5 · Recommendation Engine

5 tables in this group, 16 relationships; dashed boxes are tables of other groups · edge label = FK column(s) · ON DELETE rule

Notation (crow's foot)





Crow's foot = many · bar = one · circle = zero (optional)
Solid line: identifying (FK is part of the child's PK)
Dashed line: non-identifying relationship
PK primary key · FK foreign key
UK, U1, U2: unique key (same tag = one composite key)
"gen" generated column · "null" nullable



MUSE — 6 · Playlists & Preferences

7 tables in this group, 17 relationships; dashed boxes are tables of other groups · edge label = FK column(s) · ON DELETE rule







MUSE — 7 · Music Sources & Data Pipeline

6 tables in this group, 20 relationships; dashed boxes are tables of other groups · edge label = FK column(s) · ON DELETE rule

Notation (crow's foot)




Crow's foot = many · bar = one · circle = zero (optional)
Solid line: identifying (FK is part of the child's PK)
Dashed line: non-identifying relationship
PK primary key · FK foreign key
UK, U1, U2: unique key (same tag = one composite key)
"gen" generated column · "null" nullable



MUSE — 8 · MUSE World, Trends & Audit

7 tables in this group, 14 relationships; dashed boxes are tables of other groups · edge label = FK column(s) · ON DELETE rule

Notation (crow's foot)



Crow's foot = many · bar = one · circle = zero (optional)
Solid line: identifying (FK is part of the child's PK)
Dashed line: non-identifying relationship
PK primary key · FK foreign key
UK, U1, U2: unique key (same tag = one composite key)
"gen" generated column · "null" nullable

8 · MUSE World, Trends & Audit

archetype_moods

PK FK	archetype_code	varchar(20)
PK FK	mood_id	smallint

+ 1 other column

archetype_code · CASCADE

world_archetypes

PK	archetype_code	varchar(20)
UK	name	varchar(40)

+ 5 other columns

archetype_code · RESTRICT

weekly_worlds

PK	world_id	bigint
FK U3	user_id	int
FK	archetype_code	varchar(20)
FK	primary_mood_id	smallint
FK	language_id	smallint · null
FK	region_code	varchar(6) · null
FK U1	batch_id	bigint
FK	job_id	bigint · null
U3	week_start	date
U3	version	smallint
U2	active_key	varchar(30) · gen · null

+ 7 other columns

world_id · CASCADE

mood_id · CASCADE

world_feedback

PK FK	user_id	int
PK FK	world_id	bigint

+ 3 other columns

trend_snapshots

PK	snapshot_id	bigint
FK UK	job_id	bigint
FK	region_code	varchar(6) · null
UK	window_code	enum
UK	entity_type	enum
UK	entity_id	int
UK	region_key	varchar(6) · gen · null

+ 6 other columns

user_id · CASCADE

primary_mood_id · RESTRICT

schema_migrations

PK	version	char(4)

+ 4 other columns

audit_logs

PK	audit_id	bigint
FK	actor_user_id	int · null

+ 7 other columns

language_id · SET NULL

user_id · CASCADE

moods
3 · Mood & Audio Intelligence

region_code · SET NULL

languages
2 · Music Catalogue

batch_id · RESTRICT

recommendation_batches
5 · Recommendation Engine

job_id · SET NULL

job_id · CASCADE

regions
2 · Music Catalogue

region_code · CASCADE

actor_user_id · SET NULL

pipeline_jobs
7 · Music Sources & Data Pipeline

users
1 · Users, Profiles & Access Control