MUSE — Table Structure

Database **muse_db** on MySQL 8.0.46, loaded from `schema.sql`. Exported from information_schema: 64 tables, 523 columns, 222 indexes, 124 foreign keys, 71 CHECK constraints.

PK = primary key · NN = NOT NULL · UQ = unique (single column) · AI = AUTO_INCREMENT · G = generated column. Composite unique keys are listed under Indexes.

album_artists

3 columns · 32 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 album_id	INT UNSIGNED	✔	✔				
🔑 artist_id	INT UNSIGNED	✔	✔				
credit_order	TINYINT UNSIGNED		✔				1

Indexes (2)

- **PRIMARY** PRIMARY (album_id, artist_id)
- **idx_aa_artist** INDEX (artist_id)

Foreign keys (2)

- **fk_aa_album** (album_id) → albums(album_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_aa_artist** (artist_id) → artists(artist_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

albums

9 columns · 32 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 album_id	INT UNSIGNED	✔	✔		✔		
title	VARCHAR(150)		✔				
normalized_title	VARCHAR(150)					✔	AS (trim(regexp_replace(lower(`title`),'[!-/:-@\\[-`{-~——‘’“”[:space:]]+',' '))) STORED
album_type	ENUM('ALBUM','EP','SINGLE','SOUNDTRACK','COMPILATION')		✔				ALBUM
film_id	INT UNSIGNED						NULL
release_year	SMALLINT UNSIGNED		✔				
language_id	SMALLINT UNSIGNED						NULL
cover_color_1	CHAR(7)		✔				
cover_color_2	CHAR(7)		✔				

Indexes (5)

- **PRIMARY** PRIMARY (album_id)
- **fk_albums_film** INDEX (film_id)
- **fk_albums_lang** INDEX (language_id)
- **ft_albums_title** FULLTEXT (title)
- **idx_albums_normalized** INDEX (normalized_title)

Foreign keys (2)

- **fk_albums_film** (film_id) → films(film_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_albums_lang** (language_id) → languages(language_id) ON DELETE SET NULL · ON UPDATE CASCADE

CHECK constraints (3)

- **chk_albums_colors** (regexp_like(`cover_color_1`,'^#[0-9A-Fa-f]{6}$') and regexp_like(`cover_color_2`,'^#[0-9A-Fa-f]{6}$'))
- **chk_albums_film** ((`film_id` is null) or (`album_type` = 'SOUNDTRACK'))
- **chk_albums_year** (`release_year` between 1900 and 2100)

archetype_moods

3 columns · 50 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 archetype_code	VARCHAR(20)	✔	✔				
🔑 mood_id	SMALLINT UNSIGNED	✔	✔				
weight	DECIMAL(3,2)		✔				

Indexes (2)

- **PRIMARY** PRIMARY (archetype_code, mood_id)
- **fk_am_mood** INDEX (mood_id)

Foreign keys (2)

- **fk_am_arch** (archetype_code) → world_archetypes(archetype_code) ON DELETE CASCADE · ON UPDATE CASCADE
- **fk_am_mood** (mood_id) → moods(mood_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_am_weight** ((`weight` > 0) and (`weight` <= 1))

artist_aliases

5 columns · 22 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 alias_id	INT UNSIGNED	✔	✔		✔		
artist_id	INT UNSIGNED		✔				
alias	VARCHAR(100)		✔				
normalized_alias	VARCHAR(100)					✔	AS (trim(regexp_replace(lower(`alias`),'[!-/:-@\\[-`{-~——‘’“”[:space:]]+',' '))) STORED
alias_type	ENUM('SPELLING','TRANSLITERATION','NATIVE_SCRIPT','STAGE_NAME')		✔				

Indexes (4)

- **PRIMARY** PRIMARY (alias_id)
- **ft_aliases_alias** FULLTEXT (alias)
- **idx_aliases_normalized** INDEX (normalized_alias)
- **uq_aliases_artist_alias** UNIQUE (artist_id, normalized_alias)

Foreign keys (1)

- **fk_aliases_artist** (artist_id) → artists(artist_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

artists

11 columns · 31 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 artist_id	INT UNSIGNED	✔	✔		✔		
name	VARCHAR(100)		✔				
normalized_name	VARCHAR(100)					✔	AS (trim(regexp_replace(lower(`name`),'[!-/:-@\\[-`{-~—–‘’“”[:space:]]+',' '))) STORED
disambiguation	VARCHAR(80)		✔				
artist_type	ENUM('SOLO','GROUP','COMPOSER','ORCHESTRA')		✔				SOLO
country_code	CHAR(2)		✔				IN
region_code	VARCHAR(6)						NULL
primary_language_id	SMALLINT UNSIGNED						NULL
formed_year	SMALLINT UNSIGNED						NULL
bio	VARCHAR(400)						NULL
created_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (5)

- **PRIMARY** PRIMARY (artist_id)
- **fk_artists_lang** INDEX (primary_language_id)
- **fk_artists_region** INDEX (region_code)
- **ft_artists_name** FULLTEXT (name)
- **uq_artists_identity** UNIQUE (normalized_name, disambiguation)

Foreign keys (2)

- **fk_artists_lang** (primary_language_id) → languages(language_id) ON DELETE SET NULL · ON UPDATE CASCADE
- **fk_artists_region** (region_code) → regions(region_code) ON DELETE SET NULL · ON UPDATE CASCADE

CHECK constraints (1)

- **chk_artists_year** ((`formed_year` is null) or (`formed_year` between 1900 and 2100))

audio_features

16 columns · 208 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 feature_id	INT UNSIGNED	✔	✔		✔		
song_id	INT UNSIGNED		✔				
model_id	SMALLINT UNSIGNED		✔				
energy	DECIMAL(4,3)		✔				
valence	DECIMAL(4,3)		✔				
danceability	DECIMAL(4,3)		✔				
acousticness	DECIMAL(4,3)		✔				
instrumentalness	DECIMAL(4,3)		✔				
speechiness	DECIMAL(4,3)		✔				
loudness_db	DECIMAL(5,2)		✔				
tempo_bpm	DECIMAL(5,1)		✔				
musical_key	TINYINT UNSIGNED		✔				
mode	TINYINT UNSIGNED		✔				
analyzed_at	DATETIME		✔				CURRENT_TIMESTAMP
is_current	TINYINT(1)		✔				0
current_song_key	INT UNSIGNED			✔		✔	AS (if((`is_current` = 1),`song_id`,NULL)) VIRTUAL

Indexes (5)

- **PRIMARY** PRIMARY (feature_id)
- **fk_af_model** INDEX (model_id)
- **idx_af_energy_valence** INDEX (energy, valence)
- **uq_af_one_current** UNIQUE (current_song_key)
- **uq_af_song_model** UNIQUE (song_id, model_id)

Foreign keys (2)

- **fk_af_model** (model_id) → intelligence_models(model_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_af_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (4)

- **chk_af_key** ((`musical_key` <= 11) and (`mode` in (0,1)))
- **chk_af_loudness** (`loudness_db` between -(60) and 0)
- **chk_af_tempo** (`tempo_bpm` between 40 and 220)
- **chk_af_unit** ((`energy` between 0 and 1) and (`valence` between 0 and 1) and (`danceability` between 0 and 1) and (`acousticness` between 0 and 1) and (`instrumentalness` between 0 and 1) and (`speechiness` between 0 and 1))

audit_logs

9 columns · 1 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 audit_id	BIGINT UNSIGNED	✔	✔		✔		
actor_user_id	INT UNSIGNED						NULL
action	VARCHAR(40)		✔				
entity_type	VARCHAR(30)		✔				
entity_id	VARCHAR(40)		✔				
old_values	JSON						NULL
new_values	JSON						NULL
ip_address	VARCHAR(45)						NULL
created_at	DATETIME(3)		✔				CURRENT_TIMESTAMP(3)

Indexes (4)

- **PRIMARY** PRIMARY (audit_id)
- **idx_audit_actor** INDEX (actor_user_id, created_at)
- **idx_audit_entity** INDEX (entity_type, entity_id)
- **idx_audit_time** INDEX (created_at)

Foreign keys (1)

- **fk_audit_actor** (actor_user_id) → users(user_id) ON DELETE SET NULL · ON UPDATE RESTRICT

CHECK constraints (0)

none

auth_sessions

10 columns · 0 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 session_id	CHAR(16)	✔	✔				
token_hash	CHAR(64)		✔	✔			
user_id	INT UNSIGNED		✔				
created_at	DATETIME		✔				CURRENT_TIMESTAMP
last_seen_at	DATETIME		✔				CURRENT_TIMESTAMP
expires_at	DATETIME		✔				
revoked_at	DATETIME						NULL
revoke_reason	ENUM('LOGOUT','LOGOUT_ALL','PASSWORD_CHANGED','ADMIN_DEACTIVATED','REVOKED_BY_USER','ACCOUNT_DELETED')						NULL
user_agent	VARCHAR(160)						NULL
ip_hash	CHAR(64)						NULL

Indexes (4)

- **PRIMARY** PRIMARY (session_id)
- **idx_session_expiry** INDEX (expires_at)
- **idx_session_user** INDEX (user_id, revoked_at, expires_at)
- **uq_session_token** UNIQUE (token_hash)

Foreign keys (1)

- **fk_session_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_session_revoke** ((`revoked_at` is null) = (`revoke_reason` is null))
- **chk_session_times** ((`expires_at` > `created_at`) and (`last_seen_at` >= `created_at`))

context_keywords

2 columns · 73 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 phrase	VARCHAR(60)	✔	✔				
context_id	TINYINT UNSIGNED		✔				

Indexes (2)

- **PRIMARY** PRIMARY (phrase)
- **fk_ck_ctx** INDEX (context_id)

Foreign keys (1)

- **fk_ck_ctx** (context_id) → contexts(context_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_ck_lower** (`phrase` = lower(`phrase`))

context_moods

3 columns · 32 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 context_id	TINYINT UNSIGNED	✔	✔				
🔑 mood_id	SMALLINT UNSIGNED	✔	✔				
weight	DECIMAL(3,2)		✔				

Indexes (2)

- **PRIMARY** PRIMARY (context_id, mood_id)
- **fk_cm_mood** INDEX (mood_id)

Foreign keys (2)

- **fk_cm_ctx** (context_id) → contexts(context_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_cm_mood** (mood_id) → moods(mood_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_cm_weight** ((`weight` > 0) and (`weight` <= 1))

contexts

14 columns · 10 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 context_id	TINYINT UNSIGNED	✔	✔		✔		
code	VARCHAR(20)		✔	✔			
name	VARCHAR(40)		✔				
emoji	VARCHAR(8)		✔				
description	VARCHAR(200)		✔				
target_energy	DECIMAL(4,3)		✔				
target_valence	DECIMAL(4,3)		✔				
target_danceability	DECIMAL(4,3)		✔				
target_acousticness	DECIMAL(4,3)		✔				
target_instrumentalness	DECIMAL(4,3)		✔				
tempo_min	DECIMAL(5,1)		✔				
tempo_max	DECIMAL(5,1)		✔				
max_speechiness	DECIMAL(4,3)		✔				1.000
sort_order	TINYINT UNSIGNED		✔				

Indexes (2)

- **PRIMARY** PRIMARY (context_id)
- **uq_contexts_code** UNIQUE (code)

Foreign keys (0)

none

CHECK constraints (3)

- **chk_ctx_code** regexp_like(`code`,'^[A-Z_]{2,20}$','c')
- **chk_ctx_targets** ((`target_energy` between 0 and 1) and (`target_valence` between 0 and 1) and (`target_danceability` between 0 and 1) and (`target_acousticness` between 0 and 1) and (`target_instrumentalness` between 0 and 1) and (`max_speechiness` between 0 and 1))
- **chk_ctx_tempo** ((`tempo_min` >= 40) and (`tempo_max` <= 220) and (`tempo_min` < `tempo_max`))

films

4 columns · 4 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 film_id	INT UNSIGNED	✔	✔		✔		
title	VARCHAR(150)		✔				
release_year	SMALLINT UNSIGNED		✔				
language_id	SMALLINT UNSIGNED		✔				

Indexes (3)

- **PRIMARY** PRIMARY (film_id)
- **fk_films_lang** INDEX (language_id)
- **uq_films_identity** UNIQUE (title, release_year, language_id)

Foreign keys (1)

- **fk_films_lang** (language_id) → languages(language_id) ON DELETE RESTRICT · ON UPDATE CASCADE

CHECK constraints (1)

- **chk_films_year** (`release_year` between 1900 and 2100)

genres

5 columns · 23 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 genre_id	SMALLINT UNSIGNED	✔	✔		✔		
name	VARCHAR(40)		✔	✔			
parent_genre_id	SMALLINT UNSIGNED						NULL
color_hex	CHAR(7)		✔				
description	VARCHAR(200)						NULL

Indexes (3)

- **PRIMARY** PRIMARY (genre_id)
- **fk_genres_parent** INDEX (parent_genre_id)
- **uq_genres_name** UNIQUE (name)

Foreign keys (1)

- **fk_genres_parent** (parent_genre_id) → genres(genre_id) ON DELETE SET NULL · ON UPDATE CASCADE

CHECK constraints (1)

- **chk_genres_color** regexp_like(`color_hex`,'^#[0-9A-Fa-f]{6}$')

incognito_events

7 columns · 8 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 event_id	BIGINT UNSIGNED	✔	✔		✔		
incognito_id	BIGINT UNSIGNED		✔				
song_id	INT UNSIGNED		✔				
listened_sec	SMALLINT UNSIGNED		✔				
completed	TINYINT(1)		✔				0
skipped	TINYINT(1)		✔				0
occurred_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (3)

- **PRIMARY** PRIMARY (event_id)
- **fk_ie_song** INDEX (song_id)
- **idx_ie_session** INDEX (incognito_id, occurred_at)

Foreign keys (2)

- **fk_ie_session** (incognito_id) → incognito_sessions(incognito_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_ie_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_ie_flags** ((`completed` <> 1) or (`skipped` <> 1))

incognito_sessions

8 columns · 2 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 incognito_id	BIGINT UNSIGNED	✔	✔		✔		
user_id	INT UNSIGNED		✔				
current_mood_id	SMALLINT UNSIGNED						NULL
status	ENUM('ACTIVE','ENDED','EXPIRED')		✔				ACTIVE
active_user_key	INT UNSIGNED			✔		✔	AS (if((`status` = 'ACTIVE'),`user_id`,NULL)) VIRTUAL
started_at	DATETIME		✔				CURRENT_TIMESTAMP
expires_at	DATETIME		✔				
ended_at	DATETIME						NULL

Indexes (5)

- **PRIMARY** PRIMARY (incognito_id)
- **fk_incog_mood** INDEX (current_mood_id)
- **fk_incog_user** INDEX (user_id)
- **idx_incog_expiry** INDEX (status, expires_at)
- **uq_incog_one_active** UNIQUE (active_user_key)

Foreign keys (2)

- **fk_incog_mood** (current_mood_id) → moods(mood_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_incog_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_incog_state** ((`status` = 'ACTIVE') = (`ended_at` is null))
- **chk_incog_times** ((`expires_at` > `started_at`) and ((`ended_at` is null) or (`ended_at` >= `started_at`)))

intelligence_models

8 columns · 9 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 model_id	SMALLINT UNSIGNED	✔	✔		✔		
kind	ENUM('AUDIO_FEATURES','MOOD','SEGMENTS','PREFERENCE','RECOMMENDER','WORLD')		✔				
name	VARCHAR(40)		✔				
version	VARCHAR(20)		✔				
description	VARCHAR(300)		✔				
is_active	TINYINT(1)		✔				0
active_kind	VARCHAR(20)			✔		✔	AS (if((`is_active` = 1),`kind`,NULL)) VIRTUAL
created_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (3)

- **PRIMARY** PRIMARY (model_id)
- **uq_models_one_active** UNIQUE (active_kind)
- **uq_models_version** UNIQUE (kind, name, version)

Foreign keys (0)

none

CHECK constraints (0)

none

languages

5 columns · 12 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 language_id	SMALLINT UNSIGNED	✔	✔		✔		
iso_code	VARCHAR(3)		✔	✔			
name	VARCHAR(40)		✔	✔			
native_name	VARCHAR(40)		✔				
script	VARCHAR(30)		✔				

Indexes (3)

- **PRIMARY** PRIMARY (language_id)
- **uq_languages_iso** UNIQUE (iso_code)
- **uq_languages_name** UNIQUE (name)

Foreign keys (0)

none

CHECK constraints (1)

- **chk_languages_iso** regexp_like(`iso_code`,'^[a-z]{2,3}$','c')

listening_history

13 columns · 2634 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 play_id	BIGINT UNSIGNED	✔	✔		✔		
session_id	BIGINT UNSIGNED		✔				
user_id	INT UNSIGNED		✔				
song_id	INT UNSIGNED		✔				
batch_id	BIGINT UNSIGNED						NULL
origin	ENUM('HOME','MOOD','CONTEXT','WORLD','SEARCH','PLAYLIST','LIBRARY','SMART_PLAYLIST')		✔				HOME
started_at	DATETIME		✔				CURRENT_TIMESTAMP
ended_at	DATETIME						NULL
listened_sec	SMALLINT UNSIGNED		✔				0
completion_pct	DECIMAL(5,2)		✔				0.00
completed	TINYINT(1)		✔				0
skipped	TINYINT(1)		✔				0
is_replay	TINYINT(1)		✔				0

Indexes (7)

- **PRIMARY** PRIMARY (play_id)
- **fk_lh_batch** INDEX (batch_id)
- **fk_lh_session_user** INDEX (session_id, user_id)
- **idx_lh_session** INDEX (session_id)
- **idx_lh_song_time** INDEX (song_id, started_at)
- **idx_lh_user_song** INDEX (user_id, song_id, started_at)
- **idx_lh_user_time** INDEX (user_id, started_at)

Foreign keys (3)

- **fk_lh_batch** (batch_id) → recommendation_batches(batch_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_lh_session_user** (session_id, user_id) → listening_sessions(session_id, user_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_lh_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (3)

- **chk_lh_end** ((`ended_at` is null) or (`ended_at` >= `started_at`))
- **chk_lh_flags** ((`completed` <> 1) or (`skipped` <> 1))
- **chk_lh_pct** (`completion_pct` between 0 and 100)

listening_sessions

10 columns · 497 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 session_id	BIGINT UNSIGNED	✔	✔		✔		
user_id	INT UNSIGNED		✔				
context_id	TINYINT UNSIGNED						NULL
device	VARCHAR(30)		✔				web
started_at	DATETIME		✔				CURRENT_TIMESTAMP
last_activity_at	DATETIME		✔				CURRENT_TIMESTAMP
ended_at	DATETIME						NULL
status	ENUM('OPEN','CLOSED')		✔				OPEN
plays	SMALLINT UNSIGNED		✔				0
listen_sec	INT UNSIGNED		✔				0

Indexes (4)

- **PRIMARY** PRIMARY (session_id)
- **fk_ls_ctx** INDEX (context_id)
- **idx_ls_user_status** INDEX (user_id, status, last_activity_at)
- **uq_ls_session_user** UNIQUE (session_id, user_id)

Foreign keys (2)

- **fk_ls_ctx** (context_id) → contexts(context_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_ls_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_ls_state** (((`status` = 'OPEN') and (`ended_at` is null)) or ((`status` = 'CLOSED') and (`ended_at` is not null) and (`ended_at` >= `started_at`)))

model_parameters

6 columns · 48 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 model_id	SMALLINT UNSIGNED	✔	✔				
🔑 param_code	VARCHAR(40)	✔	✔				
param_value	DECIMAL(10,4)		✔				
min_value	DECIMAL(10,4)		✔				
max_value	DECIMAL(10,4)		✔				
description	VARCHAR(200)		✔				

Indexes (1)

- **PRIMARY** PRIMARY (model_id, param_code)

Foreign keys (1)

- **fk_mp_model** (model_id) → intelligence_models(model_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_mp_range** ((`min_value` <= `max_value`) and (`param_value` between `min_value` and `max_value`))

mood_categories

4 columns · 4 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 category_id	TINYINT UNSIGNED	✔	✔		✔		
name	VARCHAR(40)		✔	✔			
quadrant	ENUM('BRIGHT_HIGH','BRIGHT_LOW','DARK_HIGH','DARK_LOW')		✔	✔			
description	VARCHAR(200)		✔				

Indexes (3)

- **PRIMARY** PRIMARY (category_id)
- **uq_mc_name** UNIQUE (name)
- **uq_mc_quadrant** UNIQUE (quadrant)

Foreign keys (0)

none

CHECK constraints (0)

none

mood_keywords

4 columns · 169 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 keyword_id	INT UNSIGNED	✔	✔		✔		
phrase	VARCHAR(60)		✔				
mood_id	SMALLINT UNSIGNED		✔				
weight	DECIMAL(3,2)		✔				

Indexes (3)

- **PRIMARY** PRIMARY (keyword_id)
- **idx_mk_mood** INDEX (mood_id)
- **uq_mk** UNIQUE (phrase, mood_id)

Foreign keys (1)

- **fk_mk_mood** (mood_id) → moods(mood_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_mk_lower** (`phrase` = lower(`phrase`))
- **chk_mk_weight** ((`weight` > 0) and (`weight` <= 1))

mood_segments

11 columns · 407 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 segment_id	INT UNSIGNED	✔	✔		✔		
song_id	INT UNSIGNED		✔				
model_id	SMALLINT UNSIGNED		✔				
segment_index	TINYINT UNSIGNED		✔				
start_sec	SMALLINT UNSIGNED		✔				
end_sec	SMALLINT UNSIGNED		✔				
mood_id	SMALLINT UNSIGNED		✔				
confidence	DECIMAL(4,3)		✔				
energy	DECIMAL(4,3)		✔				
valence	DECIMAL(4,3)		✔				
analyzed_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (4)

- **PRIMARY** PRIMARY (segment_id)
- **fk_ms_model** INDEX (model_id)
- **fk_ms_mood** INDEX (mood_id)
- **uq_ms_order** UNIQUE (song_id, model_id, segment_index)

Foreign keys (3)

- **fk_ms_model** (model_id) → intelligence_models(model_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_ms_mood** (mood_id) → moods(mood_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_ms_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_ms_span** (`start_sec` < `end_sec`)
- **chk_ms_vals** ((`confidence` > 0) and (`confidence` <= 1) and (`energy` between 0 and 1) and (`valence` between 0 and 1))

moods

13 columns · 17 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 mood_id	SMALLINT UNSIGNED	✔	✔		✔		
category_id	TINYINT UNSIGNED		✔				
name	VARCHAR(30)		✔	✔			
emoji	VARCHAR(8)		✔				
color_hex	CHAR(7)		✔				
description	VARCHAR(200)		✔				
target_energy	DECIMAL(4,3)		✔				
target_valence	DECIMAL(4,3)		✔				
target_danceability	DECIMAL(4,3)		✔				
target_acousticness	DECIMAL(4,3)		✔				
target_instrumentalness	DECIMAL(4,3)		✔				
tempo_min	DECIMAL(5,1)		✔				
tempo_max	DECIMAL(5,1)		✔				

Indexes (3)

- **PRIMARY** PRIMARY (mood_id)
- **fk_moods_category** INDEX (category_id)
- **uq_moods_name** UNIQUE (name)

Foreign keys (1)

- **fk_moods_category** (category_id) → mood_categories(category_id) ON DELETE RESTRICT · ON UPDATE CASCADE

CHECK constraints (3)

- **chk_moods_color** regexp_like(`color_hex`,'^#[0-9A-Fa-f]{6}$')
- **chk_moods_targets** ((`target_energy` between 0 and 1) and (`target_valence` between 0 and 1) and (`target_danceability` between 0 and 1) and (`target_acousticness` between 0 and 1) and (`target_instrumentalness` between 0 and 1))
- **chk_moods_tempo** ((`tempo_min` >= 40) and (`tempo_max` <= 220) and (`tempo_min` < `tempo_max`))

music_sources

16 columns · 9 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 source_id	SMALLINT UNSIGNED	✔	✔		✔		
code	VARCHAR(30)		✔	✔			
name	VARCHAR(80)		✔				
source_type	ENUM('MUSIC_METADATA','AUDIO_ANALYSIS','MUSIC_AUDIO','PLAYBACK','MOVIE_METADATA','ARTWORK','VIDEO_METADATA')		✔				
access_method	ENUM('API','FILE_FEED','GENERATED','USER_UPLOAD','MANUAL')		✔				
base_url	VARCHAR(255)						NULL
license_name	VARCHAR(120)		✔				
rights_scope	SET('METADATA','AUDIO_FEATURES','AUDIO_PREVIEW','AUDIO_FULL','ARTWORK')		✔				
requires_attribution	TINYINT(1)		✔				0
attribution_text	VARCHAR(255)						NULL
priority	TINYINT UNSIGNED		✔				50
fallback_source_id	SMALLINT UNSIGNED						NULL
is_enabled	TINYINT(1)		✔				1
requires_credentials	TINYINT(1)		✔				0
last_success_at	DATETIME						NULL
notes	VARCHAR(300)						NULL

Indexes (3)

- **PRIMARY** PRIMARY (source_id)
- **fk_sources_fallback** INDEX (fallback_source_id)
- **uq_sources_code** UNIQUE (code)

Foreign keys (1)

- **fk_sources_fallback** (fallback_source_id) → music_sources(source_id) ON DELETE SET NULL · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_sources_attrib** ((`requires_attribution` = 0) or (`attribution_text` is not null))

permissions

2 columns · 9 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 permission_code	VARCHAR(40)	✔	✔				
description	VARCHAR(200)		✔				

Indexes (1)

- **PRIMARY** PRIMARY (permission_code)

Foreign keys (0)

none

CHECK constraints (0)

none

pipeline_job_logs

7 columns · 15 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 log_id	BIGINT UNSIGNED	✔	✔		✔		
job_id	BIGINT UNSIGNED		✔				
level	ENUM('INFO','WARN','ERROR')		✔				
stage	VARCHAR(30)		✔				
message	VARCHAR(500)		✔				
record_id	BIGINT UNSIGNED						NULL
created_at	DATETIME(3)		✔				CURRENT_TIMESTAMP(3)

Indexes (4)

- **PRIMARY** PRIMARY (log_id)
- **fk_logs_record** INDEX (record_id)
- **idx_logs_job** INDEX (job_id, log_id)
- **idx_logs_level** INDEX (level, created_at)

Foreign keys (2)

- **fk_logs_job** (job_id) → pipeline_jobs(job_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_logs_record** (record_id) → source_records(record_id) ON DELETE SET NULL · ON UPDATE RESTRICT

CHECK constraints (0)

none

pipeline_jobs

19 columns · 4 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype
🔑 job_id	BIGINT UNSIGNED
job_type	ENUM('INGEST_SOURCE','AUDIO_ANALYSIS','MOOD_ANALYSIS','TREND_SNAPSHOT','WORLD_GENERATION','WEEKLY_INTELLIGENCE','PREFERENCE_REFRESH','INCOGNITO_CLEA
parent_job_id	BIGINT UNSIGNED
source_id	SMALLINT UNSIGNED
idempotency_key	VARCHAR(120)
status	ENUM('DISCOVERED','VALIDATING','PROCESSING','COMPLETED','SKIPPED','FAILED')
params	JSON
processing_version	VARCHAR(20)
retry_count	TINYINT UNSIGNED
max_retries	TINYINT UNSIGNED
next_attempt_at	DATETIME
locked_by	VARCHAR(64)
locked_at	DATETIME
requested_by	INT UNSIGNED
stats	JSON
last_error	VARCHAR(500)
created_at	DATETIME
started_at	DATETIME
completed_at	DATETIME

Indexes (8)

- **PRIMARY** PRIMARY (job_id)
- **fk_jobs_parent** INDEX (parent_job_id)
- **fk_jobs_source** INDEX (source_id)
- **fk_jobs_user** INDEX (requested_by)
- **idx_jobs_claim** INDEX (status, next_attempt_at)
- **idx_jobs_queue** INDEX (status, job_id)
- **idx_jobs_type_time** INDEX (job_type, created_at)
- **uq_jobs_idem** UNIQUE (idempotency_key)

Foreign keys (3)

- **fk_jobs_parent** (parent_job_id) → pipeline_jobs(job_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_jobs_source** (source_id) → music_sources(source_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_jobs_user** (requested_by) → users(user_id) ON DELETE SET NULL · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_jobs_retry** (`retry_count` <= (`max_retries` + 1))
- **chk_jobs_times** ((`completed_at` is null) or (`started_at` is null) or (`completed_at` >= `started_at`))

playback_events

6 columns · 5942 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 event_id	BIGINT UNSIGNED	✔	✔		✔		
play_id	BIGINT UNSIGNED		✔				
event_type	ENUM('PLAY_STARTED','PAUSE','RESUME','SEEK','SKIP','COMPLETED','REPLAY')		✔				
position_sec	SMALLINT UNSIGNED		✔				
seek_to_sec	SMALLINT UNSIGNED						NULL
occurred_at	DATETIME(3)		✔				CURRENT_TIMESTAMP(3)

Indexes (2)

- **PRIMARY** PRIMARY (event_id)
- **idx_pe_play** INDEX (play_id, occurred_at)

Foreign keys (1)

- **fk_pe_play** (play_id) → listening_history(play_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_pe_seek** ((`event_type` = 'SEEK') = (`seek_to_sec` is not null))

playlist_songs

4 columns · 55 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 playlist_id	INT UNSIGNED	✔	✔				
🔑 song_id	INT UNSIGNED	✔	✔				
position	SMALLINT UNSIGNED		✔				0
added_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (2)

- **PRIMARY** PRIMARY (playlist_id, song_id)
- **idx_ps_song** INDEX (song_id)

Foreign keys (2)

- **fk_ps_playlist** (playlist_id) → playlists(playlist_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_ps_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

playlists

11 columns · 8 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 playlist_id	INT UNSIGNED	✔	✔		✔		
user_id	INT UNSIGNED		✔				
name	VARCHAR(80)		✔				
description	VARCHAR(255)						NULL
kind	ENUM('MANUAL','SMART','SAVED_MIX','WORLD')		✔				MANUAL
smart_type	VARCHAR(30)						NULL
source_batch_id	BIGINT UNSIGNED						NULL
song_count	SMALLINT UNSIGNED		✔				0
total_duration_sec	INT UNSIGNED		✔				0
created_at	DATETIME		✔				CURRENT_TIMESTAMP
updated_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (3)

- **PRIMARY** PRIMARY (playlist_id)
- **fk_pl_batch** INDEX (source_batch_id)
- **uq_playlists_user_name** UNIQUE (user_id, name)

Foreign keys (2)

- **fk_pl_batch** (source_batch_id) → recommendation_batches(batch_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_pl_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_pl_name** (char_length(trim(`name`)) >= 1)
- **chk_pl_smart** ((`kind` = 'SMART') = (`smart_type` is not null))

ratings

5 columns · 146 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 song_id	INT UNSIGNED	✔	✔				
rating	TINYINT UNSIGNED		✔				
rated_at	DATETIME		✔				CURRENT_TIMESTAMP
updated_at	DATETIME		✔				CURRENT_TIMESTAMP on update CURRENT_TIMESTAMP

Indexes (2)

- **PRIMARY** PRIMARY (user_id, song_id)
- **idx_ratings_song** INDEX (song_id, rating)

Foreign keys (2)

- **fk_ratings_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_ratings_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_ratings_value** (`rating` between 1 and 5)

reason_types

3 columns · 16 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 reason_code	VARCHAR(30)	✔	✔				
template	VARCHAR(160)		✔				
score_family	VARCHAR(30)		✔				

Indexes (1)

- **PRIMARY** PRIMARY (reason_code)

Foreign keys (0)

none

CHECK constraints (0)

none

recommendation_batch_moods

3 columns · 39 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 batch_id	BIGINT UNSIGNED	✔	✔				
🔑 mood_id	SMALLINT UNSIGNED	✔	✔				
weight	DECIMAL(3,2)		✔				

Indexes (2)

- **PRIMARY** PRIMARY (batch_id, mood_id)
- **idx_rbm_mood** INDEX (mood_id)

Foreign keys (2)

- **fk_rbm_batch** (batch_id) → recommendation_batches(batch_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_rbm_mood** (mood_id) → moods(mood_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_rbm_weight** ((`weight` > 0) and (`weight` <= 1))

recommendation_batches

20 columns · 11 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 batch_id	BIGINT UNSIGNED	✔	✔		✔		
user_id	INT UNSIGNED		✔				
incognito_id	BIGINT UNSIGNED						NULL
model_id	SMALLINT UNSIGNED		✔				
strategy	ENUM('MOOD','TEXT','CONTEXT','DAILY','SIMILAR','TRENDING','DISCOVERY','REGIONAL','WORLD','SMART_PLAYLIST','RECOVERY')		✔				
label	VARCHAR(120)						NULL
input_text	VARCHAR(280)						NULL
context_id	TINYINT UNSIGNED						NULL
seed_song_id	INT UNSIGNED						NULL
language_id	SMALLINT UNSIGNED						NULL
target_energy	DECIMAL(4,3)		✔				
target_valence	DECIMAL(4,3)		✔				
target_danceability	DECIMAL(4,3)		✔				
target_acousticness	DECIMAL(4,3)		✔				
target_instrumentalness	DECIMAL(4,3)		✔				
tempo_min	DECIMAL(5,1)		✔				
tempo_max	DECIMAL(5,1)		✔				
max_speechiness	DECIMAL(4,3)		✔				1.000
discovery_only	TINYINT(1)		✔				0
created_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (7)

- **PRIMARY** PRIMARY (batch_id)
- **fk_rb_ctx** INDEX (context_id)
- **fk_rb_incognito** INDEX (incognito_id)
- **fk_rb_lang** INDEX (language_id)
- **fk_rb_model** INDEX (model_id)
- **fk_rb_seed** INDEX (seed_song_id)
- **idx_rb_user_time** INDEX (user_id, created_at)

Foreign keys (6)

- **fk_rb_ctx** (context_id) → contexts(context_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_rb_incognito** (incognito_id) → incognito_sessions(incognito_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_rb_lang** (language_id) → languages(language_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_rb_model** (model_id) → intelligence_models(model_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_rb_seed** (seed_song_id) → songs(song_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_rb_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_rb_targets** ((`target_energy` between 0 and 1) and (`target_valence` between 0 and 1) and (`target_danceability` between 0 and 1) and (`target_acousticness` between 0 and 1) and (`target_instrumentalness` between 0 and 1) and (`max_speechiness` between 0 and 1))
- **chk_rb_tempo** (`tempo_min` < `tempo_max`)

recommendation_items

13 columns · 198 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 batch_id	BIGINT UNSIGNED	✔	✔				
🔑 song_id	INT UNSIGNED	✔	✔				
rank_position	SMALLINT UNSIGNED		✔				
final_score	DECIMAL(6,4)		✔				
mood_score	DECIMAL(6,4)						NULL
audio_score	DECIMAL(6,4)		✔				
preference_score	DECIMAL(6,4)		✔				
recency_score	DECIMAL(6,4)						NULL
trend_score	DECIMAL(6,4)		✔				
context_score	DECIMAL(6,4)						NULL
regional_score	DECIMAL(6,4)						NULL
exploration_score	DECIMAL(6,4)		✔				
repetition_penalty	DECIMAL(6,4)		✔				

Indexes (3)

- **PRIMARY** PRIMARY (batch_id, song_id)
- **idx_ri_song** INDEX (song_id)
- **uq_ri_rank** UNIQUE (batch_id, rank_position)

Foreign keys (2)

- **fk_ri_batch** (batch_id) → recommendation_batches(batch_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_ri_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_ri_score** (`final_score` between 0 and 1)

recommendation_reasons

5 columns · 770 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 batch_id	BIGINT UNSIGNED	✔	✔				
🔑 song_id	INT UNSIGNED	✔	✔				
🔑 reason_code	VARCHAR(30)	✔	✔				
strength	DECIMAL(5,3)		✔				
params	JSON		✔				

Indexes (2)

- **PRIMARY** PRIMARY (batch_id, song_id, reason_code)
- **idx_rr_code** INDEX (reason_code)

Foreign keys (2)

- **fk_rr_item** (batch_id, song_id) → recommendation_items(batch_id, song_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_rr_type** (reason_code) → reason_types(reason_code) ON DELETE RESTRICT · ON UPDATE CASCADE

CHECK constraints (0)

none

regions

4 columns · 14 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 region_code	VARCHAR(6)	✔	✔				
name	VARCHAR(60)		✔	✔			
country_code	CHAR(2)		✔				
primary_language_id	SMALLINT UNSIGNED						NULL

Indexes (3)

- **PRIMARY** PRIMARY (region_code)
- **fk_regions_language** INDEX (primary_language_id)
- **uq_regions_name** UNIQUE (name)

Foreign keys (1)

- **fk_regions_language** (primary_language_id) → languages(language_id) ON DELETE SET NULL · ON UPDATE CASCADE

CHECK constraints (1)

- **chk_regions_code** regexp_like(`region_code`,'^[A-Z]{2}(-[A-Z]{2,3})?$','c')

review_queue

13 columns · 0 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 review_id	BIGINT UNSIGNED	✔	✔		✔		
review_type	ENUM('POSSIBLE_DUPLICATE','SUSPICIOUS_METADATA','FAILED_INGESTION','SOURCE_CONFLICT')		✔				
record_id	BIGINT UNSIGNED						NULL
candidate_song_id	INT UNSIGNED						NULL
job_id	BIGINT UNSIGNED						NULL
score	DECIMAL(4,3)						NULL
details	JSON		✔				
status	ENUM('PENDING','APPROVED','REJECTED','MERGED','IGNORED','REPROCESS')		✔				PENDING
pending_key	VARCHAR(80)			✔		✔	AS (if((`status` = 'PENDING'),concat(`review_type`,':',coalesce(`record_id`,0)),NULL)) VIRTUAL
decided_by	INT UNSIGNED						NULL
decided_at	DATETIME						NULL
decision_note	VARCHAR(300)						NULL
created_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (7)

- **PRIMARY** PRIMARY (review_id)
- **fk_rq_job** INDEX (job_id)
- **fk_rq_record** INDEX (record_id)
- **fk_rq_song** INDEX (candidate_song_id)
- **fk_rq_user** INDEX (decided_by)
- **idx_review_status** INDEX (status, created_at)
- **uq_review_one_pending** UNIQUE (pending_key)

Foreign keys (4)

- **fk_rq_job** (job_id) → pipeline_jobs(job_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_rq_record** (record_id) → source_records(record_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_rq_song** (candidate_song_id) → songs(song_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_rq_user** (decided_by) → users(user_id) ON DELETE SET NULL · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_rq_decided** ((`status` = 'PENDING') = (`decided_at` is null))

role_permissions

2 columns · 14 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 role_id	TINYINT UNSIGNED	✔	✔				
🔑 permission_code	VARCHAR(40)	✔	✔				

Indexes (2)

- **PRIMARY** PRIMARY (role_id, permission_code)
- **fk_rp_perm** INDEX (permission_code)

Foreign keys (2)

- **fk_rp_perm** (permission_code) → permissions(permission_code) ON DELETE CASCADE · ON UPDATE CASCADE
- **fk_rp_role** (role_id) → roles(role_id) ON DELETE CASCADE · ON UPDATE CASCADE

CHECK constraints (0)

none

roles

3 columns · 3 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 role_id	TINYINT UNSIGNED	✔	✔		✔		
code	VARCHAR(20)		✔	✔			
name	VARCHAR(40)		✔				

Indexes (2)

- **PRIMARY** PRIMARY (role_id)
- **uq_roles_code** UNIQUE (code)

Foreign keys (0)

none

CHECK constraints (0)

none

schema_migrations

5 columns · 5 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 version	CHAR(4)	✔	✔				
name	VARCHAR(120)		✔				
checksum	CHAR(64)						NULL
applied_at	DATETIME		✔				CURRENT_TIMESTAMP
execution_ms	INT UNSIGNED		✔				0

Indexes (1)

- **PRIMARY** PRIMARY (version)

Foreign keys (0)

none

CHECK constraints (1)

- **chk_mig_version** regexp_like(`version`,'^[0-9]{4}$')

search_history

6 columns · 33 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 search_id	BIGINT UNSIGNED	✔	✔		✔		
user_id	INT UNSIGNED		✔				
query_text	VARCHAR(120)		✔				
normalized_query	VARCHAR(120)		✔				
result_count	SMALLINT UNSIGNED		✔				
searched_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (3)

- **PRIMARY** PRIMARY (search_id)
- **idx_sh_query** INDEX (normalized_query)
- **idx_sh_user_time** INDEX (user_id, searched_at)

Foreign keys (1)

- **fk_sh_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

song_artists

4 columns · 18 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 song_id	INT UNSIGNED	✔	✔				
🔑 artist_id	INT UNSIGNED	✔	✔				
🔑 role	ENUM('FEATURED','COMPOSER','LYRICIST','PRODUCER')	✔	✔				
credit_order	TINYINT UNSIGNED		✔				1

Indexes (2)

- **PRIMARY** PRIMARY (song_id, artist_id, role)
- **idx_sa_artist** INDEX (artist_id)

Foreign keys (2)

- **fk_sa_artist** (artist_id) → artists(artist_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_sa_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

song_dismissals

4 columns · 0 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 song_id	INT UNSIGNED	✔	✔				
batch_id	BIGINT UNSIGNED						NULL
dismissed_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (3)

- **PRIMARY** PRIMARY (user_id, song_id)
- **idx_dismiss_batch** INDEX (batch_id)
- **idx_dismiss_song** INDEX (song_id)

Foreign keys (3)

- **fk_dismiss_batch** (batch_id) → recommendation_batches(batch_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_dismiss_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_dismiss_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

song_genres

4 columns · 141 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 song_id	INT UNSIGNED	✔	✔				
🔑 genre_id	SMALLINT UNSIGNED	✔	✔				
is_primary	TINYINT(1)		✔				0
primary_song_key	INT UNSIGNED			✔		✔	AS (if((`is_primary` = 1),`song_id`,NULL)) VIRTUAL

Indexes (3)

- **PRIMARY** PRIMARY (song_id, genre_id)
- **idx_sg_genre** INDEX (genre_id, is_primary)
- **uq_sg_one_primary** UNIQUE (primary_song_key)

Foreign keys (2)

- **fk_sg_genre** (genre_id) → genres(genre_id) ON DELETE RESTRICT · ON UPDATE CASCADE
- **fk_sg_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

song_media

10 columns · 98 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 media_id	INT UNSIGNED	✔	✔		✔		
song_id	INT UNSIGNED		✔				
source_id	SMALLINT UNSIGNED		✔				
media_type	ENUM('PREVIEW','FULL','GENERATED_SKETCH','USER_LOCAL')		✔				
uri	VARCHAR(500)						NULL
rights_status	ENUM('PERMITTED','ATTRIBUTION_REQUIRED','RESTRICTED')		✔				
availability	ENUM('AVAILABLE','UNAVAILABLE','UNCHECKED')		✔				UNCHECKED
last_checked_at	DATETIME						NULL
attribution	VARCHAR(200)						NULL
priority	TINYINT UNSIGNED		✔				50

Indexes (4)

- **PRIMARY** PRIMARY (media_id)
- **fk_media_source** INDEX (source_id)
- **idx_media_song_avail** INDEX (song_id, availability)
- **uq_media** UNIQUE (song_id, source_id, media_type)

Foreign keys (2)

- **fk_media_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_media_source** (source_id) → music_sources(source_id) ON DELETE RESTRICT · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_media_uri** ((`media_type` = 'GENERATED_SKETCH') or (`uri` is not null))

song_mood_curations

7 columns · 0 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 song_id	INT UNSIGNED	✔	✔				
🔑 mood_id	SMALLINT UNSIGNED	✔	✔				
action	ENUM('ADD','REMOVE')		✔				
confidence	DECIMAL(4,3)						NULL
note	VARCHAR(200)						NULL
curated_by	INT UNSIGNED						NULL
curated_at	DATETIME		✔				CURRENT_TIMESTAMP on update CURRENT_TIMESTAMP

Indexes (3)

- **PRIMARY** PRIMARY (song_id, mood_id)
- **fk_smc_curator** INDEX (curated_by)
- **idx_smc_mood** INDEX (mood_id)

Foreign keys (3)

- **fk_smc_curator** (curated_by) → users(user_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_smc_mood** (mood_id) → moods(mood_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_smc_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_smc_conf** (((`action` = 'ADD') and (`confidence` > 0) and (`confidence` <= 1)) or ((`action` = 'REMOVE') and (`confidence` is null)))

song_mood_ratings

7 columns · 0 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 song_id	INT UNSIGNED	✔	✔				
🔑 mood_id	SMALLINT UNSIGNED	✔	✔				
match_percentage	DECIMAL(5,2)		✔				
review_text	VARCHAR(280)						NULL
created_at	DATETIME		✔				CURRENT_TIMESTAMP
updated_at	DATETIME		✔				CURRENT_TIMESTAMP on update CURRENT_TIMESTAMP

Indexes (3)

- **PRIMARY** PRIMARY (user_id, song_id, mood_id)
- **idx_smr_mood_song** INDEX (mood_id, song_id, match_percentage)
- **idx_smr_song_mood** INDEX (song_id, mood_id, match_percentage)

Foreign keys (3)

- **fk_smr_mood** (mood_id) → moods(mood_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_smr_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_smr_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_smr_pct** ((`match_percentage` >= 0) and (`match_percentage` <= 100))
- **chk_smr_review** ((`review_text` is null) or (char_length(trim(`review_text`)) > 0))

song_moods

6 columns · 726 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 song_id	INT UNSIGNED	✔	✔				
🔑 mood_id	SMALLINT UNSIGNED	✔	✔				
🔑 model_id	SMALLINT UNSIGNED	✔	✔				
confidence	DECIMAL(4,3)		✔				
feature_id	INT UNSIGNED		✔				
analyzed_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (4)

- **PRIMARY** PRIMARY (song_id, mood_id, model_id)
- **fk_sm_feature** INDEX (feature_id)
- **fk_sm_mood** INDEX (mood_id)
- **idx_sm_model_mood** INDEX (model_id, mood_id, confidence)

Foreign keys (4)

- **fk_sm_feature** (feature_id) → audio_features(feature_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_sm_model** (model_id) → intelligence_models(model_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_sm_mood** (mood_id) → moods(mood_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_sm_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_sm_conf** ((`confidence` > 0) and (`confidence` <= 1))

songs

18 columns · 104 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 song_id	INT UNSIGNED	✔	✔		✔		
title	VARCHAR(150)		✔				
normalized_title	VARCHAR(150)					✔	AS (trim(regexp_replace(lower(`title`),'[!-/:-@\\[-`{-~—–‘’“”[:space:]]+',' '))) STORED
version_label	VARCHAR(40)		✔				
primary_artist_id	INT UNSIGNED		✔				
album_id	INT UNSIGNED						NULL
track_number	TINYINT UNSIGNED						NULL
duration_sec	SMALLINT UNSIGNED		✔				
release_year	SMALLINT UNSIGNED		✔				
language_id	SMALLINT UNSIGNED						NULL
isrc	CHAR(12)			✔			NULL
explicit	TINYINT(1)		✔				0
content_rating	ENUM('ALL','TEEN','MATURE')		✔				ALL
popularity	TINYINT UNSIGNED		✔				50
status	ENUM('ACTIVE','PENDING_ANALYSIS','HIDDEN','MERGED')		✔				ACTIVE
merged_into_song_id	INT UNSIGNED						NULL
created_at	DATETIME		✔				CURRENT_TIMESTAMP
updated_at	DATETIME		✔				CURRENT_TIMESTAMP on update CURRENT_TIMESTAMP

Indexes (8)

- **PRIMARY** PRIMARY (song_id)
- **fk_songs_merged** INDEX (merged_into_song_id)
- **ft_songs_title** FULLTEXT (title)
- **idx_songs_album** INDEX (album_id, track_number)
- **idx_songs_lang_status** INDEX (language_id, status)
- **idx_songs_status_pop** INDEX (status, popularity)
- **uq_songs_identity** UNIQUE (primary_artist_id, normalized_title, version_label)
- **uq_songs_isrc** UNIQUE (isrc)

Foreign keys (4)

- **fk_songs_album** (album_id) → albums(album_id) ON DELETE SET NULL · ON UPDATE CASCADE
- **fk_songs_artist** (primary_artist_id) → artists(artist_id) ON DELETE RESTRICT · ON UPDATE CASCADE
- **fk_songs_lang** (language_id) → languages(language_id) ON DELETE RESTRICT · ON UPDATE CASCADE
- **fk_songs_merged** (merged_into_song_id) → songs(song_id) ON DELETE RESTRICT · ON UPDATE RESTRICT

CHECK constraints (6)

- **chk_songs_duration** (`duration_sec` between 30 and 1800)
- **chk_songs_explicit** ((`explicit` = 0) or (`content_rating` <> 'ALL'))
- **chk_songs_isrc** ((`isrc` is null) or regexp_like(`isrc`,'^[A-Z]{2}[A-Z0-9]{3}[0-9]{7}$','c'))
- **chk_songs_merge** ((`status` = 'MERGED') = (`merged_into_song_id` is not null))
- **chk_songs_pop** (`popularity` <= 100)
- **chk_songs_year** (`release_year` between 1900 and 2100)

source_records

21 columns · 135 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 record_id	BIGINT UNSIGNED	✔	✔		✔		
source_id	SMALLINT UNSIGNED		✔				
entity_type	ENUM('SONG','ARTIST','ALBUM','FILM')		✔				
external_id	VARCHAR(100)		✔				
isrc	CHAR(12)						NULL
song_id	INT UNSIGNED						NULL
artist_id	INT UNSIGNED						NULL
album_id	INT UNSIGNED						NULL
film_id	INT UNSIGNED						NULL
source_url	VARCHAR(500)						NULL
rights_status	ENUM('PERMITTED','ATTRIBUTION_REQUIRED','METADATA_ONLY','RESTRICTED','UNKNOWN')		✔				
payload	JSON		✔				
payload_hash	CHAR(64)		✔				
status	ENUM('DISCOVERED','VALIDATING','PROCESSING','COMPLETED','SKIPPED','FAILED','IN_REVIEW')		✔				DISCOVERED
match_method	ENUM('EXTERNAL_ID','ISRC','EXACT','FUZZY','NEW','MANUAL')						NULL
match_confidence	DECIMAL(4,3)						NULL
quality_score	DECIMAL(4,3)						NULL
processing_version	VARCHAR(20)		✔				
last_job_id	BIGINT UNSIGNED						NULL
first_seen_at	DATETIME		✔				CURRENT_TIMESTAMP
last_verified_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (9)

- **PRIMARY** PRIMARY (record_id)
- **fk_sr_album** INDEX (album_id)
- **fk_sr_artist** INDEX (artist_id)
- **fk_sr_film** INDEX (film_id)
- **fk_sr_job** INDEX (last_job_id)
- **idx_sr_isrc** INDEX (isrc)
- **idx_sr_song** INDEX (song_id)
- **idx_sr_status** INDEX (status)
- **uq_sr_external** UNIQUE (source_id, entity_type, external_id)

Foreign keys (6)

- **fk_sr_album** (album_id) → albums(album_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_sr_artist** (artist_id) → artists(artist_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_sr_film** (film_id) → films(film_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_sr_job** (last_job_id) → pipeline_jobs(job_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_sr_song** (song_id) → songs(song_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_sr_source** (source_id) → music_sources(source_id) ON DELETE RESTRICT · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_sr_entity** (((`entity_type` = 'SONG') and (`artist_id` is null) and (`album_id` is null) and (`film_id` is null)) or ((`entity_type` = 'ARTIST') and (`song_id` is null) and (`album_id` is null) and (`film_id` is null)) or ((`entity_type` = 'ALBUM') and (`song_id` is null) and (`artist_id` is null) and (`film_id` is null)) or ((`entity_type` = 'FILM') and (`song_id` is null) and (`artist_id` is null) and (`album_id` is null)))
- **chk_sr_scores** (((`match_confidence` is null) or (`match_confidence` between 0 and 1)) and ((`quality_score` is null) or (`quality_score` between 0 and 1)))

trend_snapshots

13 columns · 2109 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 snapshot_id	BIGINT UNSIGNED	✔	✔		✔		
job_id	BIGINT UNSIGNED		✔				
window_code	ENUM('24H','7D','30D')		✔				
entity_type	ENUM('SONG','ARTIST','GENRE','MOOD','LANGUAGE')		✔				
entity_id	INT UNSIGNED		✔				
region_code	VARCHAR(6)						NULL
region_key	VARCHAR(6)					✔	AS (coalesce(`region_code`,'ALL')) VIRTUAL
curr_plays	INT UNSIGNED		✔				
prev_plays	INT UNSIGNED		✔				
curr_listeners	INT UNSIGNED		✔				
velocity_pct	DECIMAL(8,2)						NULL
momentum_rank	SMALLINT UNSIGNED		✔				
computed_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (4)

- **PRIMARY** PRIMARY (snapshot_id)
- **fk_trend_region** INDEX (region_code)
- **idx_trend_lookup** INDEX (window_code, entity_type, region_key, job_id, momentum_rank)
- **uq_trend** UNIQUE (job_id, window_code, entity_type, region_key, entity_id)

Foreign keys (2)

- **fk_trend_job** (job_id) → pipeline_jobs(job_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_trend_region** (region_code) → regions(region_code) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

user_artist_preferences

14 columns · 273 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 artist_id	INT UNSIGNED	✔	✔				
onboarding_weight	DECIMAL(4,3)		✔				0.000
plays	INT UNSIGNED		✔				0
completes	INT UNSIGNED		✔				0
skips	INT UNSIGNED		✔				0
replays	INT UNSIGNED		✔				0
listen_sec	INT UNSIGNED		✔				0
short_term_score	DECIMAL(9,4)		✔				0.0000
long_term_score	DECIMAL(9,4)		✔				0.0000
blended_score	DECIMAL(5,4)		✔				0.0000
last_played_at	DATETIME						NULL
model_id	SMALLINT UNSIGNED						NULL
computed_at	DATETIME						NULL

Indexes (4)

- **PRIMARY** PRIMARY (user_id, artist_id)
- **fk_uap_artist** INDEX (artist_id)
- **fk_uap_model** INDEX (model_id)
- **idx_uap_rank** INDEX (user_id, blended_score)

Foreign keys (3)

- **fk_uap_artist** (artist_id) → artists(artist_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_uap_model** (model_id) → intelligence_models(model_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_uap_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_uap** ((`onboarding_weight` between 0 and 1) and (`blended_score` between 0 and 1))

user_context_preferences

7 columns · 27 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 context_id	TINYINT UNSIGNED	✔	✔				
onboarding_weight	DECIMAL(4,3)		✔				0.000
sessions	INT UNSIGNED		✔				0
listen_sec	INT UNSIGNED		✔				0
blended_score	DECIMAL(5,4)		✔				0.0000
computed_at	DATETIME						NULL

Indexes (2)

- **PRIMARY** PRIMARY (user_id, context_id)
- **fk_ucp_ctx** INDEX (context_id)

Foreign keys (2)

- **fk_ucp_ctx** (context_id) → contexts(context_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_ucp_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_ucp** ((`onboarding_weight` between 0 and 1) and (`blended_score` between 0 and 1))

user_genre_preferences

14 columns · 182 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 genre_id	SMALLINT UNSIGNED	✔	✔				
onboarding_weight	DECIMAL(4,3)		✔				0.000
plays	INT UNSIGNED		✔				0
completes	INT UNSIGNED		✔				0
skips	INT UNSIGNED		✔				0
replays	INT UNSIGNED		✔				0
listen_sec	INT UNSIGNED		✔				0
short_term_score	DECIMAL(9,4)		✔				0.0000
long_term_score	DECIMAL(9,4)		✔				0.0000
blended_score	DECIMAL(5,4)		✔				0.0000
last_played_at	DATETIME						NULL
model_id	SMALLINT UNSIGNED						NULL
computed_at	DATETIME						NULL

Indexes (4)

- **PRIMARY** PRIMARY (user_id, genre_id)
- **fk_ugp_genre** INDEX (genre_id)
- **fk_ugp_model** INDEX (model_id)
- **idx_ugp_rank** INDEX (user_id, blended_score)

Foreign keys (3)

- **fk_ugp_genre** (genre_id) → genres(genre_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_ugp_model** (model_id) → intelligence_models(model_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_ugp_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_ugp** ((`onboarding_weight` between 0 and 1) and (`blended_score` between 0 and 1))

user_languages

3 columns · 26 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 language_id	SMALLINT UNSIGNED	✔	✔				
priority	TINYINT UNSIGNED		✔				

Indexes (3)

- **PRIMARY** PRIMARY (user_id, language_id)
- **fk_ul_lang** INDEX (language_id)
- **uq_ul_priority** UNIQUE (user_id, priority)

Foreign keys (2)

- **fk_ul_lang** (language_id) → languages(language_id) ON DELETE CASCADE · ON UPDATE CASCADE
- **fk_ul_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_ul_priority** (`priority` between 1 and 10)

user_likes

3 columns · 27 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 song_id	INT UNSIGNED	✔	✔				
liked_at	DATETIME		✔				CURRENT_TIMESTAMP

Indexes (3)

- **PRIMARY** PRIMARY (user_id, song_id)
- **idx_likes_song** INDEX (song_id)
- **idx_likes_user_time** INDEX (user_id, liked_at)

Foreign keys (2)

- **fk_likes_song** (song_id) → songs(song_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_likes_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

user_mood_preferences

10 columns · 180 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 mood_id	SMALLINT UNSIGNED	✔	✔				
onboarding_weight	DECIMAL(4,3)		✔				0.000
plays	INT UNSIGNED		✔				0
short_term_score	DECIMAL(9,4)		✔				0.0000
long_term_score	DECIMAL(9,4)		✔				0.0000
blended_score	DECIMAL(5,4)		✔				0.0000
last_played_at	DATETIME						NULL
model_id	SMALLINT UNSIGNED						NULL
computed_at	DATETIME						NULL

Indexes (4)

- **PRIMARY** PRIMARY (user_id, mood_id)
- **fk_ump_model** INDEX (model_id)
- **fk_ump_mood** INDEX (mood_id)
- **idx_ump_rank** INDEX (user_id, blended_score)

Foreign keys (3)

- **fk_ump_model** (model_id) → intelligence_models(model_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_ump_mood** (mood_id) → moods(mood_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_ump_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (1)

- **chk_ump** ((`onboarding_weight` between 0 and 1) and (`blended_score` between 0 and 1))

user_profiles

7 columns · 13 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
display_name	VARCHAR(60)		✔				
region_code	VARCHAR(6)						NULL
content_filter	ENUM('OFF','NO_EXPLICIT','FAMILY')		✔				OFF
listening_habit	ENUM('BACKGROUND','ACTIVE','MIXED')						NULL
onboarding_completed_at	DATETIME						NULL
updated_at	DATETIME		✔				CURRENT_TIMESTAMP on update CURRENT_TIMESTAMP

Indexes (2)

- **PRIMARY** PRIMARY (user_id)
- **fk_up_region** INDEX (region_code)

Foreign keys (2)

- **fk_up_region** (region_code) → regions(region_code) ON DELETE SET NULL · ON UPDATE CASCADE
- **fk_up_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

users

11 columns · 13 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔		✔		
username	VARCHAR(30)		✔	✔			
email	VARCHAR(120)		✔	✔			
password_hash	CHAR(60)		✔				
password_changed_at	DATETIME						NULL
role_id	TINYINT UNSIGNED		✔				
is_active	TINYINT(1)		✔				1
failed_login_count	TINYINT UNSIGNED		✔				0
locked_until	DATETIME						NULL
created_at	DATETIME		✔				CURRENT_TIMESTAMP
last_login_at	DATETIME						NULL

Indexes (4)

- **PRIMARY** PRIMARY (user_id)
- **fk_users_role** INDEX (role_id)
- **uq_users_email** UNIQUE (email)
- **uq_users_username** UNIQUE (username)

Foreign keys (1)

- **fk_users_role** (role_id) → roles(role_id) ON DELETE RESTRICT · ON UPDATE CASCADE

CHECK constraints (2)

- **chk_users_email** (`email` like '%_@_%._%')
- **chk_users_username** regexp_like(`username`,'^[a-z0-9_]{3,30}$','c')

weekly_worlds

18 columns · 11 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 world_id	BIGINT UNSIGNED	✔	✔		✔		
user_id	INT UNSIGNED		✔				
week_start	DATE		✔				
version	SMALLINT UNSIGNED		✔				
archetype_code	VARCHAR(20)		✔				
title	VARCHAR(80)		✔				
description	VARCHAR(300)		✔				
primary_mood_id	SMALLINT UNSIGNED		✔				
language_id	SMALLINT UNSIGNED						NULL
region_code	VARCHAR(6)						NULL
theme	JSON		✔				
signals	JSON		✔				
batch_id	BIGINT UNSIGNED		✔	✔			
job_id	BIGINT UNSIGNED						NULL
status	ENUM('ACTIVE','SUPERSEDED','ROLLED_BACK')		✔				ACTIVE
active_key	VARCHAR(30)			✔		✔	AS (if((`status` = 'ACTIVE'),concat(`user_id`,':',`week_start`),NULL)) VIRTUAL
generated_at	DATETIME		✔				CURRENT_TIMESTAMP
expires_at	DATETIME		✔				

Indexes (9)

- **PRIMARY** PRIMARY (world_id)
- **fk_ww_arch** INDEX (archetype_code)
- **fk_ww_job** INDEX (job_id)
- **fk_ww_lang** INDEX (language_id)
- **fk_ww_mood** INDEX (primary_mood_id)
- **fk_ww_region** INDEX (region_code)
- **uq_world_batch** UNIQUE (batch_id)
- **uq_world_one_active** UNIQUE (active_key)
- **uq_world_version** UNIQUE (user_id, week_start, version)

Foreign keys (7)

- **fk_ww_arch** (archetype_code) → world_archetypes(archetype_code) ON DELETE RESTRICT · ON UPDATE CASCADE
- **fk_ww_batch** (batch_id) → recommendation_batches(batch_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_ww_job** (job_id) → pipeline_jobs(job_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_ww_lang** (language_id) → languages(language_id) ON DELETE SET NULL · ON UPDATE RESTRICT
- **fk_ww_mood** (primary_mood_id) → moods(mood_id) ON DELETE RESTRICT · ON UPDATE RESTRICT
- **fk_ww_region** (region_code) → regions(region_code) ON DELETE SET NULL · ON UPDATE CASCADE
- **fk_ww_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (2)

- **chk_ww_expiry** (`expires_at` > `generated_at`)
- **chk_ww_week** (dayofweek(`week_start`) = 2)

world_archetypes

7 columns · 13 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 archetype_code	VARCHAR(20)	✔	✔				
name	VARCHAR(40)		✔	✔			
description	VARCHAR(200)		✔				
motif	ENUM('ORBITS','WAVES','PEAKS','RAIN','SUNBURST','GRID','STARS','EMBERS')		✔				
palette	JSON		✔				
title_words	JSON		✔				
season_months	VARCHAR(30)						NULL

Indexes (2)

- **PRIMARY** PRIMARY (archetype_code)
- **uq_archetype_name** UNIQUE (name)

Foreign keys (0)

none

CHECK constraints (1)

- **chk_arch_palette** (json_length(`palette`) between 3 and 6)

world_feedback

5 columns · 0 rows · InnoDB · utf8mb4_0900_ai_ci

Column	Datatype	PK	NN	UQ	AI	G	Default / Expression
🔑 user_id	INT UNSIGNED	✔	✔				
🔑 world_id	BIGINT UNSIGNED	✔	✔				
feedback	ENUM('LOVE','NOT_FOR_ME')		✔				
created_at	DATETIME		✔				CURRENT_TIMESTAMP
updated_at	DATETIME		✔				CURRENT_TIMESTAMP on update CURRENT_TIMESTAMP

Indexes (2)

- **PRIMARY** PRIMARY (user_id, world_id)
- **idx_wf_world** INDEX (world_id)

Foreign keys (2)

- **fk_wf_user** (user_id) → users(user_id) ON DELETE CASCADE · ON UPDATE RESTRICT
- **fk_wf_world** (world_id) → weekly_worlds(world_id) ON DELETE CASCADE · ON UPDATE RESTRICT

CHECK constraints (0)

none

Developed by Vaishnav Sai