
MUSE — EER Diagram (Enhanced Entity-Relationship)

14 entity types, 23 subclasses in 6 specializations, 15 relationships. Every specialization is defined by a real NOT NULL type column, so all are disjoint (d) and total (double line).
Main attributes only (full attribute lists: Chen diagram and Phase 1 report). Generated and checked against the live MySQL schema.



EER notation (Elmasri & Navathe)

- Entity (superclass / entity type)
- Subclass
- Weak entity
- id — Attribute (underlined = key)
- Relationship
- Identifying relationship
- d — Disjoint specialization (d)
- Subset symbol: subclass ⊂ superclass
- Total participation / total specialization
- *kind* — Defining attribute of the specialization

1, N, M, P = cardinality · subset symbol opens toward the superclass

How the specializations are stored (single-table mapping):

- ARTIST, ALBUM, PLAYLIST, INTELLIGENCE MODEL: one table each, subclass = ENUM type column.
- USER → LISTENER / STAFF → CURATOR / ADMINISTRATOR: users.role_id → roles; STAFF = roles holding catalog.write + review.decide (Curator, Administrator).
- SOUNDTRACK alone may be based on a FILM: CHECK chk_albums_film.
- SMART alone has smart_type: CHECK chk_pl_smart.
- requests (pipeline job) needs pipeline.run, which only Administrator holds.