TECHNICAL DESIGN DOCUMENT · PROBLEM 2

Nivasa

AI lead-response and site-visit booking assistant for Company A, a residential developer in Ahmedabad.

GitHub	https://github.com/architaagr25/Nivasa
Live app	https://nivasa-delta.vercel.app
Sales workspace	https://nivasa-delta.vercel.app/staff
Demo logins	Sales head `meera@nivasa.demo`, executive `rahul@nivasa.demo`, password `NivasaDemo#2026`. Buyers need no account; sign-in codes show on screen. Full details in `deployment.md`.

1 Summary

Company A pays about ₹1,000 for every lead and then lets a third of them go cold: the median first response is 14 hours and 35% of leads are never reached within 48 hours. The Director of sales wants every enquiry answered within two minutes, at any hour, in the buyer's language; basic questions answered; needs learned; a site visit booked in a real free slot; and serious buyers passed to a named salesperson with the chat history.

Nivasa does that end to end. Leads from portals, social ads, the website and the hoarding number land in one list with duplicate checks. Each consented lead gets an automatic first reply in seconds. Buyers chat with an assistant in English, Hindi or Gujarati that answers only from the sales head's fact sheet, cites the fact behind every answer, asks about budget and needs, and books visits through a tool that can only use real free slots. Anything it can't answer, and any buyer who asks, goes to a named executive with a summary. Reminders go out a day and two hours before each visit, staff check visitors in by QR code, and a dashboard shows response time, visits, show-up rate and cost per visit by source.

73 s	29 / 29	0	100
median first response, last 30 days (target under 5 min; was 14 h)	test conversations passed every check (187 checks) against the real model	double bookings when 20 buyers race for one seat, in the test suite	Lighthouse accessibility and best practices on every page tested

Dashboard figures come from synthetic seed data at the brief's real volume (about 100 leads a day). Assumptions are labelled A-01 to A-27 throughout and listed in section 10.

2 Scope: what the brief asks and where it is

The core build asked for about 6 to 8 screens. I built the core slice first and made it work end to end, then added every item in the brief's Must have list, because each one closes a gap in the core flow (a fact sheet nobody can edit goes stale; flagged chats nobody reviews teach nothing).

BRIEF ITEM	WHERE IT LIVES	
Lead list from all sources, with source tags and duplicate checks	Staff → Leads: filters by source, status, score and project; duplicate tab; merge review. Intake API for portals, ads and the website; **Log a call** for the hoarding number.	Core

AI chat assistant in English, Hindi or Gujarati, answering from a fact sheet and asking budget and needs	Buyer → Ask (`/chat` , `/hi/chat` , `/gu/chat`), plus the question box on the home page. Agent with tools; every reply checked before it is shown.	Core
Site-visit booking against free slots, with location pin and reminders 1 day and 2 hours before	Project page → Visit this week → three-step booking, or inside the chat. Visit pass with QR, map link and calendar file. Reminder job every minute.	Core
Handoff to a named executive with a chat summary	Chat → "Talk to a person", or automatic when a fact is missing or price is asked. Staff → Lead shows the summary, reason and full transcript.	Core
Dashboard of response time, visits, show-up rate and cost per visit by source	Staff → Dashboard: five target tiles, weekly response chart, cost per visit by source, source table; 7/30/60 days and per project.	Core
Roles: buyer and sales executive	Buyer (mobile number and one-time code), sales executive, and sales head (email and password). Access checked on the server for every page and action.	Core
Admin editor for the fact sheet and visit slots	Staff → Fact sheet & slots (sales head): versioned draft and publish; weekly visiting times, capacity and closed days.	Optional depth
Sales head reviews flagged chats daily	Staff → Review: flagged chats by reason, with a link to add the missing fact; possible duplicates to merge or keep.	Optional depth
Record who came to a visit	Staff → Visits calendar (day and week), QR check-in from the visit pass, visited and no-show outcomes.	Optional depth

3 Architecture and why I chose it

Buyer's phone
Project pages, chat, booking, visit pass. English, Hindi, Gujarati.

Sales team
Leads, visits, dashboard, review, editors, outbox.

Lead sources
Portals, social ads, website form → intake API with a shared secret.

Next.js app on Vercel (Mumbai)
Server-rendered pages and server actions; the browser gets HTML first and little JavaScript.

Assistant
Agent with four tools: find free slots, book visit, save what the buyer wants, hand to a person. Every reply checked against the fact sheet before it is saved.

Booking service
Row locks and database constraints; plans reminders.

Auth
Better Auth: staff email and password; buyers phone and one-time code.

Postgres on Supabase (Mumbai)
All data. Row-level security on; no public API access.

Google Gemini
Flash Lite model, with a second model as fallback.

pg_cron + pg_net
Calls the reminder job every minute.

Message outbox
Where WhatsApp and SMS would be sent; simulated, visible to staff.

It is one application with one database. For a two-project developer with 11 salespeople, separate services would add moving parts without adding anything the client would notice. The parts that must be right every time, booking and reminders, sit in the database's transactions rather than in application code that could race.

CHOICE	WHY	WHAT I CONSIDERED

Next.js 16 and React 19, TypeScript	One codebase for buyer pages, staff screens and the API. Pages render on the server and stream, so a buyer on a slow phone sees content before scripts load, and forms work before hydration.	A separate React SPA and API: two deployments, slower first paint on phones.
Postgres (Supabase, Mumbai)	Booking needs transactions, row locks and constraints, and the dashboard is SQL over joins. Data stays in India, which DPDP favours. Free tier.	A document store: no constraints to stop overbooking; harder reporting.
Drizzle ORM	Typed queries that still look like SQL, so locking (`FOR UPDATE` , `SKIP LOCKED`) and reporting queries stay readable.	Prisma: weaker support for the raw SQL the dashboard and locks need.
Better Auth	Email and password for staff, phone and one-time code for buyers, roles, database-backed rate limits, all in the app's own database.	Supabase Auth: would split users across two systems.
Gemini Flash Lite through the Vercel AI SDK	Free, fast (median reply 2 to 4 s across runs), good at Hindi and Gujarati, supports tool calls. The SDK makes the model swappable and gives the fallback chain.	Larger models: the free tier allows only 20 requests a day. Self-hosted: no free hosting.
next-intl	English at `/` , Hindi at `/hi` , Gujarati at `/gu` . A link sent to a buyer keeps their language.	Detecting language per visit: links would not be shareable.
Vercel and pg_cron	Free hosting in Mumbai next to the database. Vercel's free cron runs once a day; reminders need every minute, so the database calls the job.	A separate worker: another service to host and pay for.

4 Data model

25 tables in Postgres. The important ones, grouped by what they are for:

AREA	TABLES	NOTES
Projects and facts	`projects` , `fact_sheet_versions` , `facts`	Each fact has a stable code (`P1-POS` , `P2-PRC-2BHK`) that the assistant cites. Versions are draft or published; unique indexes allow one of each per project, so publishing is a single swap.
Leads	`leads` , `lead_touches` , `duplicate_candidates` , `consents`	One lead per live mobile number (partial unique index). Every enquiry is a touch with its source, so a buyer who comes from a portal and then an ad is one lead with two sources. Consent is an append-only log.
Conversations	`conversations` , `messages` , `chat_flags`	Messages keep the facts they cited, the model used, the guardrail result and cached translations for staff.
Visits	`slot_templates` , `blackout_dates` , `slots` , `visits` , `reminders`	Slots are generated 8 weeks ahead from weekly templates. A check constraint keeps `booked ≤ capacity` ; partial unique indexes allow one upcoming visit per lead per project and stop an executive being booked twice at once.
Messaging	`outbox`	Every WhatsApp or SMS message the system would send, with its template and status.

Staff and access	`user`, `session`, `account`, `staff_profiles`, `access_log`	Role on the user; projects and active flag on the profile. Opening a lead or taking it is logged.
Reporting and limits	`source_spend`, `rate_limit`, `request_limits`	Monthly spend per source for cost per visit; shared counters for rate limits.

5 Main flows

A lead arrives

1. A portal, ad platform or the website posts to `/api/intake/<source>` with the shared secret; staff log hoarding calls by hand. Input is validated; consent must be stated either way.
2. Under an advisory lock on the mobile number, the lead is created or merged with the existing one, and a touch records the source. Five simultaneous posts for the same buyer make one lead (tested).
3. Possible duplicates (same email with another number, or a very similar name on the same project in 30 days) are suggested, never merged automatically (A-20).
4. If the buyer consented, the first reply goes out at once in their language, with the project's RERA number, a link to the assistant and to book a visit, and how to opt out (A-25). Without consent nothing is sent and the lead waits for a person.
5. The lead is scored by rules (A-18) and appears in the lead list live.

A buyer asks and books

1. The buyer chats on the website, or follows the link from the first reply. The conversation is tied to a lead.
2. The assistant answers from the fact sheet, saves what it learns (project, BHK, budget, timeline, purpose) and asks at most one question per reply.
3. Asked about a visit, it calls `find_free_slots`; the times appear as buttons, never as text the model could invent.
4. The buyer taps a time and verifies their mobile number with a one-time code in the chat. `book_visit` books it in one transaction.
5. The visit pass shows time, place, map link, the executive they will meet, a QR code and a calendar file. The executive gets an alert; the lead is now hot and owned by that executive.

Booking without double booking (the hard part)

Inside one transaction the booking locks the lead row, then the slot row (`SELECT … FOR UPDATE`), checks the slot is still bookable (not full, not closed, at least 3 hours away), picks an executive on that project who is free at that time, inserts the visit and its two reminders, and increments `booked`. The database backs this up independently: the check constraint refuses `booked > capacity`, and the unique indexes refuse a second upcoming visit for the same buyer and project, or an executive in two places. The tests fire 20 buyers at the last seat at once (exactly one wins), fill a 3-seat slot with exactly three visits and three different executives, and send the same buyer's double tap (one visit). Removing the slot lock makes the 20-buyer test fail, so the test really guards the lock.

Reminders and check-in

Every minute pg_cron calls the reminder job. It takes due reminders with `FOR UPDATE SKIP LOCKED`, so two overlapping runs never send the same reminder twice (tested). Reminders for cancelled visits are cancelled; ones whose time passed are skipped, not sent late (A-17); opted-out buyers get nothing. At the site office, staff scan the QR on the visit pass; from 30 minutes before the visit it records the buyer as visited, which feeds the show-up rate.

Handoff

A buyer can tap "Talk to a person" at any time. The assistant also hands off when a fact is missing, when the buyer asks about price, discounts or offers, or when its own reply fails the checks. The lead goes to its owner, or to the executive on that project with the fewest open leads (A-19). A summary of what the buyer wants and what needs a person is written for the executive, and the buyer is told who will call. If the buyer hasn't verified their number yet, they are asked to, so the executive has a number to call.

Dashboard

Leads are taken as a cohort by the date they came in. First response is the time to the first message the buyer received (A-22); median, share within 5 minutes and share not reached in 48 hours are computed per source. Visits, show-up rate and cost per completed visit (spend ÷ visits that took place, A-23) come from the same cohort, compared with the previous period of the same length.

6 How the AI works

The assistant is an agent: the model can call four tools, and it gets the published fact sheet of the buyer's project in its instructions, each fact with its code. The fact sheet is 12 facts per project, so it fits in the prompt; there is no retrieval step to get wrong.

TOOL	WHAT IT DOES
`find_free_slots`	Reads real free slots for the project in the next 14 days. The times are returned to the screen as buttons.
`book_visit`	Books a slot the buyer tapped, through the same booking service as the website. Asks for phone verification first if needed.
`update_lead_profile`	Saves project, BHK, budget, timeline and purpose; rescores the lead by rules.
`request_human`	Hands off with a reason: buyer asked, fact missing, price or discount.

When it is wrong or unsure

The brief's rules are enforced in code after the model has replied, not only asked for in the prompt:

RISK	WHAT HAPPENS
States something not on the fact sheet	Every number and month in the reply must appear in the facts it cited, and the project named must match the citations. A reply that fails is retried once with the reason; if it fails again the buyer gets a safe "a person will confirm this" reply and the chat is flagged and handed off.
Quotes a price, discount or percentage	Money amounts must be on the fact sheet and percentages are refused outright. Price and discount questions hand off. The assistant gives only the indicative starting price as written.
Doesn't know	Rule: say a person will confirm, and hand off. As a safety net, any reply that says something isn't confirmed but didn't hand off is handed off by the code.
Replies in the wrong language	The script of the reply is checked against the conversation's language; one retry, then a safe reply and a flag. Hindi or Gujarati typed in English letters is understood.
Buyer tries to override it	Override attempts are detected and flagged for review; the instructions say buyer messages are not instructions.

Model down or out of quota	A second model is tried. If both fail, the buyer is told a person will reply, asked to verify their number, and the chat is flagged.

The sales head sees every flag in Review, grouped by reason, with the buyer's message and the reply. For a missing fact there is a link straight to the fact sheet editor, so the gap is closed for the next buyer.

Evaluation


`npm run eval` sends 29 conversations through the same code as the website, against the real model and a test database, and checks what was actually stored: the text, the cited facts, flags, handoffs and the lead's saved profile. Every reply is also checked for language and script, length, no markdown and no leftover fact codes. The latest run passed 29 of 29 conversations and 187 of 187 checks, with a median reply time of 4.3 s.

AREA	CASES	EXAMPLES
Facts	8	Possession, sizes, amenities, RERA number, in each project; a question with a wrong premise.
Not on the fact sheet	3	Maintenance charges, loan rates, a specific flat's availability: says a person will confirm, hands off.
Price and offers	4	Discounts, "best price", haggling: never a number beyond the indicative starting price.
Languages	5	Hindi, Gujarati, Hinglish, switching language mid-chat.
Site visits, qualifying	4	Offers real slots; asks one question at a time and saves the answers.
Safety, handoff	5	Prompt injection, role change, asking for a person.


The run found real bugs that the unit tests had not: grouped citation codes leaking into the text, a reply that promised a person would confirm without handing off, and one reply written in Georgian script. Each is now fixed and covered by a test.

7 UI and design decisions


The brief asks for calm, premium and minimal, with nothing on screen that lacks a purpose, and says buyers are mostly on phones. I used a warm ivory background, charcoal type and one muted sage accent; a serif (Fraunces) for headings, which reads as a property brand rather than a software tool; Inter for text; and Noto fonts for Hindi and Gujarati. Every buyer screen was built phone-first and is tested at 320 and 360 pixels wide in all three languages.




Home. One question box and one booking action, then the projects with their next free visiting times. The question box is a plain form, so it works before scripts load.




Chat, in Gujarati. Each answer shows the fact it came from. Visiting times are buttons, so the buyer can't be offered a time that doesn't exist. "Talk to a person" is always visible.



Visit pass. Everything needed on the day: time, place, directions, who they'll meet, the QR for check-in, the reminders, and the RERA number.




Project page, visit this week. Days as tabs, free times as chips with seats left. One tap starts a three-step booking.




Booking, step 2. Name, mobile and an explicit consent checkbox, then a one-time code. A progress bar instead of step labels, which didn't fit on small phones.


The staff side is a workspace, not a brochure: dense but quiet tables, the same palette, and colour reserved for things that need attention (not reached, flagged, off target).



Leads. All sources in one list, with counts on the tabs that matter (unassigned, possible duplicates, not reached in 48 h). Executives see their own and unassigned leads; unassigned numbers stay masked until they take the lead. The list refreshes itself while open.




Lead detail: Nidhi Shah from the brief's sample data. The handoff summary is the first thing the executive reads, so the buyer never repeats themselves. The chat can be read in the original or translated into English, Hindi or Gujarati.




Dashboard. The brief's three success targets lead, each marked on or off target and compared with the previous period. The week-by-week chart shows the change at go-live on 19 Oct (A-06). Colours were checked for colour-blind contrast; direction arrows show how a value moved and colour shows whether that is good.

On the seeded data, lead-to-visit is honestly shown off target (6.4% against 8%): the seed does not fake an improvement in visits, and 30 days is shorter than the brief's 3 months. "Not reached in 48 hours" is 12.7% because the 30-day window still includes leads from before go-live; leads after go-live are at about 0%.



Review. Flagged chats grouped by reason, the buyer's message and the assistant's reply side by side, and a link to add a missing fact.



Fact sheet. The live version, edited as a new draft and published in one step. Fact codes never change or get reused, so old citations stay meaningful.

8 Security, privacy and compliance

CONCERN	WHAT IS IN PLACE
Access control	Every staff page and server action checks the role on the server; hiding a link is never the control. Executives can't open another executive's lead (404, tested). Deactivated staff are refused. Buyers see only their own visits, even though visit codes are sequential.
Personal data (DPDP)	Data hosted in Mumbai. Contact only with recorded consent; consent is an append-only log. STOP in three languages opts out of everything, including reminders (A-21). Numbers masked for staff who don't own the lead (A-24). Lead views and claims are logged. Seed data is fictional (A-03).
RERA	Every buyer-facing message about a project carries its RERA number; the assistant can state only registered facts from the fact sheet.
Database exposure	Row-level security on every table and all access removed from Supabase's public API, so the publishable key reads nothing. Only the app's server connects.
Abuse and cost	Database-backed rate limits on chat, sign-in codes and staff sign-in (A-26), shared across servers. The free AI quota is protected the same way.
Secrets and inputs	No secrets in the repository (gitleaks runs on every push). All inputs validated with schemas; intake and the reminder job need secrets compared in constant time. The server refuses to start if an environment variable is missing or weak. Security headers (no framing, HSTS, no MIME sniffing, a strict referrer and permissions policy).

9 Testing and quality

KIND	COUNT	WHAT IT COVERS
Unit (Vitest)	76	Guardrails, lead scoring, reminder planning, slot generation, IST time handling, phone numbers, templates, translation.
Integration (Vitest, real Postgres)	27	Booking races and constraints, reminders sent once, intake and merging, consent and opt-out, fact sheet publishing, slot editing.
Browser (Playwright)	20	40 runs across a phone and a desktop: booking and cancelling, staff roles and access, layout at 320/360 px in three languages, the assistant in Gujarati and Hindi.
Assistant check	29	Real model, real database, 187 checks (section 6).

The browser tests also ran against the live deployment, which caught one bug local runs could not: after signing in, a page Next.js had fetched in advance while signed out still showed its signed-out version. It is fixed and covered. Lighthouse on the live site: accessibility 100 and best practices 100 on every page tested, SEO 100 on public pages; performance 95 on desktop and 71–75 on a simulated slow phone.

10 Assumptions

The brief rules say to use only the information in the problem statement and to label every assumption. These are the places where it is silent; each is also in `docs/assumptions.md` in the repository.

#	ASSUMPTION	WHY
A-01	"Nivasa" is the product name. The client stays "Company A" and its projects "Project 1" and "Project 2".	Use only the problem statement's information.
A-02	Project details (locality, unit mix, sizes, possession dates, amenities, coordinates) and RERA numbers are placeholders; RERA numbers contain `DEMO`.	Needed for the fact sheet; the client supplies the real ones.
A-03	All people, numbers and conversations in the seed data are fictional; numbers use the 70000 xxxxx range.	No real personal data in the repository.
A-04	Seed volume matches the brief: about 100 leads a day (3,000 a month) for the last 60 days.	Dashboard numbers at real scale.
A-05	₹30 lakh monthly spend split: portals ₹12 L, social ads ₹13.5 L, website ₹3 L, hoarding ₹1.5 L.	The brief gives only the total.
A-06	History before 19 Oct 2026 reflects the brief's "today" (14 h median, 35% not reached); leads from 19 Oct are answered by Nivasa. Synthetic.	Shows the baseline and the change.
A-07	Portal and ad forms include a consent checkbox; hoarding callers consent verbally, logged by staff.	DPDP: contact only with consent.
A-08	Visits 10:00–18:00 IST with a lunch break; 2 visits per slot on weekdays, 4 on weekends, never more than the executives on the project.	Real free slots need a definition of supply.
A-09	Sites closed 8–10 Nov 2026 for Diwali and the Gujarati New Year.	Shows closed days on realistic dates.
A-10	11 executives: 6 on Project 1, 5 on Project 2; one sales head.	The brief says 11 in sales.
A-11	Buyers sign in with a mobile number and one-time code; codes and messages go to a simulated outbox.	The brief says to mock messages.
A-12	A mobile number is 10 digits starting 6–9; some Ahmedabad landlines pass, which is acceptable.	A landline caller is still a lead.
A-13	The free Gemini tier is used; its terms let Google use prompts, so only synthetic data is sent.	The build must cost nothing.
A-14	Nidhi Shah (LD-58211) is a Gujarati speaker who asked for a person; Hardik Patel (LD-58210) holds the booked 1 Nov visit and is the buyer demo account.	Shows languages and handoff on the brief's own sample data.
A-15	Visiting times kept 8 weeks ahead; the assistant offers the next 14 days; online booking closes 3 hours before a visit.	Time to prepare; room for the 2-hour reminder.
A-16	One upcoming visit per buyer per project (a second booking offers to move the first); an executive is never booked twice at once.	Stops accidental double bookings.
A-17	A reminder whose time has passed is skipped, not sent late.	"See you tomorrow" an hour before is wrong.

A-18	Lead score is rules: hot if a visit is booked, or budget covers the starting price, buying within 6 months and a number given; cold if budget is over 15% short or buying in over a year; otherwise warm.	The score decides who gets time; it must be explainable.
A-19	Handoff goes to the lead's owner, else the executive on that project with the fewest open leads.	One buyer, one person; even workload.
A-20	Same mobile = same buyer, merged automatically. Same email or a very similar name on the same project within 30 days is only suggested.	Merging the wrong buyers is worse than a suggestion.
A-21	STOP, UNSUBSCRIBE, रोकें, बंद करें or બંધ કરો opts out of all automatic messages; the buyer can opt back in from the visit pass.	DPDP opt-outs in the buyer's language.
A-22	First response = the first message the buyer receives, automatic or from staff; a hoarding call counts when taken.	The brief doesn't define it.
A-23	Cost per completed visit = the source's spend in the period ÷ visits that took place from that period's leads; spend spread evenly over days, not split by project.	Spend is given only per month.
A-24	Executives see their own and unassigned leads, numbers masked until taken; the sales head sees all. Staff screens in English.	Show personal data only where needed.
A-25	The first reply and every reminder carry the RERA number and only registered details, written as templates ready for WhatsApp approval.	RERA and WhatsApp template rules.
A-26	Limits: 20 chat messages a minute and 10 new chats an hour per visitor; 8 a minute and 60 an hour per conversation; 5 codes an hour per number; 10 staff sign-in attempts per 5 minutes.	Protects buyers' phones and the AI quota.
A-27	Demo mode lists the demo staff accounts with a shared password and shows codes on screen, so anyone with the link can act as the sales head.	Lets a reviewer try every role.

11 What I cut, the limits, and what I would do next

Cut, on purpose

- **Real WhatsApp and SMS delivery.** The brief says to mock messages. Every message is written and stored in the outbox, with templates in three languages ready for approval, but nothing leaves the system.
- **The WhatsApp chat channel.** The brief says "web chat now, WhatsApp later". The assistant's code doesn't depend on the web page, so a WhatsApp webhook can call the same function.
- **An editor for monthly spend.** Spend per source is seeded (A-05). A small form for the sales head would be next.
- **Per-executive calendars and leave.** Supply is slot capacity plus "executive not already booked at that time" (A-08, A-16).
- **Out of scope in the brief:** CRM replacement, booking payments and allotment letters, outbound voice calling.

Limits I know about

- **Free AI tier.** About 500 requests a day per model is enough for a demo, not for 3,000 leads a month. Its terms also let Google use prompts, which is fine for synthetic data and not for real buyers. Production needs the paid tier, which at Flash Lite prices is a small monthly cost at this volume.

- **Free hosting.** Vercel Hobby is for non-commercial use, and Supabase's free tier pauses after a week without activity (the keep-alive covers the demo). Production would move both to paid plans.
- **The assistant check is 29 conversations**, run once per change. It catches regressions but is a sample, not a guarantee; flagged chats from Review should keep growing it.
- **Phone performance** scores 71–75 on Lighthouse's slow-phone simulation; most of what remains is the framework's own JavaScript.
- **Demo mode** deliberately exposes the staff accounts and on-screen codes (A-27). It is one environment variable to turn off.
- **Seeded history is synthetic.** The before-and-after on the dashboard demonstrates the measurement, not a measured result.

Next

1. WhatsApp Business API: submit the templates, send the first reply and reminders there, and run the same assistant on incoming WhatsApp messages.
2. A real SMS provider for sign-in codes, and turning demo mode off.
3. Paid model tier with a data-processing agreement; keep the fallback chain.
4. Grow the assistant check from flagged chats every week, and run it in CI against a fixed model version.
5. Executive notifications on their phones for handoffs and new visits, and a spend editor for the dashboard.
6. Error monitoring and an uptime alert on the reminder job.