



SAPCON INSTRUMENTS

40+ Years in Process Control Instrumentation



131 Palshikar Colony, Indore




0731-4757575



www.sapconinstruments.com

Introduction : Virtuous Cycle





Rajendra R. Palshikar

CA, Institute of Chartered Accountant of India
Director Finance &Accounts




Ashwin R. Palshikar

MBA, S.P. Jain Institute of Management & Research
Director Business Development

Our New Plant Expansion

New Facility 60,000 Sqft.

Sanwer Road, Indore



Our Manufacturing Process



LEVEL SWITCHES

High and Low Level Detector
Overfill & Dry Run Detection
Available for Hazardous Area



LEVEL SENSORS

Continuous Monitoring
Accuracy in Process Automation
Reliable & Stable Operation



Delivering Value with Research & Development
10% of revenue invested annually in research to develop and upgrade level sensors and speed monitoring instruments.




Manufacturing Level Sensors
We maintain close to a 400K BOM's and manufacture level sensors with an MOQ as small as one.

Our Experience in Fields of Instrumentation

- 40+Years of experience in Instrumentation.
- 90,000+ Successful Installations.
- 8,000+ Valuable Clients.
- Export to 90+ Countries.
- Renowned brand in the process automation market.

General Work Flow



Our Certifications

- ISO 9001:2015
- ISO 14001:2015
- ISO 22000:2018
- ISO 45001:2018
- CE Certified.



Our Certifications

- CMFR-Flame proof housing IIC
- EIL certified.
- Ingress Protection IEC: 60529
- Explosion Protection IEC: 60079
- EHEDG Certified

- EMI/EMC : IEC 61000, CISPR 11
- IP-68 certified.
- Intrinsic safety certified.
- Peso Approved for Zone 1 Class IIA/IIB/IIC

सीएसआईआर - केंद्रीय खनन एवं ईंधन अनुसंधान संस्थान
CSIR - Central Institute of Mining and Fuel Research
 (संशोधन एवं औद्योगिक अनुसंधान परिषद (Council of Scientific & Industrial Research))
 (अधीन राष्ट्रीय विज्ञान एवं प्रौद्योगिकी अनुसंधान परिषद, भारत और अंतर्राष्ट्रीय स्तर पर, नया दिल्ली)
 (Under the Department of Scientific & Industrial Research, Ministry of Science & Technology, Govt of India)
परावा रोड, धनबाद - 826015, झारखंड, भारत / Barwa Road, Dhanbad - 826015, Jharkhand, India
 (सर्व सुरक्षित) प्रमाणित संस्थान / ISO 9001 Certified Institute

अतिरिक्त प्रथम प्रति
Additional First Copy

SPEED POST-COURIER SERVICE

Test & Assessment Report No.: IN/CMFR/TR23/R/3768
 Equipment ID No.: 2323 ULR No.: TC2300000088F Date: 29 March 2023
 CODE NO. PES/185/23-23

To: MS. SAPCON INSTRUMENTS PVT. LTD.,
 131 PALSHIKAR COLONY,
 INDORE (MP) INDIA - 452004,
 (Test Report)
 Your Ref. Appl. No.: SAPFP/20/1
 BIS Sample Code No.: 819839/2023/SS/1
 BIS QR Code No.: 100000305696

Dear Sir,

Please find the enclosed Type Examination Certificate along with test assessment report of the above sample submitted by you.

This Institute reserves the right to review, amend or withdraw this 'Test Report' at any time, if considered necessary in the interest of safety.

Charges of Rs. 31,126/- (Rupees Thirty One Thousand One Hundred Twenty Six Only) including applicable GST involved towards the testing have been adjusted against the advance deposit made by you.

Kindly arrange to collect the sample within 90 days from the date of receipt of this letter failing which CMFR would dispose of the samples by public auction without any further NOTICE to you.

Kindly acknowledge the receipt.

Thanking you.

Encl. As above.
 1. Test assessment report in Triplicate
 2. Type Examination Certificate
 Copy to: 1. Head, Flameproof & equipment Safety
 2. Bill Section

Yours faithfully,
 29/03/2023
 (S. K. MONDAL)
 ICR
 TESTING CELL

HQ: Dhanbad - ☎ +91-326-2296023, 2296006 (O) ☎ +91-326-2296025 EPABX ☎ +91-326-2296012/6027/6028
 E-mail: director@cmfr.nic.in, drpsingh@cmfr.nic.in, Digwadih Campus ☎ +91-326-2381111
 Research Centres: Bilaspur ☎ +91-775-2271450, Nagpur ☎ +91-712-2510694, Unit - II ☎ +91-2510390
 Ranchi ☎ +91-651-2461392, Roorkee ☎ +91-1332-275998
 Website: www.cmfr.nic.in

CERTIFICATE OF COMPLIANCE

EHEDG
 EL Class I

EHEDG hereby declares that the product
Vibrating fork Elixir-T-UNI DNS1
 from
 Sapcon Instruments Pvt. Ltd., 131 Palshikar Colony, 452004 Indore, India
 has/have been evaluated for compliance and meets/meet the current criteria for
 Hygienic Equipment Design of the EHEDG

Certificate No. EHEDG-C1900012

Signed:  President EHEDG
 Signed:  EHEDG Certification Officer

EHEDG
 Gooimeer 1
 1411 DC Naarden
 Netherlands
 ©EHEDG



Date of issue: 4 January 2019
 Valid until: 31 December 2023

Government of India
Ministry of Commerce & Industry
Patent & Explosives Safety Organisation (PESO)
 3D Floor, A-Block, CDO Complex, Sector 10, Gurgaon - 122002

E-mail: explosives@peso.gov.in
 Phone/Fax No.: 0121-2610404, Fax-2610577

Date: 17/05/2023

Approved No.: AP/PSM/1045/01 (P/04501)

To: M/s. SAPCON INSTRUMENTS PRIVATE LIMITED,
 Khawatha, 131/25,
 131 Palshikar Colony, Indore,
 Madhya Pradesh, India.
 District: INDORE,
 State: Madhya Pradesh,
 PIN: 452004

Subj: Approval of Intrinsically Safe Type Electrical Equipments under Petroleum Rules 2002 (Regulating).

Please refer to your letter No. GNT/7446 dated 27/04/2023 on the subject.

The following Ex electrical equipments manufactured by you according to ISIEC 60079-0:2017, ISIEC 60079-11: 2017, standards and covered under Karandakar Laboratories Pvt Ltd. Test reports mentioned below have been approved for use in Zone 1 of Gas IIC, IICB hazardous areas coming under the Petroleum Rules, 2002 administered by this Organisation.

Sr. No.	Description	Safety Protection	Equipment reference Number	Name	Test Agency	Certificate No.	Certificate Date	Drawing no
1	ELIXIR Compact Vibrating Fork Model ELIXIR-Nagpur Scale & ELIXIR-Nagpur-PPC	Ex ia IIC T4, T3 Gc	P550001	Karandakar Laboratories Pvt Ltd	KLP/EX/20-100X Issue No. 01	2403/2020	ELIXIR-AMC-VF115-EXP-STR-PPC-ELIXIR-AMC-VF4-EXP-STR-SCUTE Rev 1.1	

This Approval is granted subject to observance of the following conditions:-

- 1) Design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Test Reports referred to above.
- 2) The equipment shall be used only with approved type of accessories and associated apparatus.
- 3) Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate compliance.
- 4) Name of the manufacturer.
- 5) Name and number by which the equipment is identified.
- 6) Name and date of the report of the Karandakar Laboratories Pvt Ltd applicable to the equipment.
- 7) Equipment reference number of this letter by which use of apparatus is approved.
- 8) BIS approval number.
- 9) Certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Test report and is identical with the one tested and certified.
- 10) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule. If any, recommended by Karandakar Laboratories Pvt Ltd and copy of instructions booklet detailing operating & maintenance of the equipment as per its user characteristics.
- 11) The ISIEC 60079-17 and ISIEC 60079-19 shall be followed for maintenance and repair of overhaul of the subject equipments.

This approval also covers the permissible variations as approved under the Karandakar Laboratories Pvt Ltd test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual customer's customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is valid upto 31/12/2027.

Yours faithfully,
 A. Thangarajan
 Jt. Chief Controller of Explosives
 Pes- Chief Controller of Explosives
 Nagpur

Copies to:
 1. Jt. Chief Controller of Explosives, Bhopal, BAPCL

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)
This is System Generated document. Signature is not required.

Digitally signed by A. Thangarajan
 Reason: Approval No.: AP/PSM/1045/01
 Date: 17-05-2023 16:41:34 PM

Government of India
Ministry of Commerce & Industry
Patent & Explosives Safety Organisation (PESO)
 3D Floor, A-Block, CDO Complex, Sector 10, Gurgaon - 122002

E-mail: explosives@peso.gov.in
 Phone/Fax No.: 0121-2610404, Fax-2610577

Date: 24/05/2023

Approved No.: AP/PSM/1045/01 (P/04501)

To: M/s. SAPCON INSTRUMENTS PVT. LTD.,
 Khawatha, 131/25,
 131 Palshikar Colony, Indore,
 Madhya Pradesh, India.
 District: INDORE,
 State: Madhya Pradesh,
 PIN: 452004

Subj: Approval of Flame Proof Type Electrical Equipments under Petroleum Rules 2002 (Regulating).

Please refer to your letter No. GNT/7446 dated 27/04/2023 on the subject.

The following Ex electrical equipments manufactured by you according to IS 60079-0:2017, IS 60079-1:2017, standards and covered under PESO Test reports mentioned below have been approved for use in Zone 1 of Gas IIA/IIB/IIC hazardous areas coming under the Petroleum Rules, 2002 administered by this Organisation.

Sr. No.	Description	Safety Protection	Equipment reference Number	Name	Test Agency	Certificate No.	Certificate Date	Drawing no
1	Flameproof grade Housing (ELI) Cat No. SAP/EXP/PROBE HOUSING (ELI)	Ex d IIB T4	P040411	PESO	P446773/1	20/1/2020	SAP/EXP/PROBE HOUSING EL	
2	Flameproof grade Housing Cat No. SAP/EXP/PROBE HOUSING (ELI)	Ex d IIB T4	P040412	PESO	P446773/1	20/1/2020	SAP/EXP/PROBE HOUSING EL	
3	Flameproof Enclosure for Pushbutton (Round) for Level Switch & Level Indicator	Ex d IIC T4	P040413	PESO	P446773/1	20/1/2020	SAP/EXP/PROBE HOUSING GROUND	
4	Flameproof Electronics Unit Cat No. SAP/EXP/PROBE HOUSING (ELI)	Ex d IIB T4	P040414	PESO	P446773/1	20/1/2020	SAP/EXP/PROBE HOUSING EL	

This Approval is granted subject to observance of the following conditions:-

- 1) Design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Test Reports referred to above.
- 2) The equipment shall be used only with approved type of accessories and associated apparatus.
- 3) Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate compliance.
- 4) Name of the manufacturer.
- 5) Name and number by which the equipment is identified.
- 6) Name and date of the report of the PESO applicable to the equipment.
- 7) Equipment reference number of this letter by which use of apparatus is approved.
- 8) BIS approval number.
- 9) Certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Test report and is identical with the one tested and certified.
- 10) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule. If any, recommended by PESO and copy of instructions booklet detailing operating & maintenance of the equipment as per its user characteristics.
- 11) The ISIEC 60079-17 and ISIEC 60079-19 shall be followed for maintenance and repair of overhaul of the subject equipments.

This approval also covers the permissible variations as approved under the PESO test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual customer's customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is valid upto 31/12/2028.

Yours faithfully,

Our Major Clients of Dairy Industry



Order Copies Received From Dairy Industries

- Amul Dairy. Kiara
- IDMC Limited.
- Mehsana Dairy. Mahsana

KAIRA DISTRICT CO-OPERATIVE MILK PRODUCERS' UNION LIMITED									
Amul Dairy Head Anand 388001 Phone: 02692-256124, Fax: 02692-243225									
Vendor 1013972 Sapcon Instruments Pvt Ltd 131, PALSHIKAR COLONY INDORE-452004 Phone: 9826082027		PUR-REC-04 PUR-REC-04 131, PALSHIKAR COLONY INDORE-452004 Phone: 9826082027		Purchase Order P.O. Number: KA01919426 PO Date: 15.04.2023 PO DescType: ZDOM Domestic Purchase Version No: 3 Version Date: 15.04.2023 Approved & Released: 21.04.2023 / 10:17:28					
Your Ref No and Date CU-MP-47976 Your Ref No and Date: 15.04.2023 Your GSTIN: 23AACCS4126N1ZC P.Org: KPSD Central PONG-Kaira		Our Ref No and Date KPSD Central PONG-Kaira Our GSTIN: 24AAAAK3694F2ZF P.Org: KPSD Central PONG-Kaira		With reference to your above statd, we are pleased to place this order with you for the item's indicated below.					
Sl. No.	Material Code	HSN/SAC	Material Description	Quantity	Unit	Price/RMR	Qty	Price/RMR	Value
1	3018024	90261020	LEVEL SWITCH (LIQUID)	2	EA				
Price Basis: FOR ANAND PLANT Payment Term: ZDOM Within 7 days from the date of Goods Receipt				Sub Total Total (Inclusive of all)					
Total Values in INR: [in Words] Created By: Kayur Trivedi Authorized Signature:									
Goods to be supplied subject to terms and conditions as per enclosed Annexures.									

Page 1 of 5

MEHSANA DISTRICT CO-OPERATIVE MILK PRODUCERS' UNION LIMITED									
P.S. No. 1 MEHSANA 384002 Phone: 02762-253001 TO 253009, Fax: 02762-253422									
Vendor 1013972 Sapcon Instruments Pvt Ltd 131, PALSHIKAR COLONY INDORE-452004 Phone: 9826082027		PUR-REC-04 PUR-REC-04 131, PALSHIKAR COLONY INDORE-452004 Phone: 9826082027		Purchase Order P.O. Number: KA01919426 PO Date: 15.04.2023 PO DescType: ZDOM Domestic Purchase Version No: 3 Version Date: 15.04.2023 Approved & Released: 21.04.2023 / 10:17:28					
Your Ref No and Date CU-MP-47976 Your Ref No and Date: 15.04.2023 Your GSTIN: 23AACCS4126N1ZC P.Org: KPSD Central PONG-Kaira		Our Ref No and Date KPSD Central PONG-Kaira Our GSTIN: 24AAAAK3694F2ZF P.Org: KPSD Central PONG-Kaira		With reference to your above statd, we are pleased to place this order with you for the item's indicated below.					
Sl. No.	Material Code	HSN/SAC	Material Description	Quantity	Unit	Price/RMR	Qty	Price/RMR	Value
1	3018024	90261020	LEVEL CONTROLLER MODEL SLM300	10	EA				
Price Basis: For Dairy (Freight extra) Payment Term: ZDOM Within 30 days from the date of Goods Receipt				Sub Total Total (Inclusive of all)					
Total Values in INR: [in Words] Created By: CHPPUR MEH Authorized Signature:									
Goods to be supplied subject to terms and conditions as per enclosed Annexures.									

Page 1 of 4

IDMC		PURCHASE ORDER	
Reg. Office: IDMC Limited, Plot No. 124-128, GIDC Estate, Vithal Udyognagar-388121, Anand, Gujarat, India		Purchase Order No: 8422006061 Purchase Order Date: 25.11.2022 Amendment No: 0 Amendment Date: 25.11.2022	
Vendor: Name: SAPCON INSTRUMENTS PVT. LTD (105095) Address: 131, Palshikar Colony, Indore-452004, Madhya Pradesh, India GSTIN No.: 23AACCS4126N1ZC Cont. No.: 9826082027		Goods Supply From: Name: SAPCON INSTRUMENTS PVT. LTD (105095) Address: 131, Palshikar Colony, Indore-452004, Madhya Pradesh, India GSTIN No.: 23AACCS4126N1ZC Cont. No.: 9826082027	
Your Ref.: QUOTATION PO Created By: Pratik Kapasiya Mobile No: +917624093332 Phone No: 02692-220482 E-Mail: pratikkapasiya@idmc.com		Your Ref.: QUOTATION PO Created By: Pratik Kapasiya Mobile No: +917624093332 Phone No: 02692-220482 E-Mail: pratikkapasiya@idmc.com	
In accepting this purchase order, Vendor agrees to furnish the goods specified in full accordance with all conditions set forth herein and/or attachments here to. All drawings, designs, specifications and other data prepared by Buyer & related there to are the property of the Buyer and must be returned to Buyer upon completion by vendor of the obligations under this purchase order. The information contained herein is not to be released or disclosed for any other use or purpose other than for the execution of the purchase order. This formal purchase order constitutes the entire agreement and only written changes by way of an amendment to this purchase order will be legally binding. It is important that Vendor signs and returns the purchase order copy within three (3) days of receipt. No other form of acceptance will be accepted. Failure to return the acceptance does not diminish the responsibilities as set forth herein, but may result in a delay to any payments that may be due and may be cause for termination of this purchase order.			
Bill to: IDMC Limited GSI, Plot No.124-128, GIDC Estate, Vithal Udyognagar-388121, Anand, Gujarat GSTIN No.: 24AAAC14631E123 PAN No.: AAAC14631E		Ship to - Place of delivery: IDMC Limited Unit3 GSI, Plot No.608, GIDC Estate, Vithal Udyognagar, Ta & Dist- Anand-388121, Vithal Udyognagar, Gujarat GSTIN No.: 24AAAC14631E123 PAN No.: AAAC14631E	
Place of Supply: IDMC Limited GSI, Plot No.124-128, GIDC Estate, Vithal Udyognagar-388121, Anand, Gujarat GSTIN No.: 24AAAC14631E123 PAN No.: AAAC14631E		Payer: IDMC Limited Corpo, Plot No.124-128, GIDC Estate, Vithal Udyognagar-388121, Anand, Gujarat GSTIN No.: 24AAAC14631E123 PAN No.: AAAC14631E	
No		Description and Specification of Goods/ Services	
1.		Supply/ Service of Goods (Refer to Annexure-1 for goods/ services) Net Value Incl. Freight (A): Total Duties & Taxes (B): Others: Total Order Value:	
Total Order Value in words: Price Basis (INCOTERM):		Documentation: Goods/ Services must be dispatched along with delivery challan, tax invoice (duplicate for transporter copy) for credit and debit notes with HSN code of goods or accounting code for services and extra copy of Original tax invoice/ bill duly signed and stamped by competent authority. Plant/ Site will not accept the goods/ services without the same whatever may be the reason or urgency. Original tax invoice/ bill for recipient with HSN Code of goods or accounting code for services should be in line with purchase order/ contract/ scheduling agreement shall be sent to corporate office address: IDMC Limited, Plot No. 124-128, GIDC Estate, Vithal Udyognagar - 388121, Anand and submit invoice in sealed envelope mentioned invoice reference.	
Name:  Signature:		Vendor's Acceptance (Duly Signed & Stamped) Authorised Signatory	

Order Copies Received From Dairy Industries

- Neologic Engineers Pvt. Ltd.
- Banas Dairy. Palanpur
- Sabar Dairy. Himatnagar

neologic		Purchase Order				
To: SAPCON INSTRUMENTS PRIVATE LIMITED 131, PALSHIKAR COLONY INDORE-452004 Mp		Information: Document Numbering: PQ/2022/ 2757 Rev.No.: Document Date: 30/01/2023 Vendor Ref. No.: Delivery Date: 05/02/2023 Currency: INR				
Ship-To: NEOLOGIC ENGINEERS PVT.LTD. GAT NO. 808, DEVANSH WAREHOUSING, NEAR JOSHI WADE TAL-BHOR, DIST-PUNE-412205 MH		Project: 220153K1 Payment Terms: PAYMENT AFTER 30 DAY OF INVOICE				
Items	Description	HSN Code	Qty	Unit Price	UoM	Amounts
RTU-PM66-P CPG11-PM-P C3-PM66-PM MH-HG-1ST-0.6 8H	Level switch Product : Elite-T (one-Compact) Tubular Vibrating Fork Level Line Switch : IP65/68 C/IEC60529-2001 (suitable for all kinds of liquids having viscosity up to 10,000cp & density greater than or equal to 0.7gm/cc) Type : Integral (sensor in same unit) Probe Housing Material : SS316 Probe Housing Cable Entry : PG 11, Polyamide Output : PNP (Voltage up to 18 To 20VDC) Power Supply : 18 To 20VDC Mounting : Screwed ESP 1/4" : SS316 Vibrating Fork : 44mm, Hastelloy C276 Finish : Hygienic Operating Temperature : Up to 150°C Probe Length : 60mm Application: Nitric acid Operating Pressure : Atm /	9026.10.20	2	.00	Nos	.00
Purchaser: PRUGHANT TIWARI Remark: General Terms & conditions as per attached sheet. Note: GST is extra. Delivery: Immediate. Test certificate required. HSE-GUIDELINE REF NO.NEPL-L4-PUR-003		Total				.00
Prepared By:		Authorized Signatory				
GST NO. : 27AKC0605012AQ		NEOLOGIC ENGINEERS PVT.LTD. GAT NO. 808, DEVANSH WAREHOUSING, NEAR JOSHI WADEWALL, VELLU-SHINDORWADI, TAL-BHOR, PUNE-412205, MAHARASHTRA Tel: 8149022514 / 8067022514 www.neologicengineers.com				

SABARKANTHA DISTRICT CO-OPERATIVE MILK PRODUCERS' UNION LIMITED									
Subpost -Boria Himatnagar 382006 Phone: 02772-226591 TO 226600, Fax: 02772-226130									
Vendor 1015972 Sapcon Instruments Pvt Ltd 131, PALSHIKAR COLONY MADHYAPRADESH INDORE-111111 Madhya Pradesh India Phone: 9030820207 Your Ref No and Date SAP: 125810					SD-QSP-42-F04 Purchase Order P.O. Number 5410091589 P.O. Date 02.06.2023 P.O. DocType ZOOM Domestic Purchase Version No 0 Version Date 02.06.2023 Our Ref No and Date IN1000334403 Your GSTN : 23AACC04126N1ZC P.Org: SP05 Central PORG-Sabar Our GSTN : 24AAAAS526SL1ZA P.Org: S11 Engg Sp purchase				
With reference to your above sheet, we are pleased to place this order with you for the item/s indicated below.									
Sr No	Material Code	HSN/SAC	Material Description	Quantity	UoM	Price/INR	Per	QTY	Value
1	3824723	90328990	RF Admittance Level Boler	4	EA				
Price Basis: FOR SABAR DAIRY PLANT Payment Term: ZD04 Within 30 days from the date of Goods Receipt Total (Inclusive of all)									
Total Values in INR : [In Words]									
Created By: PUR HIM Authorized Signature									
Goods to be supplied subject to terms and conditions as per enclosed Annexure/s.									

BANASKANTHA DISTRICT CO-OPERATIVE MILK PRODUCERS' UNION LIMITED									
Banas Dairy Palanpur 385001, India Phone: 02742-253881 TO 85, Fax: 02742-252723									
SAPCON INSTRUMENTS PRIVATE LIMITED 1036980 INDORE-432004 India 8779418324 Contact Person Name : Surendra Kushwah Contact Person Number : 8770418324 Your Ref No and Date 8000056223 Our Ref No and Date 1200071817 Your GSTN : PORG: BP00 Central PORG-Banas					SD-QP-08.04.02-F04 Purchase Order SAP PO Number 6410298387 Document No 4000000895 PO Date 29.03.2023 PO DocType: 41 Domestic Purchase Order Version No 1 Version Date 29.03.2023 Status Approved & Released Department Name SANADAR UTILITY OUR GSTN : 24AAAAB678E1ZB P.Org: BP00 Central PORG-Banas				
With reference to your above sheet, we are pleased to place this order with you for the item/s indicated below.									
Sr No.	Material Code	HSN/SAC	Material Description	Quantity	UoM	Price	Per	QTY	Value
1	3174427		LEVEL SWITCH	5	EA			1	EA
Sub Total									
Total (Inclusive of all)									
Total Values in : [In Words]									
Price Basis: FOR RESPECTIVE DAIRY PLANT Payment Term: Within 30 days from the date of Goods Receipt Delivery Term: 3-4 Weeks from the date of Po Created By: Deshrathbhai Patel(Purchase) Authorized Signature									
Goods to be supplied subject to terms and conditions as per enclosed Annexure/s.									

DAIRY INDUSTRIES APPLICATIONS

We Offer In Different Applications of Dairy Industries



Raw Milk Storage
Tank



Milk Pasteurization



Butter Storage
Tank

We offer:

- ✓ CAPVEL ICT
- ✓ Elixir T-Uni

- ✓ ELIXIR T-Uni
- ✓ SLC Series

- ✓ Coat Endure

We Offer In Different Applications of Dairy Industries



Jaw Cooling
Balance Tank



Foam & No-Foam
Detection



CIP Process

We offer:

✓ Elixir T-Uni

✓ Coat Endure

✓ Elixir T-Uni

✓ Elixir

Our Specialized Products Dairy Industry Applications

- Tuning Fork Type Level Switch (Elixir)
- Compact Tuning Fork Type Level Switch (Elixir T-Uni)
- Capacitance Type Level Switch (SLC)
- RF Admittance Type Level Switch (Coat Endure)
- Capacitance Based Level Transmitter (CAPVEL_ICT)



Tuning Fork Type Level Switch: Elixir

Working Principle :

A compact liquid level sensor based on the tuning fork principle is a cost-effective solution with hygienic-pipe fittings & useful for all kinds of liquids. This tuning fork level sensor is used for point level detection in storage tanks, silos and pipelines to avoid overflow & dry run conditions.

Properties :

- Universal Power Supply: 18 - 55V DC & 90 - 265V AC
- Application Temperature Range : up to 200° C
- Output: 8.2V Namur, SPDT & DPDT Relay, AS-I
- Process Connection: Threads, Flanges and Tri-Clamp (Hygienic Connection)
- ECTFE coated, polished & hygienic fork
- Extendable probe length from 68 to 3000 mm
- Certifications: Flame Proof Housing IIC, PESO, BIS, CCOE, EIL, Ex-ia
- Fork Level Sensor **with Namur Output** Intrinsically Safe design Ex-ia Certified New



Advantages:

1. Technical Advantage

- Tines are resilient to practical with conditions
- IR communication for diagnosis, trouble shoot and configuration
- LED for switch indication (Device safe visual Operations)
- Fast Switching.

2. Commercial Advantage

- An obvious price benefit over competitor
- Reduced delivery in cycle time of receiving the product
- Better after sales support
- Strong Presence in the market
- extended guarantee period

• Elixir

• GA Drawing

Compact Tuning Fork Type Level Switch : Elixir-T-Uni

Working Principle :


- A compact fork type level switch based on a tuning fork working principle with a hygienic connection is useful for all types of liquids. This kind of fork is suitable for liquid level measurement techniques in process vessels, storage tanks, silos, hoppers, and pipelines to prevent overflow & dry run conditions.

Properties :

- Power Supply :18-30 V DC
- Output: PNP, AN-I bus Interface
- Temp Range : Up to 150°C
- Certified By EL Class I by EHEDG
- Enclosure : IP68 Weatherproof
- Process Connection : Threads , Tri-Clamp (Hygienic Connection)
- Wetted Parts: SS316, SS316L with hygienic finish (Ra<0.8μ)



• Elixir-T-Uni



• GA Drawing

Applications : Elixir-T-Uni

- **Brewery production Plant** → Elixir-T-Uni fork type level switch with standard hygienic surface finish (0.8 μm) is suitable in a beer manufacturing plants to prevent contamination.
- **Dairy Industry** → The compactness of our liquid level indicator makes them flexible enough to fit in small containers. The EHEDG certification is a surplus benefit to maintain the hygiene in entire operations.
- **Packaging Machines** → Our vibrating or tuning fork sensors are immune to foam build-up which not only detects the foam but also provides correct switching decisions to improve process efficiency.




Figure 3: Installation Diagram

Capacitance Based Level Switch : SLC Series

Working Principle :

The probe comprises of a sense electrode, electrically isolated from the metallic tank by means of a suitable insulator. The sense electrode and the vessel wall serve as the two electrodes of a capacitor with the service material acting as the dielectric. A change in the level of material causes a change in the dielectric, which in turn causes the value of this tank capacitor to change.

Properties :

- Universal Power Supply: 18-55 V DC & 90-265 V AC
- Application Temperature Range : Up to 350°C
- Outputs Options: 1/2 SPDT Relay & Pump Control Logic
- Available in Integral model
- Process Connection: Screwed & Flange
- Probe length: 100 mm to 10m
- Certifications: Flame Proof IIA & IIB Housing

Features :

- Power Supply: 24 V DC, 110 V AC, 220 V AC, 230 V AC
- Ignores buildup of material on vessel wall
- High temperature durability
- Sustains temperatures upto 600°C (nonconductive liquids)
- No moving parts, no mechanical wear & tear
- System fault indication for added reliability




Figure 2: System Diagram

RF Admittance Type Level Switch: Coat Endure

Working Principle :

A compact admittance type level switch based on RF admittance working principle is specially design to detect sticky solids and liquids. This level measuring device is suitable for conductive as well as non-conductive application media.


Properties :

- Universal Power Supply: 18-55V DC & 90-265V AC
- Application Temperature Range : up to 250° C
- Outputs: DPDT Relay, Open Collector PNP Output
- Process Connection: Threads and Flanges
- Wetted Parts: PTFE, SS 304 &, SS 316
- Probe length: 65 mm to 1500 mm
- Certifications : Flame Proof IIC & IP68 Housing
- RF Level Limit Switch **with Namur Output** Intrinsically Safe design Ex-ia Certified **New**


Advantages :

1. Technical Advantage

- a. Foam, No-Foam Detection.
- b. Suitable for Conductive and Non Conductive Application.
- c. External LED Indication Available.
- d. Fast Switching.



• Coat Endure



• GA Drawing

2. Commercial Advantage

- a. An obvious price benefit over competitor
- b. Reduced delivery in cycle time of receiving the product
- c. Better after sales support
- d. Strong Presence in the market
- e. Extended guarantee period

Capacitance Type Level Transmitter : CAPVEL_ICT

Working Principle :

It consists of electronic insert and probe. Probe comprises sense and shield electrodes (reference probe in absence of metallic tank). The probe is mounted on top of the tank. The sense electrode and the tank's wall serve as the two electrodes of imperfect capacitor with service material as dielectric. Change in material level causes a change in capacitance of this capacitor. The electronic insert measures change of capacitance accurately & shows the result in mA.



Properties :

- Power Supply: 9-30V DC
- Application Temperature Range: Up to 350°C
- Output: 4-20mA, Modbus-RTU (RS-485)
- Rod Probe up to 3.5m & Rope type probe for 1m to 15m
- Process connection: Screwed, Flange & Tri-Clamp
- Probe length: 100 mm to 15m
- Certifications: Flame Proof IIC & IP65 Housing




Figure 3: Installation of Various Probes

Capacitance Type Level Transmitter : CAPVEL_ICT

Features :

- A complete solution: Scanning, Displaying, Controlling & Transmitting
- Convenient outputs: 4 Digit 7 Segment Display RS485 & Analog 4/20 mA; compatible with PLC, SCADA
- Probe length between 140mm to 30m available
- Adjustable Sensitivity: 10 Choices
- Full set of Controlling: Alarm logic & Pump Control logic
- Power Supply: Universal 930 V DC
- Analog Output: 420mA (3 wire or 4 wire)
- Temperature Durability: Standard Model up to 60°C (High temp. models on demand)
- Internal Temperature Compensation
- Extrapolated Calibration range (From any two points)
- Suitable for wide range of liquids
- Low Cabling Cost




Figure 1: Parts of Capvel ICT

Our Instruments in different coating for special application.



Halar Coated (ECTFE)



PFA Coated



Buffed Finished



Haste alloy C-276

- This instrument is developed for Wacker Metroack Chemicals for their highly corrosive and high temperature chemicals and this does not need coating and works very well in there application.
- Haste alloy C constructed instruments can be use at high temperature up to 250°C the other impotent advantages.
- It is a versatile instrument and can be use all application and you can make same inventory
- Haste alloy C constructed instruments insure full durability as there is a no coating.

Many crucial advantages make coating with ECTFE /PFA so functional and effective:

- Very good weathering resistance: Practically no changes under the influence of weather
- Very good electrical properties: Low, stable dielectric constant over a broad range of temperatures and frequencies.
- Outstanding chemical resilience: Resistant to most technical acids, bases and solvents
- ECTFE coated tuning fork sensor extends the operating life under application media involving corrosive liquids


Our Products with Halar/ PFA Coatings used in Special Application:

- Glass Line HCL Reactors.
- Vessels in Chemical Reactions.
- Cylindrical and Around shaped tank shoring chemicals.
- Storage tanks other chemical like: Ethanol, Benzene, HCL etc.
- ❖ Elixir with halar coating is perfectly suitable for this type of application.
- ❖ EHEDG certified tuning fork level sensor Elixir-T Uni will be give justified solution for this type of application.
- ❖ level sensor SLC with full PTFE insulation will be fruitful for this type of application.



VITAL : Vibrating Fork Type Level Switch

- Universal Power Supply: 18 - 55V DC & 90 - 265V AC
- Application Temperature Range : up to 200° C
- Outputs: DPDT Relay, Open Collector PNP Output
- Process Connection: Threads and Flanges
- Polished & hygienic fork
- Shorter Probe Length
- Fast Switching: 0.5s & 0.8s options available
- Certifications: Flame Proof Housing IIC, IP-68 Housing



SLW : Conductivity Type Level switch

- Universal Power Supply: 18-55V DC and 90-265V at 50Hz AC
- Application Temperature Range : Up to 250° C
- Output Options: 1/2 SPDT Relay, Pump Control Logic
- Available in Integral & Remote version
- Available in Rod & Rope Versions
- Certifications: Flame Proof IIA & IIB, IP65 & IP66 Housing
- Probe length: 65 mm to 5m



SLA_M/B : RF Admittance Type Level Switch

- Universal Power Supply: 18-55 V DC & 90-265 VAC
- Application temperature range up to 1000°C.
- Available in remote & integral model.
- Certifications: Flame proof IIA, IIB & IP65 Housing.
- Probe available in Rod and Rope Wire type.
- Process Connection: threads and Flanges
- Remotely mounted electronics up to 15 m



OrbitLite Rotatory Paddle Level Switch

- Light weight body
- Adjustable switching sensitivity
- AC synchronous motor design, maintenance-free
- Variable sensitivity control, wide application range
- Foldable paddle mechanism for ease of installation
- Transparent cover, easy visibility



Magnetic Level Switch in SS Float

- Mounting connection-Flange type
- Switch rating : 5mA at 230VAC
- Max. working temperature up to 250°C
- Specific gravity 0.8
- Out Put : 2 No+ 2 NC



Float & Board Level Indicator

- Installation Available for Overhead, Ground Level and Underground level tank.
- Specific Gravity ≥ 0.8
- Temp range : Up to 100°C.
- Random Visible from long distance.
- Weatherproof Scale board (SS304)
- Pure polyester powder coated scale).



SAP-Sonic : Ultrasonic Level Transmitter

- 2,4 Wire Compact.
- 2- Wire integrated level transmitter
- Temperature Compensation
- Fixed target suppression to avoid obstacles inside the tank
- Non-contact level measurement
- Maximum 25m (82ft.) measuring range
- Narrow (5°) beam angle
- Full temperature compensation
- Communication.



SAP-Flow : Electromagnetic Flow Meter


- Universal power supply: 24 VDC 230VAC and battery operated.
- Application temperature range: up to 80°C
- Suitable for conductive liquid, $\sigma > 5\mu\text{S}/\text{CM}$
- PTFE, Neoprene, PFA, HDPE,
- Polyurethane, CPVC, Rubber
- Output: 4-20mA, Relay for alarm, Pulses




Hydrostatic Pressure Based Level Transmitter

- Latest RISC Core Micro-Controller Technology
- Measured Level is displayed continuously in terms of level, volume or mass
- Multipurpose 8 digit seven segment LED display for better resolution
- Two wire Analog Communication from Sensor to evolution unit support as much as 1 km distance between sensor and evolution unit

Our Annual Growth



About us: Highlights Our Presence



Our Manufacturing Process



PMI/XRF
handheld
machine
Ensuring
expected
composition



PMI TESTING

Mechanical Production



SEMI-AUTOMATIC TIG WELDING

Electrical Production



IPC(Institute for Printed) Members ,India Chapter
Standard PCB Manufacturers
Circuit Systems India, Gandhinagar
DMS Tech, Mysore

Other Manufacturing Equipments

- Insulation tester
- Hydraulic and Pneumatic Pressure testing
- Pneumatic Vice for faster assembly
- Battery operated Screw Drivers and Nut Tightener's

Our Team

CUSTOMER SUPPORT TEAM



RESEARCH & DEVELOPMENT TEAM



BUSINESS DEVELOPMENT TEAM



ELECTRONICS MANUFACTURING TEAM



Knowledge up-skilling

- Regular Visits to Tech Expos
- IPC Membership
- ISA Maharashtra Members
- IMA (Indore Management Association)
- EO(Entrepreneur Organization)

- **Market Penetration**
- **Strong Know-how/Credentials**
- **Dedicated service support**
- **Team**
- **Customized products**
- **Customized delivery**
- **Cost for 'Brain' only**
- **Competitive rates**



THANK YOU



GET IN TOUCH:

www.sapconinstruments.com/cement

+91-731-4757575

131 Palshikar Colony, Indore

Present Today:

Ashwin Palshikar, Director - Business Development